

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [JayTong](#) /

> [JayTong LCD Replacement for Itel A50C A669L - Instruction Manual](#)

JayTong Itel A50C A669L

JayTong LCD Replacement for Itel A50C A669L - Instruction Manual

Model: Itel A50C A669L

1. INTRODUCTION

This manual provides essential instructions for the proper handling, testing, and general guidance for installing the JayTong LCD Replacement for Itel A50C A669L. This product is designed to replace old, broken, cracked, damaged, or non-functional LCD screens with touch response issues. Please read all instructions carefully before proceeding with any steps.

2. IMPORTANT PRECAUTIONS AND SAFETY INFORMATION

- **Fragile Component:** The LCD screen assembly is a delicate electronic component. Handle with extreme care to avoid damage.
- **Professional Installation Recommended:** Installation of this component requires specialized tools and technical expertise. It is highly recommended that installation be performed by a qualified technician. Incorrect installation can lead to damage to the product or your device.
- **Pre-Installation Testing:** Always test the screen assembly thoroughly before final installation. Do not remove protective films or tags until testing is complete and the screen is confirmed to be fully functional.
- **Compatibility:** Ensure that the model number of your device matches "Itel A50C A669L" to ensure compatibility. Using an incorrect model may cause damage.
- **Additional Tools:** Customers may need to acquire additional tools beyond the essential device opening tools provided (if any) for a successful installation.
- **No Installation Instruction Included:** This package does not include detailed installation instructions. Users without experience should seek professional assistance.

3. PACKAGE CONTENTS

The package typically includes the following items:

- JayTong LCD Display Touch Screen Assembly for Itel A50C A669L
- Basic device opening tools (e.g., screwdrivers, pry tools, suction cup)




Image 1: JayTong LCD Replacement for IteL A50C A669L display assembly shown alongside a set of basic repair tools including screwdrivers, pry tools, and a suction cup.



Image 2: A close-up view of the basic device opening tools, which typically include small screwdrivers, plastic pry tools, and a suction cup for screen removal.

4. PRE-INSTALLATION TESTING PROCEDURE

It is crucial to test the new LCD screen assembly before fully installing it into your device. This ensures the component is functional and prevents issues after installation. Do not remove any protective films or tags during testing.

1. **Clean Connections:** Carefully clean the flex cable of the new screen and the corresponding slot on the device's motherboard. Ensure there is no dust or debris.
2. **Connect Screen:** Connect the new screen's flex cable securely to the motherboard. Ensure a firm and proper connection.
3. **Battery Check:** Verify that the device's battery is fully charged. Also, confirm that the device's motherboard is not damaged or faulty.
4. **Power On and Test:** Power on the device. Test all functions of the screen, including display quality, touch responsiveness across the entire screen, and any other relevant features.
5. **Proceed or Contact Support:** If the screen functions correctly, you may proceed with installation. If any issues are observed, do not proceed with installation and contact customer support immediately.

5. GENERAL INSTALLATION GUIDANCE

This section provides general guidance for the installation process. Due to the complexity and specific requirements of device

repair, detailed step-by-step instructions are not provided in this manual. It is strongly advised that installation be performed by individuals with experience in mobile device repair.

- **Power Off Device:** Ensure the device is completely powered off and disconnected from any power source before beginning disassembly.
- **Disassembly:** Carefully disassemble the device, following appropriate guides or videos for the ITEL A50C A669L model. Pay attention to screw locations and flex cable connections.
- **Remove Old Screen:** Gently remove the damaged screen assembly. Be cautious of adhesive and any remaining glass fragments.
- **Install New Screen:** Position the new LCD assembly carefully. Connect all flex cables securely.
- **Reassembly:** Reassemble the device, ensuring all components are correctly seated and screws are tightened appropriately. Avoid over-tightening.

Disclaimer: Any damage incurred during installation due to improper handling or lack of experience is the sole responsibility of the installer. The manufacturer is not liable for such damages.

6. TROUBLESHOOTING

If you encounter issues after installation, consider the following common troubleshooting steps:

- **Display Not Working / No Image:**
 - Ensure all flex cables are securely connected to the motherboard.
 - Check for any visible damage to the flex cables or connectors.
 - Verify the device's battery is charged and the motherboard is functional.
- **Touch Not Responding / Partial Touch:**
 - Re-seat the touch screen flex cable connection.
 - Ensure there is no debris or foreign material between the screen and the device frame.
 - Perform a soft reset of the device.
- **Screen Flickering / Abnormal Display:**
 - Check for loose connections of the display flex cable.
 - Ensure no pressure is being applied to the screen from internal components.

If these steps do not resolve the issue, it is recommended to consult a professional repair service or contact customer support.

7. PRODUCT SPECIFICATIONS

Feature	Detail
Product Type	LCD Display Touch Screen Assembly
Compatibility	ITEL A50C, ITEL A669L
Model Number	ITEL A50C A669L
Color	Black
Manufacturer	Generic (Sold by JayTong)

Package Dimensions	6 x 3 x 0.4 inches
Item Weight	3.52 ounces
ASIN	B0DP8MTCW7
Date First Available	November 29, 2024

8. WARRANTY AND SUPPORT

For any questions, concerns, or issues regarding the JayTong LCD Replacement for Intel A50C A669L, please contact the seller directly through the platform where the purchase was made. Please note that the return of screens where an installation attempt has been made may not be accepted if the item is damaged during the process. Always test the product thoroughly before final installation.

