

[Manuals.plus](#) /

› [Outsunny](#) /

› Outsunny 9' x 4' Galvanised Steel Outdoor Storage Shed (Model 845-032) Instruction Manual

Outsunny 845-032

Outsunny 9' x 4' Galvanised Steel Outdoor Storage Shed

Model: 845-032LG

Brand: Outsunny

1. INTRODUCTION

This manual provides essential instructions for the assembly, operation, and maintenance of your Outsunny 9' x 4' Galvanised Steel Outdoor Storage Shed. Please read this manual thoroughly before beginning assembly or use to ensure safe and correct operation. Keep this manual for future reference.



Image 1.1: The Outsunny 9' x 4' Outdoor Storage Shed, shown installed in a garden environment, featuring its light grey galvanized steel construction and double sliding doors.

2. SAFETY INFORMATION

WARNING: Assembly of this storage shed involves heavy and large components. Exercise extreme caution during all assembly steps. It is strongly recommended to wear protective gloves throughout the installation process to prevent injury.

Ensure the assembly area is clear of obstructions and that you have sufficient space to work safely. Always follow the assembly instructions provided with the product packaging. Do not attempt to assemble the shed alone; a minimum of 2-3 people are required for safe and efficient assembly.

3. PACKAGE CONTENTS

Verify that all components listed in the packing list are present and undamaged before beginning assembly. If any parts are missing or damaged, contact customer support immediately. The shed includes galvanized steel panels, a foundation kit, double sliding doors, and air vents, along with all necessary fasteners and hardware.

4. SETUP AND ASSEMBLY

Assembly typically requires 2-3 people and takes approximately 2-3 hours. Follow the step-by-step instructions provided in the separate assembly guide included with your product. Key steps include:

1. **Site Preparation:** Choose a level, stable surface for installation. Ensure adequate drainage.
2. **Foundation Kit Assembly:** Assemble the included foundation kit first. This kit helps keep the inner area clean and sealed. Note that you will need to add a suitable size board on top of the foundation kit to create a solid floor.
3. **Wall Panel Installation:** Securely attach the galvanized steel wall panels according to the diagrams.
4. **Roof Installation:** Install the pent roof, ensuring it is properly aligned for water runoff.
5. **Door and Vent Installation:** Install the double sliding doors and air vents.

FOUNDATION KIT INCLUDED

Keep inner clean and sealed



Image 4.1: The included foundation kit, designed to provide a stable base and help keep the shed interior clean. A separate floor board is required.

Garden Storage Shed



Image 4.2: Illustration showing the floor foundation included with the shed. A suitable size board must be added on top to complete the floor.

Your browser does not support the video tag.

Video 4.1: An official product video demonstrating the Outsunny Garden Storage Shed, highlighting its features and appearance in various settings.

5. OPERATING INSTRUCTIONS

Your Outsunny storage shed is designed for ease of use and protection of your stored items.

- **Double Sliding Doors:** The shed features double sliding doors for easy access and space-saving operation. To open, slide one or both doors along their tracks. To close, slide them back until they meet. The doors are designed with a lock-ready mechanism (padlock not included) to secure your belongings.
- **Air Vents:** Two ventilation slots are integrated into the design to ensure optimal airflow. These vents help combat moisture and mildew, keeping your garden supplies fresh and dry. Do not block these vents.

DOUBLE SLIDING DOORS

Easy access, added security



Padlock not included





Image 5.1: Close-up view of the double sliding doors, showing their design and the small ramp for wheeled items.



2 VENTS

Breathe easy, stay fresh

Image 5.2: Detail of the two air vents located near the roofline, designed to promote air circulation.



FLOOR FOUNDATION INCLUDED

You need to add a suitable size board on top to keep intruders out of your shed, keeping the inner clean and sealed

Image 5.3: Visual representation of the wide double doors for easy access, anti-collision protection, and lockable door handles for security.

Your browser does not support the video tag.

Video 5.1: A short preview video demonstrating the Outsunny shed being used for winter storage, showcasing its practical application.

6. MAINTENANCE

To ensure the longevity and optimal performance of your galvanized steel storage shed, regular maintenance is recommended:

- **Cleaning:** Periodically clean the exterior with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the galvanized coating.
- **Door Tracks:** Keep the sliding door tracks free of debris to ensure smooth operation. Lubricate tracks if necessary.
- **Fasteners:** Periodically check all screws and bolts to ensure they are tight. Re-tighten as needed.
- **Ventilation:** Ensure the air vents remain unobstructed to maintain proper airflow and prevent moisture buildup.
- **Roof:** Clear any accumulated leaves or debris from the roof to prevent water pooling and ensure proper runoff.



Image 6.1: The pent roof design, illustrating how water runs off the shed, not in, protecting stored items.


7. TROUBLESHOOTING

If you encounter issues with your storage shed, consider the following common solutions:

- **Difficulty Sliding Doors:** Check the door tracks for debris or obstructions. Ensure the shed is level and the tracks are properly aligned. Lubricate tracks if they are stiff.
- **Water Leakage:** Verify that all roof panels are securely fastened and overlapping correctly. Check for any gaps or damage to the panels. Ensure the shed is installed on a level surface to prevent water pooling around the base.
- **Condensation Inside:** Ensure air vents are clear and unobstructed. Proper ventilation is crucial to prevent condensation.
- **Unstable Structure:** Confirm all fasteners are tightened. Ensure the shed is anchored to a solid, level foundation.

8. SPECIFICATIONS

Feature	Specification
Overall Dimension	110.25"L x 51.25"W x 62.25/67.75"H (280 x 130 x 158/172 cm)
Inside Dimension	104.75"L x 45.75"W (266 x 116 cm)
Floor Area	3.2 Square Meters
Door Width	96 Centimeters
Door Height	152 Centimeters
Material	Galvanised Steel (Alloy Steel)
Color	Light Grey
Roof Type	Pent Roof
Doors	Double Sliding Doors
Ventilation	2 Air Vents
Water Resistance Level	Waterproof
Ultraviolet Light Protection	Yes
Item Weight	108 Pounds (48.99 kg)
Assembly Required	Yes
Model Number	845-032LG



Note:

Before purchasing this product, it is recommended to measure the foundation size first.

- Overall dimension
- Bottom
- Inner storage

Bottom Area = 34 ft² (3.2 m²)

Image 8.1: Diagram illustrating the overall and inner dimensions of the storage shed, including height, width, and depth measurements.

GALVANISED STEEL STRUCTURE

Built to last, no matter the season



Rain Protection



Snow Protection



Rust Prevention



Zero Maintenance



Image 8.2: Visual highlighting the galvanized steel structure, emphasizing its resistance to rain, snow, and rust, and its low maintenance.

Your browser does not support the video tag.

Video 8.1: An official product video showcasing the Outsunny Garden Storage Shed, demonstrating its features and capacity.

9. WARRANTY AND SUPPORT

Manufacturer Warranty: This product comes with a 90-day warranty against manufacturer defects.

Customer Support: For any questions, missing parts, or warranty claims, please contact Aosom Canada. You can reach them at: Markham, Ontario, CA Tel. 1-416-792-6088.