

dreeong Quick Release Plate

dreeong Quick Release Plate Instruction Manual

Model: Quick Release Plate for Albinar 9500/9900 Tripods with PH556/PH258/PH258Q Heads

1. INTRODUCTION

This instruction manual provides essential information for the proper installation, operation, and maintenance of your dreeong Quick Release Plate. This plate is specifically designed for compatibility with Albinar 9500 and 9900 series tripods, and Albinar PH556, PH258, and PH258Q tripod heads. Please read this manual thoroughly before use to ensure optimal performance and safety.

2. PRODUCT OVERVIEW

The dreeong Quick Release Plate allows for rapid attachment and detachment of your camera to compatible tripod heads. It features a standard camera mounting screw and an anti-rotation pin for secure camera attachment.



Figure 2.1: Top view of the dreeong Quick Release Plate. This image displays the rectangular black plate with a central silver camera mounting screw and a small black anti-rotation pin.



Figure 2.2: Angled view of the dreeong Quick Release Plate. This perspective highlights the textured rubberized surface for enhanced grip and the slightly curved edges of the plate.

3. SETUP AND INSTALLATION

Follow these steps to properly attach the quick release plate to your camera and then to the tripod head.

1. Attach to Camera:

- Locate the tripod mounting thread on the bottom of your camera.
- Align the quick release plate's mounting screw with the camera's tripod thread. Ensure the anti-rotation pin (if present on your camera) aligns with the corresponding hole on the plate.
- Tighten the screw securely by hand or using a coin/screwdriver if a D-ring is not present. Do not overtighten.

2. Attach to Tripod Head:

- Ensure the quick release clamp on your Albinar PH556, PH258, or PH258Q tripod head is open.
- Slide the quick release plate (with camera attached) into the clamp on the tripod head.
- Securely close the clamp lever or knob on the tripod head until the plate is firmly locked in place. Gently tug on the camera to confirm it is secure before releasing your grip.



Figure 3.1: The dreelong Quick Release Plate shown alongside a compatible tripod head receiver. The image illustrates the plate's base and the corresponding slot in the receiver where it slides in.

4. OPERATING INSTRUCTIONS

Once the quick release plate is attached to your camera and the tripod head, operation is straightforward:

- **Attaching Camera:** With the plate already on your camera, simply open the clamp on the tripod head, slide the plate in, and close the clamp securely.
- **Detaching Camera:** To remove your camera, ensure you have a firm grip on the camera, then open the clamp on the tripod head and slide the plate (with camera) out.

Always ensure the quick release clamp is fully engaged and locked before leaving your camera unattended on the tripod.

5. MAINTENANCE

To ensure the longevity and reliable performance of your quick release plate:

- **Cleaning:** Wipe the plate with a soft, dry cloth to remove dust and debris. Avoid using harsh chemicals or abrasive materials.

- **Inspection:** Periodically check the mounting screw for tightness and ensure there is no damage to the plate's surface or structure.
- **Storage:** Store the plate in a clean, dry environment when not in use.

6. TROUBLESHOOTING

- **Plate does not fit into tripod head:**
 - Ensure the tripod head clamp is fully open.
 - Verify that your tripod head is one of the compatible models: Albinar PH556, PH258, or PH258Q. This plate is not universally compatible.
- **Camera feels loose on the plate:**
 - Tighten the camera mounting screw on the quick release plate.
 - Ensure the anti-rotation pin is properly engaged with the camera's base (if applicable).
- **Plate feels loose in the tripod head:**
 - Ensure the quick release clamp on the tripod head is fully closed and locked.
 - Check for any debris in the tripod head's clamp mechanism that might prevent a secure fit.

7. SPECIFICATIONS

Brand	dreeong
Model Compatibility	Albinar 9500, Albinar 9900 Tripods; Albinar PH556, PH258, PH258Q Tripod Heads
Mounting Screw	Standard 1/4"-20 (common camera tripod thread)
Material	(Information not provided, typically aluminum alloy or durable plastic)
UPC	606052705667

8. WARRANTY AND SUPPORT

Specific warranty information for this dreeong Quick Release Plate is not provided in the product details. For warranty claims, technical support, or further inquiries, please contact the seller or manufacturer directly through the platform where the product was purchased.

Manufacturer: dreeong