

DS-K1T342DWX

User Manual for DS-K1T342DWX Value Series MinMoe Facial Recognition Terminal

Model: DS-K1T342DWX

1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of the DS-K1T342DWX Value Series MinMoe Facial Recognition Terminal. This device utilizes advanced deep learning algorithms to ensure high-speed and accurate facial recognition. It supports multiple authentication methods, including face and card recognition, making it suitable for various access control and time attendance applications in diverse environments such as offices, financial institutions, and other secure areas.

2. SAFETY INFORMATION

Please read these safety instructions carefully before operating the device to prevent injury to yourself or others and to avoid damage to the device. Keep this manual for future reference.

- Ensure the device is installed by qualified personnel in accordance with all local electrical codes and regulations.
- Use only the power adapter specified for this device. Incorrect voltage may cause damage or fire.
- Do not expose the device to water, moisture, or extreme temperatures.
- Avoid placing the device in direct sunlight or near heat sources.
- Do not attempt to disassemble or repair the device yourself. Refer all servicing to qualified service personnel.
- Clean the screen and lens with a soft, dry cloth. Avoid using abrasive cleaners or solvents.

3. PACKAGE CONTENTS

Verify that all items are present and in good condition upon unpacking. If any items are missing or damaged, contact your supplier immediately.

- DS-K1T342DWX Facial Recognition Terminal with LCD Touch Screen
- Mounting accessories (screws, wall plugs)
- Power Adapter (specific to region)
- Quick Start Guide

4. PRODUCT OVERVIEW

The DS-K1T342DWX terminal features a compact design with a high-resolution display and advanced recognition capabilities.



Figure 4.1: Front view of the DS-K1T342DWX terminal, showing the LCD touch screen, 2MP wide-angle lens, and fingerprint sensor area.



Figure 4.2: Angled view of the DS-K1T342DWX terminal, highlighting its slim profile and side ports.



Figure 4.3: Alternative front view of the DS-K1T342DWX terminal, providing a clear look at the display interface.

Key Components:

- **4.3" LCD Touch Screen:** For user interaction, displaying recognition status, time, and configuration menus.
- **2-Megapixel Wide-Angle Lens:** Captures facial images for recognition.
- **Built-in Card Reading Module:** Supports various card types for authentication.
- **Microphone and Speaker:** For two-way audio communication.
- **Connectivity Ports:** For power, network (TCP/IP, Wi-Fi), and external device connections.

5. SETUP AND INSTALLATION

Proper installation is crucial for optimal performance and security. It is recommended that installation be performed by a professional.

5.1 Mounting the Device

1. Choose a suitable mounting location, typically at eye level for facial recognition, ensuring the face recognition distance of 0.3 m to 1.5 m is achievable.
2. Use the provided mounting template (if applicable) to mark drilling points on the wall.
3. Drill holes and insert wall plugs.
4. Secure the mounting bracket (if separate) to the wall using screws.
5. Attach the terminal to the mounting bracket or directly to the wall, ensuring it is firmly secured.

5.2 Wiring and Connectivity

- **Power Connection:** Connect the power adapter to the device and a suitable power outlet.
- **Network Connection:**
 - **Wired (TCP/IP):** Connect an Ethernet cable from the device's LAN port to your network switch

or router.

- **Wireless (Wi-Fi):** Configure Wi-Fi settings via the device's touch screen or web client after initial power-up.
- **External Devices:** Connect any required external devices such as door locks, exit buttons, or alarm systems according to the wiring diagram in the detailed installation guide (not provided in this summary).

6. OPERATING INSTRUCTIONS

This section outlines the basic operation of the facial recognition terminal.

6.1 User Enrollment

Before users can be authenticated, their facial data and/or card information must be enrolled into the system. The device has a capacity for up to 1500 faces and 3000 cards.

1. Access the device's menu (requires administrator credentials).
2. Navigate to "User Management" or "Enrollment".
3. Select "Add User" and input required user details.
4. For facial enrollment, instruct the user to stand within the recognition distance (0.3 m to 1.5 m) and face the camera. The device will capture the facial image.
5. For card enrollment, present the card to the built-in card reader.
6. Save the user's information.

6.2 Authentication Methods

- **Facial Recognition:**

Stand directly in front of the terminal within the specified recognition distance. The device will automatically detect and recognize your face. Recognition duration is less than 0.2 seconds per user, with an accuracy rate of 99% or higher. The device also supports mask recognition for enhanced security.

- **Card Authentication:**

Present your registered card to the card reading area on the terminal. The device will verify the card and grant access if authorized.

- **Combined Authentication:**

The terminal can be configured to require both facial recognition and card authentication for increased security.

6.3 Two-Way Audio

The device supports two-way audio functionality, allowing communication with client software, indoor stations, and main stations. This feature enhances communication capabilities for access control scenarios.

7. CONFIGURATION

The terminal's settings and advanced features can be configured via a web client or compatible software.

- **Web Client:** Access the device's IP address through a web browser to manage users, configure network settings, set up access rules, and view logs.
- **Protocol Compatibility:** The device is compatible with ISAPI and ISUP 5.0 protocols, allowing

integration with various security and management platforms.

8. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your facial recognition terminal.

- **Cleaning:** Gently wipe the LCD touch screen and camera lens with a soft, lint-free cloth. Do not use liquid cleaners or aerosols directly on the device.
- **Software Updates:** Periodically check for firmware updates from the manufacturer to ensure the device has the latest features and security enhancements.
- **Data Backup:** Regularly back up user data and configuration settings to prevent data loss.

9. TROUBLESHOOTING

This section addresses common issues you might encounter. For more complex problems, contact technical support.

Problem	Possible Cause	Solution
Device does not power on.	No power supply or faulty adapter.	Check power connection and adapter. Ensure the outlet is functional.
Facial recognition fails or is slow.	Incorrect distance, poor lighting, or un-enrolled user.	Ensure user is within 0.3m-1.5m. Improve lighting. Verify user is enrolled. Clean camera lens.
Card authentication not working.	Card not enrolled or incorrect card type.	Ensure card is enrolled and compatible with the built-in reader.
Cannot connect to network.	Incorrect network settings or cable issue.	Verify Ethernet cable connection or Wi-Fi settings. Check IP address configuration.

10. SPECIFICATIONS

Technical specifications for the DS-K1T342DWX Facial Recognition Terminal.

- **Model:** DS-K1T342DWX
- **Display:** 4.3" LCD Touch Screen
- **Camera:** 2-Megapixel Wide-Angle Lens
- **Face Capacity:** Up to 1500 faces
- **Card Capacity:** Up to 3000 cards
- **Face Recognition Distance:** 0.3 m to 1.5 m
- **Face Recognition Accuracy:** 99% or higher
- **Face Recognition Speed:** Less than 0.2 seconds per user
- **Authentication Modes:** Face, Card, Face + Card
- **Special Features:** Mask recognition, Two-way audio
- **Connectivity:** TCP/IP, Wi-Fi
- **Protocols:** ISAPI, ISUP 5.0
- **Configuration:** Web client
- **Color:** Black

- **Manufacturer:** Hikvision (as per product specifications)

11. WARRANTY AND SUPPORT



For warranty information and technical support, please refer to the documentation provided with your purchase or contact your vendor. For purchases made through Amazon, you may contact the seller, NATO Security, for assistance with product-related inquiries and support.

For general inquiries or to find more resources, you can visit the manufacturer's official website (Hikvision).


© 2025 Generic. All rights reserved. Information in this manual is subject to change without notice.

Related Documents - DS-K1T342DWX

	HikCentral Access Control V2.4.0 Compatibility List for Hikvision Devices This document lists compatible Hikvision devices for HikCentral Access Control software version 2.4.0, detailing model numbers, firmware, and supported software versions for various access control components.
	Hikvision DS-K1T343 Series MinMoe Terminal Release Notes Release notes for the Hikvision DS-K1T343 Series MinMoe Terminal, detailing firmware updates, new features, bug fixes, and improvements across various versions from 2021 to 2023.
	Hikvision DS-K1T343 Series Face Recognition Terminal User Manual Comprehensive user manual for the Hikvision DS-K1T343 Series Face Recognition Terminal, detailing installation, operation, configuration, safety guidelines, and features for advanced access control and time attendance management.

 Instruction Manual DS-2000 Series Reflecting and Refracting Telescopes Meade Instruments Corporation	Meade DS-2000 Series Telescopes: Instruction Manual Comprehensive instruction manual for Meade DS-2000 Series Reflecting and Refracting Telescopes, covering assembly, Autostar and Electronic Controller operation, maintenance, and specifications for an enhanced stargazing experience.
	Hikvision DS-K1T341A Series Face Recognition Terminal Quick Start Guide Quick start guide for the Hikvision DS-K1T341A Series Face Recognition Terminal, covering installation, appearance, wiring, activation, two-way audio, face picture capture, and regulatory information.
	Hikvision DS-K1T671TM-3XF Face Recognition Terminal Quick Start Guide This guide provides essential information for installing, activating, and using the Hikvision DS-K1T671TM-3XF Face Recognition Terminal, including setup, wiring, temperature measurement, and face data management.

Documents - DS-K1T342DWX – DS-K1T342DWX



DS-K1T342DWX-E1
Face Recognition Terminal

Face recognition terminal adopts deep learning algorithm, which helps to recognize the face faster with higher accuracy. It also supports multiple authentication modes: face/card authentication, etc. It can be applied in multiple scenarios, such as buildings, enterprises, financial industries, and other important areas.

- Max 1000 faces capacity, and Max 1000 cards
- Face Recognition Terminal, 4.3 inch LCD touch screen, 2 MPi pixelated wide-angle lens, built-in MIC/HD/2K30 frame card reading module
- Two-way audio with client software, indoor station, and main station, supports TCP/IP, Wi-Fi
- Supports NVR, NVR II
- Configuration via the web client
- Face Recognition Distance: 0.3m to 1.5 m, Operation < 0.2 s/face, accuracy rate > 99%
- Supports face with mask recognition
- Powers supply by standard PoE and at the same time powers supply for door lock (2 VDC/1 A)
- Supports platform: applied personal PMS and device set personal PMS

www.hikvision.com

[\[pdf\]](#) Specifications Dimension Guide

Fisa tehnica DS K1T342DWX E1 spy shop ro media custom upload |||

DS-K1T342DWX-E1 Face Recognition Terminal Face recognition terminal adopts deep learning algorithm, which helps to recognize the face faster with higher accuracy. It also supports multiple authentication modes: face/card authentication, etc. It can be applied in multiple scenarios, such as buildings...

lang:en score:52 filesize: 565.28 K page_count: 5 document date: 2023-08-07



[pdf] Specifications Dimension Guide

DS K1T342DWX Face Recognition Terminal surveillance video media lanot attachments customimport |||

DS-K1T342DWX Face Recognition Terminal Face recognition terminal adopts deep learning algorithm, which helps to recognize the face faster with higher accuracy. It also supports multiple authentication modes: face/card authentication, etc. It can be applied in multiple scenarios, such as buildings, e...

lang:en score:51 filesize: 817.96 K page_count: 4 document date: 2022-08-25




[pdf] Specifications Datasheet Dimension Guide

Inglese DS K1T342DWX Modulo riconoscimento volto e lettore tessere Mifare 1 Desfire Felica Setik biz 20230516181659 Face Recognition TerminalDatasheetV1 020220825 cdn setik storage Depliant ||| |||

DS-K1T342DWX Face Recognition Terminal Face recognition terminal adopts deep learning algorithm, which helps to recognize the face faster with higher accuracy. It also supports multiple authentication modes: face/card authentication, etc. I

DS-K1T342DWX Face Recognition Terminal Face recognition terminal adopts deep learning algorithm, which helps to recognize the face faster with higher accuracy. It also supports multiple authentication modes: face/card authentication, etc. It can be applied in multiple scenarios, such as buildings, e...

lang:en score:48 filesize: 830.79 K page_count: 4 document date: 2023-05-16



[pdf] Specifications Datasheet Dimension Guide

Data Sheet DS K1T342DWX Seri Value Hikvision Face Recognition Terminal Datasheet V1 0 20220825 hikvision content dam products S000000001 S000000080 S000000103 S000000107 OFR000141 M000054140 |||

DS-K1T342DWX Face Recognition Terminal Face recognition terminal adopts deep learning algorithm, which helps to recognize the face faster with higher accuracy. It also supports multiple authentication modes: face/card authentication, etc. It can be applied in multiple scenarios, such as buildings, e...

lang:en score:47 filesize: 790.77 K page_count: 4 document date: 2022-08-25

[pdf] Specifications Datasheet Dimension Guide

Data Sheet DS K1T342DWX Value Series Hikvision Face Recognition Terminal Datasheet V1
20211020 hikvision content dam products S000000001 S000000080 S000000103 S000000107
OFR000141 M000054140 Spec Sh Index of chatting ds k1t342dwx face recognition terminal datasheet v1
589fd4cec6ce6c73f15628db6e706e32e39d576f koacctv us koaedi ca sites default files data sheet images
salsify image upload s vc00QPBF TerminalHikvision A1DS ShDS ShSpec SheetHikvision Facial
TerminalDS 20211020DS SheetDatasheet 4kahsq3IDS SheetDS Sheetds 20211020hikvision
20211020koacctv Sheeta1securitycameras product documents 63373 4kahsq3lkoacctv Sheetkoacctv
Sheetkoaedi Sheetca 20211020images 4kahsq3IDatasheet 4kahsq3l srsItid

AfmBOop1XkxKBD87kKKRvtUHowlupTBMkrli6krANKhPHgL9gFzCK Oa1securitycameras ||| ||| DS-
K1T342DWX Face Recognition Terminal Face recognition terminal adopts deep learning algorithm, which
helps to recognize the face faster with higher accuracy. It also supports multiple authentication modes:
face/card authentication, etc. I

DS-K1T342DWX Face Recognition Terminal Face recognition terminal adopts deep
learning algorithm, which helps to recognize the face faster with higher accuracy. It
also supports multiple authentication modes: face/card authentication, etc. It can be
applied in multiple scenarios, such as buildings, e...

lang:en score:46 filesize: 827.16 K page_count: 4 document date: 2021-10-20

[pdf] User Manual Flyer

Flyers Hikvision US The world s largest video surveillance manufacturer new value series minmoe flyer
us hikvision sites default files manual |||



TOUCH-FREE, COMPACT DESIGN, ACCESS IS EASIER THAN EVER Multi-
functional Terminals **DS-K1T342DWX** Hikvision s Value Series MinMoe Touchless
Access Terminals: One multi-functional unit for access control, intercom, and time
attendance needs. A highly efficient and cost effective system to improve sec...
lang:en score:40 filesize: 875.75 K page_count: 2 document date: 2022-01-27

[pdf] User Manual Release Notes

ds k1t342 series minmoe terminal release note v3 3 5 build220210 ca hikvision en system files force
manual |||

DS-K1T342 Series MinMoe Terminal Release Notes 2022-03-09 Device Model: DS-
K1T342EX, DS-K1T342EWX DS-K1T342EFWX, DS-K1T342MX, DS-K1T342MWX
DS-K1T342MFX, DS-K1T342MFWX DS-K1T342DX, **DS-K1T342DWX** Naming Rule:
D for Desfire card, Felica card and M1 card M for M1 card, F for fingerprint, W for Wi-
Fi ...

lang:en score:40 filesize: 510.73 K page_count: 9 document date: 2022-03-21



[\[pdf\]](#) User Manual Instructions

DS K1T342 Series Face Recognition Terminal User Manual About this The includes instructions for using and managing the Product Pictures charts images all other information hereinafter are UD25849B B Baseline V1 0 20240523 hikvision content dam usa products access control ds k1t342dwx |||



DS-K1T342 Series Face Recognition Terminal
User Manual

DS-K1T342 Series Face Recognition Terminal User Manual DS-K1T342 Series Face Recognition Terminal ... K1T342MX DS-K1T342MWX DS-K1T342MFX DS-K1T342MFWX DS-K1T342EX DS-K1T342EWX DS-K1T342EFWX DS-K1T342DX **DS-K1T342DWX** Use only power supplies listed in the user instructions: Wireless 13.56 MHz Card Pres...

lang:en score:37 filesize: 6.7 M page_count: 204 document date: 2024-05-23

[\[pdf\]](#) User Manual Instructions

Hikvision DS K1T342DWX User Manual A1Hikvision Facial Recognition TerminalUser yxfjalnna1securitycameras content product documents 63373 yxfjalnn |||



DS-K1T342 Series Face Recognition Terminal
User Manual

DS-K1T342 Series Face Recognition Terminal User Manual DS-K1T342 Series Face Recognition Terminal ... K1T342MX DS-K1T342MWX DS-K1T342MFX DS-K1T342MFWX DS-K1T342EX DS-K1T342EWX DS-K1T342EFWX DS-K1T342DX **DS-K1T342DWX** Use only power supplies listed in the user instructions: Wireless 13.56 MHz Card Pres...

lang:en score:36 filesize: 8.09 M page_count: 205 document date: 2022-01-25




[\[pdf\]](#) User Manual Flyer

Flyers Hikvision US The world s largest video surveillance manufacturer new value minmoe poster us hikvision sites default files manual |||

TOUCHLESS ACCESS CONTROL MinMoe Multi-Functional Terminals Hikvision s Value Series MinMoe Touchless ... r Real-Time Visibility in the Field For more information please scan the QR Code Ordering Model **DS-K1T342DWX** ...

lang:en score:35 filesize: 623.48 K page_count: 1 document date: 2022-01-27



[\[pdf\]](#) Release Notes

DS K1T342 Series MinMoe Terminal V 3 16 1 build230802 Aug 8 2023 · New model series terminal first time released Features 4 inch LCD touch screen 2 MP wide angle dual lens camera Release Note V3 hikvisioneurope eu portal Technical Materials 06 Access Control 00 Product Firmware ||| DS-K1T342 Series MinMoe Terminal V 3.16.1_build230802 Release Notes 2023-08-08 Device Model: DS-K1T342EX, DS-K1T342EWX DS-K1T342EFWX, DS-K1T342MX, DS-K1T342MWX DS-K1T342MFX, DS-K1T342MFWX DS-K1T342DX, **DS-K1T342DWX** Naming Rule: D for Desfire card, Felica card and M1 card M for M1 card, F for finge... lang:en score:31 filesize: 1.06 M page_count: 14 document date: 2023-08-11



[\[pdf\]](#) User Manual Guide Borchure

ACCESS CONTROL MENA Product Quick Guide Access Control hikvision content dam mena support brochures ||| PRODUCT QUICK GUIDE ACCESS CONTROL 2022 H2 R ACCESS CONTROL 003 MinMoe Face Recognition Termina ... m 4.66 4.66 0.86 91.3 mm 181.3 mm 24.5 mm 3.59 7.14 0.96 7 Model DS-K1T342MFX **DS-K1T342DWX**, DS-K1T342MWX, DS-K1T342EWX DS-K1T342MFWX, DS-K1T342EFWX HOT HOT HOT DS-K1T341CM, ... lang:en score:31 filesize: 18.86 M page_count: 45 document date: 2023-01-31

ALL-IN-ONE INDOOR STATION

Converge and Control Security with a Simple Touch

APPLICATION TOPOLOGY

FEATURES OVERVIEW

Product Specification

- 10-inch IPS Touch Screen
- 4-Core SOC for Better Performance
- New User Interface

Android System (Version 10)

- Supports Android App Installation
- Open Platform for Third-Party Software Integration

Built-in Hik-Connect App

- All-in-One Management of Hikvision Devices
- Video Intercom / Video Security / Access Control Devices

ALL-IN-ONE MANAGEMENT

Built-in Hik-Connect for all-in-one device management ensures easy operations. Video intercom, intrusion alarms, access control, IPCs, NVRs, and other Hikvision devices can be centrally managed by the all-in-one indoor station.

CCTV Camera System

- Camera Live Viewing
- Video Record Playback

Access Control System

- Unlock Doors Remotely
- Access Records

Video Intercom System

- Camera Live Viewing
- Receiving Intercom Calls
- Calling Management Center

A Simple One-Touch Operation

Application

Villas/Residential

PRODUCT TYPE	RECOMMEND MODELS
Video Intercom Door Station	Modular Door Station: DS-KDB003-ME1 & modules Villa Door Station: DS-KVB13-ME1
Video Security Products	CCTV Camera: 2 Series: DS-2CD2T46G2 NVR: K Series: DS-7716N-K2

Office Building

PRODUCT TYPE	RECOMMEND MODELS
Video Intercom Door Station	Modular Door Station: DS-KDB003-ME1 & modules Villa Door Station: DS-KVB13-ME1
Video Security Products	CCTV Cameras: Any Hikvision Camera NVR: I series: DS-7732NI-I4
Access Control Terminal	MinMoe Touchless Terminal: DS-K1T342DWX, DS-K1T671 Station Controller

Note: To ensure the best product experience, firmware upgrade may be required. Please check the firmware version of the indoor door station and indoor station products when introducing this new Android indoor station into your existing intercom system for compatibility purposes. Please be aware of any feature changes that might occur after a firmware upgrade. Follow these two steps:

- If your product firmware version is earlier than the version listed in column 3 "Current Firmware version", please be aware that you MUST upgrade the firmware. Please download the latest new firmware on the Hikvision company website to make sure the upgraded firmware version is equal to that on or after column 3 "Current Firmware version".
- If your product's current firmware is later than the column 3 "Current Firmware version", you are up-to-date and no firmware update is needed.

CATEGORY	MODEL NUMBER	CURRENT FIRMWARE VERSION	UPGRADE FIRMWARE VERSION	TIPS FOR FIRMWARE UPGRADE
Indoor Stations	DS-KDB003-ME1	V2.1.2_20161118	V2.1.3_20171118	Later firmware currently requires a one-click update. No need to use the update tool.
	DS-KDB003-ME1	V2.1.1_16_20161118	V2.1.2_20161118	Later firmware currently requires a one-click update. No need to use the update tool.
	DS-KDB003-ME1	V2.1.1_16_20161118	V2.1.2_20161118	Later firmware currently requires a one-click update. No need to use the update tool.
	DS-KDB003-ME1	V2.1.1_16_20161118	V2.1.2_20161118	Later firmware currently requires a one-click update. No need to use the update tool.
	DS-KDB003-ME1	V2.1.1_16_20161118	V2.1.2_20161118	Later firmware currently requires a one-click update. No need to use the update tool.
Door Station	DS-KVB13-ME1	V2.1.3_20161118	V2.1.3_20161118	No Problems List
	DS-KVB13-ME1	V2.1.3_20161118	V2.1.3_20161118	No Problems List
	DS-KVB13-ME1	V2.1.3_20161118	V2.1.3_20161118	No Problems List
	DS-KVB13-ME1	V2.1.3_20161118	V2.1.3_20161118	No Problems List
	DS-KVB13-ME1	V2.1.3_20161118	V2.1.3_20161118	No Problems List

For more information, please scan the QR Code

[pdf] User Manual Specifications Flyer

PowerPoint 5 Flyers Hikvision US The world s largest video surveillance manufacturer all in one

indoor station swipe us hikvision sites default files manual |||

ALL-IN-ONE INDOOR STATION Converge and Control Security with a Simple Touch

APPLICATION TOPOLOGY H ... y Hikvision Camera NVR: I series: DS-7732NI-I4

Access Control Terminal MinMoe Touchless Terminal: **DS-K1T342DWX**, DS-K1T671

Series Controller Note: To ensure the best product experience, firmware upg...

lang:en score:31 filesize: 3.29 M page_count: 1 document date: 2022-06-08

DS-K1T342 Series MinMoe V3.16.1_build230802
Release Notes (2023-08-22)

[illegible]

Reason of Upgrade

DS-K1T342 PoE Series are released for the first time



New Features

- Max 5000 faces capacity, Min 3000 fingerprints capacity (model with F only), and Max 3000 models
- 4.3 inch LCD touch screen, 2 Mega pixel wide-angle lens, built-in XM61616m-Defuse card read module
- Two-way and single way with USB/Ethernet interface, station, station, main station and Hub-Connect A Supports TCP/IP, Wi-Fi (model with Wi-Fi)
- Configuration via the web client and serial line (option with mobile phone camera)
- Face Recognition Distance: 0.3m to 1.5m, Duration: < 0.2 s/User, Accuracy > 99%

[\[pdf\]](#) Safety Datasheet Release Notes

DS K1T342 Series MinMoe Release Note V3 16 1 build230802 Firmware Download Hikvision
releasenote assets hikvision prd public all files 202312 NotesDS PoE are released for the first time New
Features Max is not liable any typing or printing errorsreleasenote build230802releasenote
build230802assets ||| ||| DS-K1T342 Series MinMoe V3.16.1_build230802 Release Notes 2023-08-22
Device Model: DS-K1T342E W X, DS-K1T342EFWX, DS-K1T342M W X,DS-K1T342MF W X, DS-
K1T342D W X DS-K1T342E W X-E1, DS-K1T342EFWX-E1, DS-K1T342M W X-E1,DS-K1T342MF W X-
E1, DS-K

DS-K1T342 Series MinMoe V3.16.1_build230802 Release Notes 2023-08-22 Device Model: DS-K1T342E W X ... 2EX, DS-K1T342EWX DS-K1T342EFWX, DS-K1T342MX, DS-K1T342MWX DS-K1T342MFX, DS-K1T342MFWX DS-K1T342DX, **DS-K1T342DWX** Naming Rule: D for Desfire card, Felica card and M1 card M for M1 card, F for fingerpri...

lang:en score:31 filesize: 919.69 K page_count: 15 document date: 2023-08-22

DS-K1T342 Series MinMoe V3.16.1_build240701
Release Notes (2024-07-09)

Device Models: DS-K1T343E/W(X), DS-K1T343EFP/W(X), DS-K1T342M/W(X), DS-K1T342MP/W(X), DS-K1T342D/W(X), DS-K1T343E/W(X)-E1, DS-K1T342EFP/W(X)-E1, DS-K1T342M/W(X)-E1, DS-K1T342MP/W(X)-E1, DS-K1T342D/W(X)-E1	ARM ACS_342_F1po_EN_NBU_V5.16.1.1_00024070 ACS_342_F1po_EN_STD_V5.16.1.1_00024070	NonPo version and non-Po version are same firmware
	Hi3861 ACS_342_F1po_EN_NBU_V5.16.1.1_00024070 ACS_342_F1po_EN_STD_V5.16.1.1_00024070	
Naming Rule: D for Deflate card, F for Deflate card and MI card M for MI card, E for fingerprint, W for Wi-Fi	Software http://www.h3c.com.cn/customer/technical/sfw/acs-h3cnet-acs342-acs342-2/	Hi3861 Central ACS

Reason of Upgrade

Reason of Upgrade
Enhance products quality and meet customers' requirements

Modified features

1. Optimize the fingerprint collection and synchronization function from Hik-Connect cloud.

DS-K1T342 Series MinMoe V3.16.1_build230802
Release Notes (2023-08-22)

Device Model: DS-KIT342E(W)/X, DS-KIT342EP(W)/X, DS-KIT342M(W)/X, DS-KIT342MF(W)/X, DS-KIT342D(W)/X	Form factor: Version	ARM: ACS_M4_F1Pro_EN_NBI_V3.16.1_bu02X000 ACS_M4_F1Pro_EN_STD_V3.16.1_bu02X000 Note: POC version and non-POC version use same
DS-KIT342E(W)/X E1 , DS-KIT342EP(W)/X E1 , DS-KIT342M(W)/X E1 , DS-KIT342MF(W)/X E1 , DS-KIT342D(W)/X E1	Software:	100BaseT AC: http://www.hikvision.com/en/support/faq/en/faq4

[\[pdf\]](#) Safety Datasheet Release Notes

DS K1T342 Series MinMoe Release Note V3 16 1 build240701 Firmware Download Hikvision
releasenote assets hikvision prd public all files 202407 1720566082929 NotesDS NotesJul 9 2024 · New
Features 2 Max 1500 faces capacity 3000 fingerprints model with F only and cardsJul cardsreleasenote
build240701releasenote build240701hikvisioneurope eu portal Technical Materials 06 Access Control 00
Product Terminal build240701assets |||

DS-K1T342 Series MinMoe V3.16.1_build240701 Release Notes 2024-07-09 Device
Model: DS-K1T342E W X ... 2EX, DS-K1T342EWX DS-K1T342EFWX, DS-
K1T342MX, DS-K1T342MWX DS-K1T342MFX, DS-K1T342MFWX DS-K1T342DX,
DS-K1T342DWX Naming Rule: D for Desfire card, Felica card and M1 card M for M1
card, F for fingerpri...

lang:en score:31 filesize: 988.66 K page count: 16 document date: 2024-07-09

ALL-IN-ONE INDOOR STATION

Converge and Control Security with a Simple Touch



APPLICATION TOPOLOGY



FEATURES OVERVIEW



ALL-IN-ONE MANAGEMENT

Built-in Hik-Connect for all-in-one device management ensures easy operations. Video intercom, intrusion alarms, access control, IPCs, NVRs, and other Hikvision devices can be centrally managed by the all-in-one indoor station.



- CCTV Camera System**

 - Camera Live Viewing
 - Video Record Playback

Access Control System

 - Unlock Doors Remotely
 - Access Records

A Simple One-Touch Operation



- Camera Live Viewing
- Receiving Intercom Calls
- Calling Management Center

Application



PRODUCT TYPE	RECOMMEND MODELS
Video Intercom Door Station	Modular Door Station: DS-KD0803-IME1 & modules Villa Door Station: DS-KV8113-IME1
Video Security Products	CCTV Camera: 2 Series: DS-2CD2T46G2 NVR: K Series: DS-7716N-K2

Office Building



PRODUCT TYPE	RECOMMEND MODELS
Video Intercom Door Station	Modular Door Station: DS-KD8003-IME1 & modules Villa Door Station: DS-KV8113-IME1
Video Security Products	CCTV Cameras: Any Hikvision Camera NVR: I series: DS-7732N-I4
Access Control Terminal	MinMoe Touchless Terminal: DS-K1T342DWX, DS-K1T671 Series C controllers

Note: To ensure the best product experience, firmware upgrade may be required. Please check the firmware version of the Hivision door station and indoor station products when introducing this new Android indoor station into your existing intercom system for compatibility purpose. Please be aware of any feature changes that might occur after a firmware upgrade. Enjoy these fun things!

2. If your product's firmware version is on or before the version listed in column 3 "current firmware version" please be aware that you **MUST** upgrade the firmware. Please download the latest new firmware on the Hikvision company website to make sure the upgraded firmware version is equal to that on or after column 4 "upgraded firmware version".

CATEGORY	MODEL NUMBER	CURRENT FIRMWARE VERSION	UPGRADE FIRMWARE VERSION	TIPS FOR FIRMWARE UPGRADE
Indoor Stations	DS-K0301	All devices in compatible DS-K0301 series indoor station should be upgraded.		
	DS-K0400S-WITE	V1.2, V1.3	V1.3A, V1.311111	Lets firmware currently requires a one-click upgrade.
	DS-K0400S-WITE	V1.2, V1.3	V1.3A, V1.311111	North America: DS-K0400S-WITE
	DS-K0401S-WITE	V1.2, V1.3	V1.3A, V1.311111	South America: DS-K0401S-WITE
	DS-K0401S-WITE	V1.2, V1.3	V1.3A, V1.311111	Spain: V1.3A
	DS-K0401S-WITE	V1.2, V1.3	V1.3A, V1.311111	Spain: V1.3A
	DS-K0401S-WITE	V1.2, V1.3	V1.3A, V1.311111	Spain: V1.3A
Door Station	DS-K0301-AE1	V2.31.2, V1.0702	V2.31.2, V1.0702	Lets firmware currently requires a one-click upgrade.
	DS-K0301-AE1	V2.31.2, V1.0702	V2.31.2, V1.0702	North America: DS-K0301-AE1
	DS-K0301-AE1	V2.31.2, V1.0702	V2.31.2, V1.0702	South America: DS-K0301-AE1
	DS-K0301-AE1	V2.31.2, V1.0702	V2.31.2, V1.0702	Spain: V1.3A
	DS-K0301-AE1	V2.31.2, V1.0702	V2.31.2, V1.0702	Spain: V1.3A
	DS-K0301-AE1	V2.31.2, V1.0702	V2.31.2, V1.0702	Spain: V1.3A
	DS-K0301-AE1	V2.31.2, V1.0702	V2.31.2, V1.0702	Spain: V1.3A



For more information, please scan the QR Code



User Manual

lang:en score:30 filesize: 12.84 M page count: 169 document date: 2024-02-19



[Hikvision Canada Product Quick Guide 2025: Comprehensive Security Solutions](#)

Explore the Hikvision Canada Product Quick Guide 2025, featuring a wide range of security products including network cameras, NVRs, intercom systems, access control, alarm systems, audio solutions, and displays. Learn about Hikvision's innovative technologies and commitment to sustainability.

lang:en score:28 filesize: 48.66 M page_count: 22 document date: 2025-05-15



[Hikvision Product Quick Guide Winter/Spring 2023: Cameras, Recorders, Access Control, and More](#)

Comprehensive product catalog from Hikvision for Winter/Spring 2023, featuring a wide range of security cameras (ColorVu, AcuSense, PanoVu), recorders, access control systems, intercoms, network switches, and displays. Includes detailed specifications and product series information.

lang:en score:27 filesize: 4.32 M page_count: 20 document date: 2023-01-16



DS-K1T342 Series Face Recognition Terminal
User Manual

[\[pdf\] User Manual Instructions](#)

HikVision DS K1T342MFWX User Manual 1DS Wise Solutionsv1wise vn 1 Solutionsv1UD25849B C
Baseline K1T342 Series Face Recognition Terminal V3 20240219wise 1hikvision content dam hikvision
products S000000001 S000000080 S000000103 S000000107 OFR000141 M000054135 UD25849B
20240219 ||| ||| DS-K1T342 Series Face Recognition Terminal User Manual DS-K1T342 Series Face
Recognition Terminal User Manual Legal Information About this Document This Document includes
instructions for using and managing the Product. Pictures, charts, im
DS-K1T342 Series Face Recognition Terminal User Manual DS-K1T342 Series Face
Recognition Terminal ... -K1T342EX-E1 DS-K1T342EWX DS-K1T342EWX-E1 DS-
K1T342EFWX DS-K1T342EFWX-E1 DS-K1T342DX DS-K1T342DX-E1 **DS-
K1T342DWX DS-K1T342DWX-E1** Use only power supplies listed in the user
instructions: Wireless 13....

lang:en score:26 filesize: 12.84 M page_count: 169 document date: 2024-02-19

[\[pdf\]](#) User Manual Quick Start Guide Instructions Guide

UD22746B A DS K1A340

V1 20210226 Hikvision DS K1T342DWX Quick Start Guide

A1Hikvision Facial Recognition TerminalQuick iy0boutva1securitycameras content product documents
63373 iy0boutv |||

1 Fingerprint Module USB Interface Loudspeaker UD25844B 2021 Hangzhou
Hikvision Digital Technology Co., Ltd. All rights reserved. This Manual is the property
of Hangzhou Hikvision Digital Technology Co., Ltd. or its affiliates hereinafter referred
to as Hikvision , and it cannot be reproduced,...

lang:en score:25 filesize: 978.5 K page_count: 2 document date: 2021-10-18

[\[pdf\]](#) User Manual Guide Catalog

Download our product guide Hikvision US The world s largest video surveillance manufacturer pqg winter
spring 2023 us hikvision sites default files manual |||


VIDEO, SECURITY BEYOND PRODUCT GUIDE WINTER SPRING 2023 VIDEO,
SECURITY AND BEYOND About H ... -3XF DS-K1T671M -F Accessories
Accessories MODEL DS-K1T671M DS-K1T671TM-3XF DS-K1T341BMW-T **DS-
K1T342DWX** DS-K1T502DBWX-C DS-K1T804BMF CARD READER
TEMPERATURE MEASUREMENT MEASURE TEMPERATURE...

lang:en score:24 filesize: 12.91 M page_count: 72 document date: 2022-10-03

[Hikvision Product Guide 2023: Video, Security & Beyond Solutions](#)

Explore Hikvision's comprehensive 2023 Product Guide, featuring advanced video
surveillance solutions, IP and analog cameras, NVRs, intercom systems, access
control, and network switches. Discover innovations like ColorVu, AcuSense, and
TandemVu for enhanced security.

lang:en score:24 filesize: 33.01 M page_count: 72 document date: 2023-08-08



[\[pdf\]](#)

Access Control Cheat Sheet oct25 WiFi ColorVu Android 7 1 IP65 IK07 Surface mount bracket and
Flush included CMOS 2MP HD Colorful Camera Aluminum alloy 4 ch 6 days ago — fingerprint PIN
Bluetooth Hik Connect supported RS485 Wiegand W26 W34 IP 65 IK10 64 Updated hikvision content
dam ca product |||

ACCESS CONTROL PRODUCTS MINMOE FACE RECOGNITION TERMINAL
VANDAL-RESISTANT STANDALONE TERMINAL VAN ... ards; WiFi Hik-connect
supported PoE supported -E1 version only Surface mount bracket included **DS-
K1T342DWX DS-K1T342DWX-E1** DS-K1T342MFWX-E1 2 MP camera 5 ways to
unlock: PIN, Card, Indoor S...

lang:en score:24 filesize: 5.09 M page_count: 4 document date: 2024-10-25



[Hikvision Product Guide Winter/Spring 2023: Advanced Video Surveillance and Security Solutions](#)

Explore the latest in video surveillance and security technology with the Hikvision Product Guide for Winter/Spring 2023. Discover advanced IP cameras, NVRs, access control, video intercom systems, and software solutions designed for comprehensive protection and business intelligence.

lang:en **score:24** filesize: 12.95 M page_count: 72 document date: 2023-02-14

[\[pdf\]](#) Specifications

Hikvision s Android All in One Indoor Station Offers Convenient and Secure Operation for Total Security 2

5 ALL IN ONE INDOOR STATION hikvision content dam usa newsroom migrate assets |||

ALL-IN-ONE INDOOR STATION Converge and Control Security with a Simple Touch APPLICATION TOPOLOGY H ... y Hikvision Camera NVR: I series: DS-7732NI-I4

Access Control Terminal MinMoe Touchless Terminal: **DS-K1T342DWX**, DS-K1T671

ALL-IN-ONE INDOOR STATION


Converge and Control Security with a Simple Touch



APPLICATION TOPOLOGY



FEATURES OVERVIEW



ALL-IN-ONE MANAGEMENT

Built-in Hik-Connect for all-in-one device management ensures easy operations. Video intercom, intrusion alarms, access control, IPCs, NVRs, and other Hikvision devices can be centrally managed by the all-in-one indoor station.



- **CCTV Camera System**
 - Camera Live Viewing
 - Video Record Playback
 - **Access Control System**
 - Unlock Doors Remotely
 - Access Records

- Access Control System
- Unlock Doors Remotely
- Access Records

A Simple One-Touch Operation



- Camera Live Viewing
- Receiving Intercom Calls
- Calling Management Center

Application



PRODUCT TYPE	RECOMMEND MODELS
Video Intercom Door Station	Modular Door Station: DS-KD8003-IME1 & modules Villa Door Station: DS-KV8113-IME1
Video Security Products	CCTV Camera: 2 Series: DS-2CD2T46G2 NVR: K Series: DS-7716N-K2

Office Building



PRODUCT TYPE	RECOMMEND MODELS
Video Intercom Door Station	Modular Door Station: DS-KD6003-IME1 & modules Villa Door Station: DS-KV8113-IME1
Video Security Products	CCTV Cameras: any Hikvision Camera NVR: i series: DS-7732N1-44
Access Control Terminal	MinMax Touchless Terminal: DS-K1T3420WX, DS-K1T671 Series C reader

Note: To ensure the best product experience, firmware upgrade may be required. Please check the firmware version of the Hikvision door station and indoor station products when introducing this new Android indoor station into your existing intercom system for compatibility purpose. Please be aware of any feature changes that might occur after a firmware upgrade. Follow these two steps:

1. If your product firmware version is on or before the version listed in column 3 "current firmware version" please be aware that you **MUST** upgrade the firmware. Please download the latest new firmware on the Hikvision company website to make sure the upgraded firmware version is equal to that on or after column 4 "upgraded firmware version".
2. If your product's current firmware in use is newer than the column 3 version below, you are up-to-date and no firmware update is needed.

[illegible]

For more information, please scan the QR Code

Series Controller Note: To ensure the best product experience, firmware upg...
lang:en score:24 filesize: 3.29 M page count: 1 document date: 2023-04-27



The diagram illustrates the system architecture for the All-in-One Indoor Station. It shows a central 'All-in-One Indoor Station' connected to a 'Router'. The router is linked to 'Other Hikvision Devices' and 'All-in-One Indoor Station' via 'Hi-Connect'. The station is also connected to a 'Modular Door Station' which includes a 'Standard POC Switch' and a 'Lock'. A 'MiniMax Access Control' device is shown separately, connected to the station via a dashed red line. The station is also connected to a 'Mobile Phone' via a dashed red line.

Upgraded Interface

Full Interface

Gesture Screen Lock

Product Specification

- 10.1 inch IPS Touch Screen
- 4-Core SoC for Better Performance
- New User Interface

Android System (Version 10)

- Supports Android App Installation
- Opens Platform for Third-Party Software Integration

Built-in Hik-Connect App

- All-in-One Management of Hikvision Devices
- Video Intercom / Video Security / Access Control Devices

Built-in Hik-Connect for all-in-one device management ensures easy operations. Video intercom, intrusion alarms, access control, IPCs, NVRs, and other Hikvision devices can be centrally managed by the all-in-one indoor station.



- CCTV Camera System

Camera Live Viewing

Video Record Playback

Access Control System

- Unlock Doors Remote
 - Access Records

- Unlock Doors Remotely
- Access Records

A Simple One-Touch Operation

- Camera Live Viewing
- Receiving Intercom Calls
- Calling Management Center

PRODUCT TYPE	RECOMMEND MODELS
Video Intercom Door Station	Modular Door Station: DS-K8B003-IME1 & modules Villa Door Station: DS-KV8113-IME1
Video Security Products	CCTV Camera: 2 Series: DS-2CD2T46G2 NVR: K Series: DS-7716-NI-K2

Office Building



PRODUCT TYPE	RECOMMEND MODELS
Video Intercom Door Station	Modular Door Station: DS-KD8003-IME1 & modules Villa Door Station: DS-KV8113-IME1
Video Security Products	CCTV Cameras: Any Hikvision Camera NVR: I series: DS-7732N-D4
Access Control Terminal	MinMee Touchless Terminal: DS-K1T342DWX, DS-K1T671 Series-Cryotouch

Note: To ensure the best product experience, firmware upgrade may be required. Please check the firmware version of the Hikvision door station and indoor station products when introducing this new Android indoor station into your existing intercom system for compatibility purpose. Please be aware of any feature changes that might occur after a firmware upgrade. (Click here to learn more.)

1. If your product firmware version is on or before the version listed in column 3 "current firmware version" please be aware that you MUST upgrade the firmware. Please download the latest new firmware on the Hikvision company website to make sure the upgraded firmware version is equal to or after column 4 "upgraded firmware version".
2. If your product's current firmware in use is newer than the column 3 version below, you are up-to-date and no firmware update is needed.

CATEGORY	MODEL NUMBER	CURRENT FIRMWARE VERSION	UPGRADE FIRMWARE VERSION	TIPS FOR FIRMWARE UPGRADE
Indoor Stations	DS-A0300	All firmware is complete and ready to use		
	DS-A0400-1A7E1	V1.2, 1.3A, 1.11B	V1.3, 1.3A, 1.11B	Firmware updates currently require a one-click upgrade. North America Day Light Saving Rule "DST"
	DS-A0400-2A7E1	V1.2, 1.3A, 1.11B	V1.2, 1.3A, 1.11B	
	DS-A0400-3A7E1	V1.2, 1.3A, 1.11B	V1.2, 1.3A, 1.11B	
	DS-A0400-4A7E1	V1.2, 1.3A, 1.11B	V1.2, 1.3A, 1.11B	Firmware updates currently require a one-click upgrade. North America Day Light Saving Rule "DST"
	DS-A0400-5A7E1	V1.2, 1.3A, 1.11B	V1.2, 1.3A, 1.11B	
Door Station	DS-A0115-1A7E1	V1.3, 1.3A, 1.11B	V1.3, 1.3A, 1.11B	No Firmware Update
	DS-A0115-2A7E1	V1.3, 1.3A, 1.11B	V1.3, 1.3A, 1.11B	
	DS-A0115-3A7E1	V1.3, 1.3A, 1.11B	V1.3, 1.3A, 1.11B	
	DS-A0115-4A7E1	V1.3, 1.3A, 1.11B	V1.3, 1.3A, 1.11B	No Firmware Update
	DS-A0115-5A7E1	V1.3, 1.3A, 1.11B	V1.3, 1.3A, 1.11B	
	DS-A0115-6A7E1	V1.3, 1.3A, 1.11B	V1.3, 1.3A, 1.11B	





[\[pdf\]](#) Guide Borchure

GUIDE RAPIDE DES PRODUITS HIVER PRINTEMPS 2023 GPS AE DC5313 C6Pro uniquement 30 ips DS MP5604N M12 Enregistreur vidéo réseau NVR mobile 4 canaux avec interface Prise en charge d'une HIK PQG Horiz WEB FR hikvision content dam ca files type de brochure guide rapide du produit ||| GUIDE RAPIDE DES PRODUITS HIVER/PRINTEMPS 2023 Tourelle panoramique 4k Camra rseau DS-2CD2387G2P-L ... inaux de cartes Contrleurs Lecteurs Terminal accs par reconnaissance de visage de la srie Value **DS-K1T342DWX** Max. 1 500 visages Max. 3 000 visages cran tactile LCD de 4,3 po Objectif grand ang... lang:fr **score:24** filesize: 9.84 M page_count: 20 document date: 2023-02-27



[\[pdf\]](#) User Manual Guide Accessories Borchure Catalog

NON CCTV PRODUCTS Jun 16 2023 — Deep learning does not require manual intervention but relies on a computer to extract features by itself Supports User name and password authentication Product Quick Guide January June Non Products hikvision content dam en brochures product catalog ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS VIDEO INTERCOM, ACCESS CONTROL, SPEED GATE AND TURNSTILE, SE ... 91.3 mm 181.3 mm 24.5 mm 3.59 7.14 0.96 48 Intelligent Security Model DS-K1T342MFX **DS-K1T342DWX**, DS-K1T342MWX, DS-K1T342EWX DS-K1T342MFWX, DS-K1T342EFWX HOT HOT HOT DS-K1T341CM, ... lang:en **score:24** filesize: 60.87 M page_count: 158 document date: 2023-10-25



DS-K1T342 Series Face Recognition Terminal User Manual

[\[pdf\]](#) User Manual Instructions

DS K1T342 Series Face Recognition Terminal User Manual About this The includes instructions for using and managing the Product Pictures charts images all other information hereinafter are K1T342DWX surveillance video media lanot attachments customimport |||

DS-K1T342 Series Face Recognition Terminal User Manual DS-K1T342 Series Face Recognition Terminal ... K1T342MX DS-K1T342MWX DS-K1T342MFX DS-K1T342MFWX DS-K1T342EX DS-K1T342EWX DS-K1T342EFWX DS-K1T342DX **DS-K1T342DWX** Use only power supplies listed in the user instructions: Wireless 13.56 MHz Card Pres...

lang:en **score:23** filesize: 17.81 M page_count: 204 document date: 2022-11-30



[\[pdf\]](#) Flyer Accessories Borchure

INTERCOM ACCESS CONTROL PRODUCT ACCESSORY CHART hikvision ca PSU DS KV6113 WPE1 KH6350 WTE1 KABV6113 RS Rain Shield 12V1A PSU content dam files brochure type flyers |||

INTERCOM ACCESS CONTROL PRODUCT ACCESSORY CHART MINMOE DOOR STATION **DS-K1T342DWX** MINMOE DOOR STATION DS-K1T671M MINMOE DOOR STATION DS-K1T671TM-3XF PSU included Surface Mount Bracket included Flush Mount Bracket unsupported RS485 Connector included Rain Shield DS-KAB34X-S1 Facial Angle B...

lang:tl **score:23** filesize: 356 K page_count: 1 document date: 2023-07-25




[\[pdf\]](#) Guide Borchure

HIKVISION CANADA PRODUCT QUICK GUIDEHIKVISION GUIDE4 ch RS 485 forms 2 groups of dual bus loops with physical isolation is recommended that you do not have more than 16 access modules attached to each loop busPQG 2025 CA Aug UpdatedPQG Updatedhikvision content dam hikvision ca files brochure type product quick guide PQG Updated |||

HIKVISION CANADA PRODUCT QUICK GUIDE 2025 About Hikvision Hikvision is committed to serving variou ... ion PC and mobile Supports alarm input and output Supports physical call button IP65 **DS-K1T342DWX DS-K1T342DWX-E1 DS-K1T342MFWX-E1** 4.3-inch touch screen IP65 Support...

lang:en **score:22** filesize: 8.15 M page_count: 40 document date: 2025-08-18



[pdf] SAR Rating

EMC Test GSM Lab MPE Hangzhou Hikvision Digital Technology Co Ltd K1T342MFWX Face

Recognition Terminal 2ADTD 2ADTDK1T342MFWX k1t342mfwx

Compliance Certification Services Kunshan Inc. Report No.: KSCR210900012103

Page: 1 of 9 1 Cov ... T342MFWUVS,DSK1T342MFWKVO,DS-K1T342MWUHK,DS-

K1T342MWCKV,DS-K1T342MWUVS,DS-K1T342MWKVO,DSK1T342MWHUN,DS-

K1T342DWX,DS-K1T342DWUHK,DS-K1T342DWCKV,DS-

K1T342DWUVS,DSK1T342DWKVO,DS-K1T342DWHUN Compliance ...

lang:en score:22 filesize: 315.41 K page_count: 9 document date: 2021-11-02



[pdf] Guide Accessories Borchure Catalog

Product Quick Guide 2022H1 Non CCTV Products Download 16 MB Catalog Brochures Hikvision

hikvision content dam en brochures product catalog |||

PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO

INTERCOM, SECURITY ALARM AND INTELLIGE66 4.66 0.86 91.3 mm 181.3

mm 24.5 mm 3.59 7.14 0.96 40 Model DS-K1T342MFX HOT **DS-K1T342DWX**, DS-

K1T342MWX, DS-K1T342EWX DS-K1T342MFWX, DS-K1T342EFWX HOT DS-

K1T341AM HOT DS-K1T3...

lang:en score:21 filesize: 16.16 M page_count: 136 document date: 2022-06-30



[Hikvision Product Guide Summer Fall 2023: Video, Security & Beyond](#)

Discover Hikvision's comprehensive range of video surveillance, security, and access

control solutions in the Summer/Fall 2023 Product Guide. Featuring advanced

technologies like ColorVu, TandemVu, and AcuSense, this guide covers IP cameras,

NVRs, network switches, intercom systems, and access control for professional and

business applications.

lang:en score:21 filesize: 33 M page_count: 72 document date: 2023-10-06



[\[pdf\]](#) Troubleshooting Guide Guide Borchure

HIKVISION CANADA PRODUCT QUICK GUIDEHIKVISION GUIDEproduct quick guideproduct guide3K 5MP 16 9 2 8 mm fixed lens Smart Hybrid Light High quality audio with over coaxial cable built in mic 4 1 TVI AHD CVI CVBS IP67HIKVISION GUIDE2 giorni fa — Remote app streamlines setup unifies networking and security management facilitates remote troubleshooting for smart managed switches Easy ManagementRemote ManagementPQG 2025 CA DigitalPQG Digitalhikvision content dam hikvision ca files brochure type product guide PQG Digital |||

HIKVISION CANADA PRODUCT QUICK GUIDE 2025 About Hikvision Hikvision is committed to serving variou ... onfiguration PC and mobile Supports alarm input and output Supports physical call button IP65 **DS-K1T342DWX DS-K1T342DWX-E1 DS-K1T342MFWX-E1** 4.3-inch touch screen IP65 Supports PoE to power ... lang:en score:20 filesize: 30.36 M page_count: 40 document date: 2025-06-18



[\[pdf\]](#) Flyer Borchure

ACCESS CONTROL PRODUCTS Hikvision Vandal Resistant Video Doorbell 2MP True WDR Standard PoE 7 2 4G 5G dual band Wi Fi IR night vision Support up to 256GB MicroSD card Access Control Product CheatSheet Sept27 hikvision content dam ca files brochure type flyers |||

ACCESS CONTROL PRODUCTS MINMOE FACE RECOGNITION TERMINAL VANDAL PROOF STANDALONE TERMINAL ACCESS ... mode and settings Max.1,500 faces capacity, Max.3,000 cards; WiFi Surface mount bracket included **DS-K1T342DWX** 2 MP camera 5 ways to unlock: PIN, Card, Indoor Station, Mobile app, Phone line Sta... lang:en score:20 filesize: 997.32 K page_count: 2 document date: 2023-09-27



[\[pdf\]](#) Guide Flyer Accessories

Product Quick Guide 2021H2 Access Control Video Intercom Alarm Non CCTV Download center Discomp discomp cz hikvision Flyer ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGEN ... Model DS-K1T343EFWXDS-K1T343MFWX NEW DS-K1T342DXDS-K1T342MX DS-K1T342EX NEW DS-K1T342MFX NEW **DS-K1T342DWX**DS-K1T342MWX DS-K1T342EWX NEW DS-K1T342MFWXDS-K1T342EFWX NEW DS-K1T341AM HOT Image P... lang:en score:19 filesize: 47.34 M page_count: 128 document date: 2021-12-06



[Hikvision 2024 Product Guide: Advanced Video Surveillance and Security Solutions](#)

Discover Hikvision's comprehensive 2024 Product Guide, detailing innovative video surveillance, access control, intercom systems, network switches, and thermal imaging solutions for professional and commercial security applications. lang:en score:19 filesize: 7.1 M page_count: 72 document date: 2024-10-24



[\[pdf\]](#) Guide Accessories

Katalog výrobků 2021 v2021 DS KIS204T 10274 product quick guide 2021h2 non cctv products preview version atkm cz pictures kdistrib 19 200 |||

PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGEN ... Model DS-K1T343EFWXDS-K1T343MFWX NEW DS-K1T342DXDS-K1T342MX DS-K1T342EX NEW DS-K1T342MFX NEW **DS-K1T342DWX**DS-K1T342MWX DS-K1T342EWX NEW DS-K1T342MFWXDS-K1T342EFWX NEW DS-K1T341AM HOT Image P...

lang:en **score:18** filesize: 6.27 M page_count: 128 document date: 2023-03-21



[Hikvision USA 2025 Product & Solution Quick Guide: Comprehensive Security Systems](#)

Explore Hikvision USA's 2025 Product & Solution Quick Guide. Discover advanced security systems, including HikCentral software, ColorVu cameras, AcuSense technology, NVRs, IP kits, intercoms, and access control solutions for businesses and professionals.

lang:en **score:17** filesize: 5.45 M page_count: 64 document date: 2025-02-12



[\[pdf\]](#) Guide Accessories

Stáhnout DS KD ACW1 S Rámeèek pro interkom 1 modul povrchový ocel ATIS KOUKAAM JSME ZABEZPEÈENÍ product quick guide 2021h2 non cctv products preview version atkm cz files tel hikvision prospekty |||

PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGEN ... Model DS-K1T343EFWXDS-K1T343MFWX NEW DS-K1T342DXDS-K1T342MX DS-K1T342EX NEW DS-K1T342MFX NEW **DS-K1T342DWX**DS-K1T342MWX DS-K1T342EWX NEW DS-K1T342MFWXDS-K1T342EFWX NEW DS-K1T341AM HOT Image P...

lang:en **score:17** filesize: 6.29 M page_count: 128 document date: 2023-03-21



[\[pdf\]](#) Guide Safety Datasheet Accessories Catalog

NON CCTV PRODUCTS SDS K1T671MF DS K1T671TMW K1T671TMFW K1T672M K1T672E K1T672MW Supports User name and password authentication Lock in and Product Quick Guide 2021H2 Non Products preview version hikvision europe eu portal Marketing Material Product Catalogs catalog version |||

PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGEN ... Model DS-K1T343EFWXDS-K1T343MFWX NEW DS-K1T342DXDS-K1T342MX DS-K1T342EX NEW DS-K1T342MFX NEW **DS-K1T342DWX**DS-K1T342MWX DS-K1T342EWX NEW DS-K1T342MFWXDS-K1T342EFWX NEW DS-K1T341AM HOT Image P...

lang:en **score:16** filesize: 47.36 M page_count: 128 document date: 2021-12-06




[\[pdf\]](#) Guide Accessories

NON CCTV PRODUCTS Janex International Excellent Image Quality WDR Wide FOV High resolution night vision Intelligent Authentication Various verification methods Face fingerprint Product Quick Guide July December 2022 Non Products janexint.pl files Materialy Techniczne Programy Instrukcje Portal HIKVISION SSWIN SKD SW Domofony Katalogi |||

PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGENCE ... m 4.66 4.66 0.86 91.3 mm 181.3 mm 24.5 mm 3.59 7.14 0.96 42 Model DS-K1T342MFX **DS-K1T342DWX**, DS-K1T342MWX, DS-K1T342EWX DS-K1T342MFWX, DS-K1T342EFWX HOT HOT HOT DS-K1T341CM, ...

lang:en **score:16** filesize: 15.26 M page_count: 144 document date: 2023-04-25

Katalog výrobků 2021 v2021DS KD8003 IME2 Hikvision Kamerový modul 2 drátového interkomu5243 product quick guide 2021h2 non cctv products preview versionatkm cz imgserver eshop kdistrib 19 200 5243 version v2021Katalog interkomuDŠ KD ACW2 Rámeček pro interkom moduly povrchových hliník5243 version5408 5408 hliníkdS KH6320 WTE2 Vnitřní stanice version5242 5242 KP Modul numerické klávesnice5243 version5407 5407 klávesniceDŠ ACW3 S 3 ocel5243 version5676 5676 ocelDŠ KK 6 tlačítek version5675 5675 Venkovní tlačítkový modul5243 versionv1atkm 5406 modulDŠ KAW60 2N Napájecí zdroj DŠ KAD7065243 versionv15245 5245 KAD706DŠ KAD706 Video audio distributor až zařízení5243 version5244 5244 zařízeníDŠ KH8301 WT IP interkomu displej 7 LCD wifi5243 version5363 5363 ||| ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGENT SECURITY INSPECTION 2021 H2 R CONTENTS 001 Video Intercom 002 IP Series 014 2-wire Series 022 4-wire Series 024 Kit 028 Accessories 034 Acc ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGENT SECURITY INSPECTION 2021 H2 R CONTENTS 001 Video Intercom 002 IP Series 014 2-wire Series 022 4-wire Series 024 Kit 028 Accessories 034 Acc ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGENT SECURITY INSPECTION 2021 H2 R CONTENTS 001 Video Intercom 002 IP Series 014 2-wire Series 022 4-wire Series 024 Kit 028 Accessories 034 Acc ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGENT SECURITY INSPECTION 2021 H2 R CONTENTS 001 Video Intercom 002 IP Series 014 2-wire Series 022 4-wire Series 024 Kit 028 Accessories 034 Acc ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGENT SECURITY INSPECTION 2021 H2 R CONTENTS 001 Video Intercom 002 IP Series 014 2-wire Series 022 4-wire Series 024 Kit 028 Accessories 034 Acc ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGENT SECURITY INSPECTION 2021 H2 R CONTENTS 001 Video Intercom 002 IP Series 014 2-wire Series 022 4-wire Series 024 Kit 028 Accessories 034 Acc ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGENT SECURITY INSPECTION 2021 H2 R CONTENTS 001 Video Intercom 002 IP Series 014 2-wire Series 022 4-wire Series 024 Kit 028 Accessories 034 Acc ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGENT SECURITY INSPECTION 2021 H2 R CONTENTS 001 Video Intercom 002 IP Series 014 2-wire Series 022 4-wire Series 024 Kit 028 Accessories 034 Acc ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGENT SECURITY INSPECTION 2021 H2 R CONTENTS 001 Video Intercom 002 IP Series 014 2-wire Series 022 4-wire Series 024 Kit 028 Accessories 034 Acc ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGENT SECURITY INSPECTION 2021 H2 R CONTENTS 001 Video Intercom 002 IP Series 014 2-wire Series 022 4-wire Series 024 Kit 028 Accessories 034 Acc ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGENT SECURITY INSPECTION 2021 H2 R CONTENTS 001 Video Intercom 002 IP Series 014 2-wire Series 022 4-wire Series 024 Kit 028 Accessories 034 Acc ||| PRODUCT QUICK GUIDE NON-CCTV PRODUCTS ACCESS CONTROL, VIDEO INTERCOM, SECURITY ALARM AND INTELLIGEN ... Model DS-K1T343EFWXDS- K1T343MFWX NEW DS-K1T342DXDS-K1T342MX DS-K1T342EX NEW DS- K1T342MFX NEW **DS-K1T342DWX**DŠ-K1T342MWX DS-K1T342EWX NEW DS- K1T342MFWXDS-K1T342EFWX NEW DS-K1T341AM HOT Image P... lang:en score:16 filesize: 6.29 M page_count: 128 document date: 2023-03-21





[\[pdf\]](#) Guide

GUÍA RÁPIDA 2022 Hikvision 1 interfaz Ethernet autoadaptativa RJ 45 10 100 1000 Mbps RS 485 232 x 2 RS232 Configurable 6 Wiegand TCP IP 22 hours ago — Varios métodos de verificación Cara Huella Dactilar Tarjeta Código PIN admite huella dactilar y funciones Bluetooth código QR Quick Guide No CCTV ES Web hikvision content dam es catálogos folletos español |||

GUA RPIDA 2022 CATLOGO DE PRODUCTOS DESTACADOS PRODUCTOS NO CCTV N 1 MUNDIAL EN SEGURIDAD INVERSI ... C -22 F a 140 F IP65 0 a 90 sin condensacin 91.3 mm 181.3 mm 24.5 mm 3.59 7.14 0.96 **DS-K1T342DWX**, DS-K1T342MWX, DS-K1T342EWX 12 VCC, 1 A 12V-24VCC **DS-K1T342DWX** DS-K1T342MFWX, DS-K1T...

lang:es **score:16** filesize: 14.47 M page_count: 124 document date: 2022-02-01