

[Manuals.plus](#) /

› [marcronic](#) /

› marcronic 44W/4500LM LED Floor Lamp with Reading Light User Manual

marcronic RMMG0W

marcronic 44W/4500LM LED Floor Lamp with Reading Light User Manual

Model: RMMG0W

INTRODUCTION

This manual provides instructions for the safe and efficient use of your marcronic 44W/4500LM LED Floor Lamp. This 2-in-1 lamp features a main uplight and a bendable reading light, offering versatile illumination for various environments. It includes remote and touch controls, stepless dimming, and adjustable color temperature settings.

WHAT'S IN THE BOX

Verify that all components are present before assembly:

- 1 Lamp Head (Main and Reading Light)
- 4 Lamp Poles
- 1 Lamp Base
- 1 Remote Control
- 1 Power Adapter with Cable
- 1 User Manual

Flicker-Free Eye Caring

LED floor lamp soft, steady and flicker-free light to protect your eyes. Allows you to enjoy what you're doing for longer



Image: All components included in the martronic floor lamp package.

SETUP INSTRUCTIONS

The martronic floor lamp is designed for tool-free assembly, typically completed within 3 minutes.

1. **Attach Lamp Poles:** Carefully screw the four lamp poles together, ensuring the threads are aligned to prevent damage. The wiring is pre-threaded through the poles.
2. **Connect to Base:** Securely attach the assembled lamp pole to the lamp base by screwing it in.
3. **Connect Lamp Head:** Attach the lamp head to the top of the assembled pole.
4. **Connect Power Adapter:** Plug the power adapter cable into the lamp's power port, located near the base, and then plug the adapter into a standard wall outlet.



Image: The fully assembled marctronic floor lamp.

OPERATING INSTRUCTIONS

Your marctronic floor lamp can be operated using the included remote control or the integrated touch controls on the lamp pole.

Remote Control Functions

The remote control allows for comprehensive adjustment of both the main and reading lights. The remote is magnetic and can be conveniently stored on the lamp pole.

- **Power On/Off:** Use the red (off) and green (on) buttons to control the lamp.
- **Brightness Adjustment:** Use the "BRT+" and "BRT-" buttons to increase or decrease brightness. Stepless dimming allows for precise control from 5% to 100%.
- **Color Temperature Adjustment:** Use the "CCT+" and "CCT-" buttons to cycle through color temperatures (2700K Warm, 4000K Natural, 5000K Daylight, 6500K Cool).
- **Independent Light Control:** The main lamp and sub-lamp (reading light) can be controlled independently.

Use the dedicated on/off buttons for each light.

- **Preset Modes:**

- **Night Light Mode:** Provides a soft, low-intensity light.
- **Breastfeeding Mode:** Offers a gentle, warm light suitable for nighttime feeding.
- **Working Mode:** Delivers bright, neutral light for focus and productivity.
- **Reading Mode:** Provides optimized illumination for reading tasks.

- **1-Hour Timer:** Activate the timer function to automatically turn off the lamp after one hour.

- **Memory Function:** The lamp retains the last used lighting settings (brightness and color temperature) when turned off and on again.



Image: Remote control and smart plug compatibility.



4 Color Temperature



☀ -
5%

Stepless Dimmable Brightness

+ ☀
100%

Image: Demonstrating color temperature and brightness adjustments.

Touch Control Functions

The lamp pole features touch-sensitive controls for basic operation:

- **Short Touch:** Turns the main lamp On/Off.
- **Long Touch:** Turns the sub-light (reading light) On/Off.
- **Control Main Lamp:** Short press to change color temperature; long press to change brightness.
- **Control Sub-light:** Short press to change color temperature; long press to change brightness.

Adjustable Lamp Heads

The 37W main floor lamp head can be rotated up to 350° and adjusted up and down by 180°. The 7W reading lamp head is bendable up to 360°, allowing for precise light direction.

UPGRADED PREMIUM MATERIALS




Image: Independent and dual light use for various activities.

Smart Plug Compatibility

The lamp is compatible with smart plugs and wall switches, enabling voice control or integration into smart home systems for basic on/off functionality.

Video Demonstration

Your browser does not support the video tag.

Video: A demonstration of the marctronic floor lamp's various settings and remote control functions.

MAINTENANCE

To ensure the longevity and optimal performance of your marctronic floor lamp, follow these maintenance guidelines:

- **Cleaning:** Disconnect the lamp from the power source before cleaning. Use a soft, dry cloth to wipe down the lamp pole, base, and light heads. Avoid abrasive cleaners or solvents that may damage the finish.

- **Light Source:** The LED light source is integrated and not user-replaceable. It is designed for long-term use.
- **Cable Care:** Periodically inspect the power cord for any signs of damage. Do not use the lamp if the cord is frayed or damaged.

TROUBLESHOOTING

If you encounter issues with your marctronic floor lamp, refer to the following common solutions:

Problem	Possible Cause	Solution
Lamp does not turn on.	No power supply; remote control battery depleted; lamp not properly assembled.	Ensure the power adapter is securely plugged into both the lamp and a working wall outlet. Replace remote control batteries. Verify all lamp pole sections are tightly screwed together.
Remote control is unresponsive.	Remote control battery depleted; obstruction between remote and lamp; remote out of range.	Replace remote control batteries. Ensure a clear line of sight to the lamp's receiver. Operate the remote within its 50ft range.
Light output is inconsistent or dim.	Brightness setting is too low; incorrect color temperature selected.	Increase brightness using the remote or touch controls. Adjust color temperature to a brighter setting (e.g., 5000K or 6500K).

SPECIFICATIONS

Model Name:

E1 Floor Lamp

Item Model Number:

RMMG0W

Brand:

marctronic

Power Source:

Corded Electric

Wattage:

44 Watts (37W Main Lamp, 7W Reading Light)

Brightness:

4500 Lumens (Total)

Color Temperature:

2700K - 6500K (Stepless Dimmable)

Control Method:

Remote Control, Touch Control

Product Dimensions:

9.5"D x 9.5"W x 69.9"H

Item Weight:

9.2 Pounds

Material:

Metal, Acrylic (Shade)

Special Features:

Diffuse Reflected-light design, Eye Care Technology (RG0 blue light, CRI $\geq$ 85), Stepless Dimmable, Smart Plug Compatible, UL Listed Cord, Tilt-tested Stable Base.

Certifications:

FCC, CE, RoHS

SAFETY INFORMATION

Please read and follow these safety precautions to prevent injury or damage:

- Ensure the lamp is placed on a stable, level surface to prevent tipping.
- Do not expose the lamp to water or moisture. It is designed for indoor use only.
- Do not attempt to modify or disassemble the lamp. Contact customer support for any repairs.
- Keep the power cord away from heat sources, sharp edges, and heavy objects.
- Unplug the lamp from the power outlet before cleaning or performing any maintenance.
- This lamp is not a toy. Keep out of reach of children and pets.

WARRANTY AND SUPPORT

For warranty information or technical support, please contact marctronic customer service. Refer to your purchase documentation for specific warranty terms and contact details.