

[Manuals.plus](#) /

› [Homirxan](#) /

› Homirxan 5.0 Cub Home Safe Instruction Manual

Homirxan 60SA

Homirxan 5.0 Cub Home Safe Instruction Manual

Model: 60SA

INTRODUCTION

This manual provides comprehensive instructions for the setup, operation, and maintenance of your Homirxan 5.0 Cub Home Safe. Please read this manual thoroughly before using the safe to ensure proper function and security.

SAFETY INFORMATION

- Keep emergency keys in a secure location away from the safe and out of reach of children.
- Do not store emergency keys inside the safe.
- Ensure the safe is securely mounted to prevent unauthorized removal.
- Regularly check battery levels to avoid lockout due to power failure.
- Avoid exposing the safe to extreme temperatures or humidity.

PACKAGE CONTENTS

Verify that all items listed below are included in your package:

- 1 x Homirxan 5.0 Cub Home Safe
- 2 x Emergency Keys
- 4 x Expansion Screws
- 1 x User Manual (this document)
- 1 x Floor Mat

WALL OR FLOOR-MOUNTED INSTALLATION



Image: The Homirxan 5.0 Cub Home Safe is shown with its door open, revealing the interior. To the right, a diagram illustrates the included accessories: four expansion screws, two spare keys, a user manual, and a floor mat.

PRODUCT OVERVIEW

The Homirxan 5.0 Cub Home Safe is designed to protect your valuables with its robust construction and advanced security features. It offers a spacious interior and multiple access options.

- **Capacity:** 5.0 Cubic Feet
- **Exterior Dimensions:** 12.2"D x 15"W x 23.6"H
- **Interior Dimensions:** 11.8"D x 14.6"W x 23.2"H
- **Weight:** 37.7 Pounds
- **Material:** Alloy Steel
- **Lock Type:** Electronic Combination Lock, Key
- **Special Features:** Alarm System, Fireproof, Removable Shelf, Sensor Light

Key Features Visualized



Image: The Homirxan 5.0 Cub Home Safe is depicted with its door ajar, revealing a well-organized interior with various valuables such as stacks of cash, a camera, medicine bottles, and gold bars on multiple shelves.

LARGE SAFE BOX FOR HOME



Image: A black Homirxan 5.0 Cub Home Safe is shown with its exterior dimensions clearly labeled: 60cm/23.6in in height, 31cm/12.2in in depth, and 38cm/14.57in in width.

ALL-STEEL AND 3 SOLID ANTI-PRY BOLTS



Anti-Drilling



Burglar Proof



Image: This image highlights the all-steel construction and three solid anti-pry bolts of the safe. An illustration shows a drill attempting to penetrate the safe, emphasizing its anti-drilling and burglar-proof features.

SECURITY SAFE WITH REMOVABLE SHELF

With Shelf



Without Shelf




Image: A side-by-side comparison of the safe's interior, demonstrating its versatility. On the left, the safe is shown with a removable shelf, organizing smaller items. On the right, the shelf is removed to accommodate larger items like documents and a statue.

2 WAYS TO OPEN THE SAFE



In case the key is lost, contact us with the serial number to get one



Image: This graphic illustrates the two primary methods for opening the safe: using a personal password in conjunction with the knob, or using the emergency key along with the knob. A note advises contacting support if the key is lost.

SMART ALARM SYSTEM

After 3 consecutive times wrong passcodes, the safe will activate the alarm system.



Image: The smart alarm system is depicted, showing a red alarm light and a silhouette of a person attempting to access the safe. Text indicates that the alarm activates after three consecutive incorrect passcodes, leading to muting and locking functions.

SETUP

1. Initial Opening

1. Locate the emergency keys provided in the package.
2. Insert one emergency key into the keyhole on the keypad panel.
3. Turn the key clockwise while simultaneously turning the knob clockwise to open the safe door.

2. Battery Installation

The safe requires batteries for the electronic keypad to function. Batteries are not included.

1. Open the safe door using the emergency key.
2. Locate the battery compartment on the inside of the door.
3. Insert the required batteries (typically AA, refer to the compartment for exact type and quantity) ensuring correct polarity.
4. Close the battery compartment cover.

3. Setting a Personal Password

It is recommended to set a new personal password immediately after battery installation.

1. With the safe door open, press the red reset button located on the inside of the door (usually near the hinge). You will hear a beep.
2. On the keypad, enter your desired 3-8 digit password.
3. Press the "#" button to confirm. The safe will beep to confirm the new password has been set.
4. Test the new password with the door open before closing it.

OPERATING INSTRUCTIONS

Opening with Personal Password

1. Enter your personal 3-8 digit password on the keypad.
2. Press the "#" button. The indicator light will turn green.
3. Within 5 seconds, turn the knob clockwise to open the safe door.

Opening with Emergency Key

The emergency key provides access if you forget your password or if the batteries are depleted.

1. Insert the emergency key into the keyhole on the keypad panel.
2. Turn the key clockwise.
3. Simultaneously turn the knob clockwise to open the safe door.

Alarm System

The safe is equipped with an anti-theft alarm system.

- If an incorrect password is entered 3 consecutive times, the alarm will activate.
- The safe will lock for 20 seconds during the alarm state.
- To silence the alarm, enter the correct password or use the emergency key.

INSTALLATION (MOUNTING)

For enhanced security, it is highly recommended to anchor the safe to a wall or floor using the provided expansion screws.

1. Choose a suitable location for the safe, ensuring it is level and stable.
2. Open the safe door and locate the pre-drilled mounting holes on the back or bottom of the safe.
3. Mark the drilling points on the wall or floor through the mounting holes.
4. Drill pilot holes at the marked locations using an appropriate drill bit for your wall/floor material.
5. Align the safe with the drilled holes and insert the expansion screws.
6. Tighten the screws firmly to secure the safe in place.

WALL OR FLOOR-MOUNTED INSTALLATION



Image: A visual guide demonstrating the three steps for wall or floor mounting. Step 1 shows marking the drill points, Step 2 illustrates drilling the holes, and Step 3 depicts securing the safe with expansion screws.

MAINTENANCE

- **Battery Replacement:** Replace batteries when the low battery indicator lights up or if the keypad becomes unresponsive. Always use new batteries of the specified type.
- **Cleaning:** Clean the exterior of the safe with a soft, damp cloth. Avoid abrasive cleaners or solvents that could damage the finish.
- **Keypad Care:** Keep the keypad clean and dry. Avoid pressing buttons with excessive force.
- **Internal Environment:** Ensure items stored inside are dry to prevent moisture buildup. The included carpeted floor mat helps protect contents from scratches.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Safe does not open with password.	Incorrect password entered; low batteries.	Re-enter correct password carefully. Replace batteries. Use emergency key.

Problem	Possible Cause	Solution
Keypad is unresponsive.	Dead batteries.	Replace batteries. Use emergency key.
Alarm activates frequently.	Repeated incorrect password entries.	Ensure correct password is used. Avoid tampering with the safe.
Door does not close properly.	Obstruction in the door frame; locking bolts not fully retracted.	Check for obstructions. Ensure knob is turned to retract bolts before closing.

SPECIFICATIONS

Feature	Detail
Brand	Homirxan
Model Number	60SA
Product Dimensions (Exterior)	12.2"D x 15"W x 23.6"H
Capacity	5 Cubic Feet
Lock Type	Electronic Combination Lock, Key
Material	Alloy Steel
Special Features	Alarm System, Combination Lock, Fireproof, Removable Shelf, Sensor Light
Mounting Type	Floor Mount
Item Weight	37.7 Pounds
Alarm	Audible
Batteries Required?	Yes (not included)

WARRANTY AND SUPPORT

Homirxan provides a **Lifetime Warranty** for this product. We are committed to your satisfaction and offer:

- 24-hour online customer service.
- 120-day return or exchange service.

For any inquiries or assistance, please contact Homirxan customer support.