

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Decaura](#) /

› [Decaura Laundry Sink Mixer Tap Swivel Spout Kitchen Sink Faucet \(Matt Black\) Instruction Manual](#)

Decaura 50015

Decaura Laundry Sink Mixer Tap Swivel Spout Kitchen Sink Faucet (Matt Black) Instruction Manual

Brand: Decaura | Model: 50015

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Decaura Laundry Sink Mixer Tap. Designed for versatility, this tap features a 360-degree swivel spout and a durable ceramic cartridge, making it suitable for various applications including laundry, kitchen, and bathroom sinks. Please read this manual thoroughly before installation and use to ensure proper function and longevity of your product.



A detailed view of the Decaura Laundry Sink Mixer Tap in Matt Black, showcasing its sleek design and single-lever handle.

SAFETY INFORMATION

Always turn off the main water supply before beginning any installation or maintenance work.

Ensure all connections are secure to prevent leaks. Do not overtighten.

If you are unsure about any step, consult a qualified plumber.

Keep small parts away from children.

PACKAGE CONTENTS

Please verify that all components are present before beginning installation:

- Decaura Laundry Sink Mixer Tap (Matt Black)
- Hot and Cold Water Hoses (500 mm length)
- Mounting Hardware (including locking screw and nut)
- Installation Tool (plastic spanner)
- Sealing Gaskets

SPECIFICATIONS

Feature	Detail
Manufacturer	Decaura
Package Dimensions	27.4 x 16.3 x 5.9 cm
Item Model Number	50015
Colour	Matt Black
Style	Classic
Finish	Black
Material	Stainless Steel
Shape	Oval
Installation Method	Single Hole
Flow Rate	5.5 Liters Per Minute
Hose Length	500 Millimeters
Number Of Holes	1
Spout Height	120 Millimeters
Spout Reach	216 Millimeters
Handle/Lever Placement	Center
Number of Handles	1
Handle Material	Stainless Steel
Plug Profile	Deck Mount
Special Features	360 Swivel
Included Components	Installation Hardware

Feature	Detail
Batteries Required?	No
Item Weight	940 g

INSTALLATION GUIDE

Follow these steps carefully for a successful installation:

- 1. Prepare the Sink:** Ensure the mounting hole on your sink or countertop is between 33-38mm in diameter and the countertop thickness is a maximum of 45mm. Clean the area around the mounting hole.
- 2. Attach Hoses and Locking Screw:** Before inserting the tap into the sink hole, attach the hot and cold water hoses to the tap base. Then, attach the locking screw to the tap base. This order is crucial for easier tightening later.
- 3. Insert Tap:** Place the main body of the tap into the mounting hole, ensuring the sealing gasket is correctly positioned between the tap base and the sink surface.
- 4. Secure Tap:** From underneath the sink, slide the rubber washer and metal washer onto the threaded rod. Hand-tighten the mounting nut, then use the provided plastic installation tool to fully tighten the nut, securing the tap firmly to the sink. Ensure the tap is aligned correctly before final tightening.
- 5. Connect Water Supply:** Connect the hot and cold water hoses to your corresponding hot and cold water supply lines. Ensure all connections are tight to prevent leaks. It is recommended to install isolating valves for future maintenance.
- 6. Test for Leaks:** Slowly turn on the main water supply. Check all connections for any signs of leaks. Operate the tap to ensure proper hot and cold water flow.



A technical diagram illustrating the dimensions of the Decaura Laundry Sink Mixer Tap, including spout height, spout reach, and recommended mounting hole size and countertop thickness for installation.

OPERATION

The Decaura Laundry Sink Mixer Tap is designed for ease of use and precise control.

Water Flow and Temperature Control:

The single lever handle controls both water flow and temperature. Lift the handle to increase water flow. Move the handle left for hot water and right for cold water. The premium 35mm ceramic disc cartridge ensures smooth and effortless operation, allowing for precise temperature adjustments.

360° Swivel Spout:

The tap features a 360-degree swivel spout, providing extended reach and flexibility. This is particularly useful for double bowl sinks or for broadening your washing space in laundry or kitchen environments. Simply rotate the spout to direct water where needed.

Water Saving Aerator:

The integrated aerator provides a non-splashing stream, which is soft to the touch and promotes higher water efficiency. This helps conserve water while maintaining effective flow.



Laundry



Rv




Kitchen



Bar

The Decaura Laundry Sink Mixer Tap in use, demonstrating the water flow as a hand washes a lemon under the faucet, highlighting its practical application.



WATER SAVING AERATOR

Aerator provides a non-splashing stream, soft to touch, higher water efficiency.

360° SWIVEL SPOUT

Suitable for any single sink or double sinks.



SMOOTH OPERATION

Premium 35mm ceramic disc cartridge offers effortless and precise temperature control.

An infographic detailing key features of the tap: Water Saving Aerator for non-splashing stream, 360° Swivel Spout for extended reach, and Smooth Operation due to the 35mm ceramic disc cartridge.

MAINTENANCE AND CARE

To ensure the longevity and appearance of your Matt Black tap, follow these maintenance guidelines:

- **Regular Cleaning:** Clean the tap regularly with a soft cloth and mild soap. Avoid abrasive cleaners, scouring pads, or harsh chemicals, as these can damage the finish.
- **Spot Cleaning:** For water spots or fingerprints, wipe with a damp cloth and dry immediately with a soft, dry cloth.
- **Aerator Cleaning:** If water flow becomes restricted, the aerator may be clogged. Unscrew the aerator from the spout, clean any debris, and rinse thoroughly before reattaching.
- **Avoid Harsh Materials:** Do not use polishes, waxes, or any products containing alcohol, ammonia, bleach, or other strong solvents on the tap's finish.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator or partially closed supply valves.	Clean the aerator. Ensure hot and cold water supply valves are fully open.
Leaking from Tap Base	Loose mounting nut or improperly seated gasket.	Ensure the mounting nut is securely tightened. Check that the sealing gasket is correctly positioned.
Leaking from Hose Connections	Loose hose connections or damaged washers.	Tighten hose connections. Replace washers if damaged.
Water Temperature Inconsistent	Issues with water heater or supply pressure imbalance.	Check your water heater settings. Ensure balanced hot and cold water pressure.

WARRANTY AND CUSTOMER SUPPORT

Decaura products are manufactured to high-quality standards and undergo a 100% water test before shipment to ensure reliability.

This product comes with a limited warranty against manufacturing defects. For specific warranty terms and conditions, please refer to the product packaging or contact Decaura customer service.

Our dedicated 24/7 customer service team is available to assist you with any questions, concerns, or issues you may encounter. Please reach out to us for carefree after-sales support.




For support, visit the official Decaura store or contact us through the platform where you purchased the product.

Note: Proof of purchase may be required for warranty claims.

© 2024 Decaura. All rights reserved. | Model: 50015

Related Documents - 50015

 <p>Installation Manual Decaura® Pull Out Sink Mixer Model: 55705CH, 55705BK, 57305CH, 57305BK</p>	<p>Decaura Pull Out Sink Mixer Installation Manual Official installation guide for Decaura Pull Out Sink Mixers (Models 55705CH, 55705BK, 57305CH, 57305BK), detailing parts, instructions, and warranty information.</p>
 <p>Installation Manual Decaura® Basin Mixer Tap Model: 71611CH, 71611BK, 71611SG, 71631CH, 71631BK</p>	<p>Decaura Basin Mixer Tap Installation Manual - Model 71611/71631 Series Comprehensive installation guide for Decaura Basin Mixer Taps, including parts list, step-by-step instructions, and warranty information for models 71611CH, 71611BK, 71611SG, 71631CH, 71631BK, 71631SG.</p>

 <p>Decaura® Installation Manual Wall Top Assemblies</p>	<p>Decaura Wall Top Assemblies Installation Manual</p> <p>Comprehensive installation guide for Decaura Wall Top Assemblies, detailing parts, step-by-step instructions for round and square sets, warranty terms, and other conditions.</p>
 <p>Installation Manual Decaura® Rain Shower Set Model Codes: 8580XCH, 8580XBK, 8580-2XCH, 8580-2XBK</p>	<p>Decaura Rain Shower Set Installation Manual - Model Codes 8580XCH, 8580XBK, 8580-2XCH, 8580-2XBK</p> <p>Comprehensive installation manual for Decaura Rain Shower Sets, including model codes 8580XCH, 8580XBK, 8580-2XCH, and 8580-2XBK. Provides step-by-step instructions, parts list, and warranty information.</p>
 <p>Installation Manual Decaura® Square Rain Shower Set Model Codes: 8557, 8557-2, 8557-3, 8557-4</p>	<p>Square Rain Shower Set Installation Manual</p> <p>Installation manual for the Square Rain Shower Set, including model codes 8557, 8557-2, 8557-3, and 8557-4. Provides instructions on working pressure, temperature, cleaning, and warranty terms.</p>
 <p>Installation Manual Decaura® Round Shower Head Set Model Codes: 8562, 8562-2, 8562-3, 8560-2</p>	<p>Decaura Round Shower Head Set Installation Manual</p> <p>Comprehensive installation manual for Decaura Round Shower Head Sets, including model codes 8562, 8562-2, 8562-3, and 8560-2. Provides detailed instructions, parts list, warranty information, and step-by-step assembly guidance.</p>

Water Efficiency Labelling and Standards (WELS) Scheme

Tap Equipment

The following product has been registered according to the requirements of the WELS standard (AS/NZS 5400:2010 Water efficient production, filling and washing):

WELS registration number	T39437
Licence Number	1726
Brand	Decaura
Model name	Laundry Mixer
Model code	50015
Variants	2x 40mm Backing plate, Handle, Pillar height, Model code
Variant Model Codes	50015CH,50015BK,50015CH,50015...
Subtype	Mixing tap
Functional use	1 tap controls 2nd of line
Functional use code	1.1.1
WELS approval number	5.5
Water efficiency star rating	5
Status	Registered
Expiry date	2025/02/04



[\[pdf\]](#) Label

Water Efficiency Labelling and Standards WELS Scheme prieš 3 dienas — registration number T39437

Licence Number 1726 Brand Decaura Model name Laundry Mixer 50015 code Colour finish Backing

plate Handle certificate report 10122022 2126 wels agriculture gov au public action search print

jsessionid 8369DA4023CD26F18D9DA546A38B7592 key 116491 |||

Water Efficiency Labelling and Standards WELS Scheme Tap Equipment The

following product has bee ... appear on label Water efficiency star rating Status Expiry

date T39437 1726 Decaura Laundry Mixer **50015** Colour/finish, Backing plate,

Handle, Pillar height, Model code **50015CH,50015BK,50015CH,50015...**

lang:da score:28 filesize: 277.01 K page_count: 1 document date: 2022-12-10