Fanbulous LX42

Fanbulous 42 Inch Waterproof Outdoor Ceiling Fan

Model: LX42

1. Introduction

This manual provides comprehensive instructions for the safe installation, operation, and maintenance of your Fanbulous 42 Inch Waterproof Outdoor Ceiling Fan with Lights and Remote. Designed for outdoor use, this fan features an IP65 waterproof rating, a 6-speed DC motor, and an integrated LED light with 3 color temperature options, all controllable via a multifunctional remote.

2. Safety Information

Please read all instructions carefully before installation and use. Failure to follow these instructions may result in electric shock, fire, or personal injury.

- **Electrical Safety:** Ensure the power supply is disconnected before installation or maintenance. This fan operates on 120 Volts (AC).
- **Outdoor Use:** This fan is IP65 rated for wet locations. While designed for outdoor environments, ensure proper installation to prevent water accumulation in electrical components.
- **Mounting:** The mounting structure must be capable of supporting the fan's weight (approximately 13.88 pounds) and the dynamic load during operation.
- **Blade Clearance:** Maintain adequate clearance between the fan blades and any obstructions.
- **Children and Pets:** Keep children and pets away from the fan during operation.

3. Package Contents

Verify that all components are present before beginning installation:

- Ceiling Fan Motor Housing
- Fan Blades (5)
- LED Light Kit

- Downrods (9-inch and 6-inch options)
- Mounting Bracket
- Remote Control with Wall Mount
- Power Cord (16.4 feet)
- Hardware Pack (screws, washers, nuts)
- Instruction Manual

Figure 3.1: Key components of the Fanbulous 42 Inch Outdoor Waterproof Ceiling Fan.

4. Setup and Installation

Follow these steps for proper installation of your ceiling fan:

1. **Prepare Mounting Location:** Ensure the chosen location is structurally sound and can support the fan's weight. Install the mounting bracket securely to a suitable beam or ceiling joist.
2. **Assemble Downrod:** Select the desired downrod length (9-inch or 6-inch). Attach the downrod to the fan motor housing, ensuring all screws are tightened securely.
3. **Attach Hanging Wheel:** Secure the hanging wheel to the top of the downrod assembly. This component will rest in the mounting bracket.
4. **Hang the Fan:** Carefully lift the fan assembly and place the hanging wheel into the mounting bracket. Ensure it is seated correctly and securely.
5. **Secure Fan to Bracket:** Tighten any remaining nuts or bolts on the downrod connection to the mounting bracket to prevent excessive swinging.
6. **Install Blades:** Attach the five ABS plastic blades to the fan motor housing. Ensure they are firmly secured.
7. **Install LED Light Kit:** Connect the LED light kit to the fan's electrical connections. Twist the light cover onto the fan body until it is secure.
8. **Connect Power:** Route the 16.4-foot power cord to a suitable outdoor outlet. Ensure the outlet is weather-protected and rated for outdoor use.



Figure 4.1: Fan dimensions and key features for installation planning.

Figure 4.2: Detailed view of the fan's motor, LED light, and blades.

5. Operating Instructions

Your Fanbulous ceiling fan is operated using the included remote control.

Remote Control Functions:

- **Power Button:** Turns the fan and/or light ON/OFF.
- **Fan Speed (1-6):** Adjusts fan speed from 1 (lowest) to 6 (highest).
- **Light ON/OFF:** Toggles the LED light.
- **3CCT (Color Temperature Change):** Cycles through 3000K (Warm Light), 4000K (Natural Light), and 6000K (Cold White Light).
- **Forward/Reverse (F/R):** Changes the direction of blade rotation. Use forward (downward airflow) for cooling in summer and reverse (upward airflow) for warm air circulation in winter.
- **Timer Settings (1H/2H/4H/8H):** Sets the fan to automatically turn off after 1, 2, 4, or 8 hours.
- **Anti-Theft Mode:** Activates a mode where the light and fan will run for 5 minutes every 2 hours to simulate occupancy.
- **Mute Button:** Silences the remote's button press sounds.

Figure 5.1: Remote control layout and functions.

Figure 5.2: Fan direction for seasonal comfort.

Figure 5.3: 3-Color Temperature LED Light options.

6. Maintenance

Regular maintenance ensures optimal performance and longevity of your fan.

- **Cleaning:** Due to its IP65 waterproof rating, the fan can be cleaned with a damp cloth. Avoid using harsh chemicals or abrasive cleaners. Ensure power is disconnected before cleaning.
- **Blade Inspection:** Periodically check the fan blades for any signs of damage or warping. Ensure they are securely attached.
- **Motor:** The DC motor is designed for long-term, maintenance-free operation. No lubrication is required.
- **Electrical Connections:** Occasionally inspect the power cord and connections for any signs of wear or damage.

7. Troubleshooting

If you encounter issues with your fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Fan does not operate	No power to the fan; Remote control battery low/dead; Remote not paired.	Check power outlet and circuit breaker; Replace remote batteries; Refer to remote pairing instructions (if applicable).
Light does not work	Light connection loose; LED module failure.	Ensure light cover is securely twisted on; Check light kit wiring; Contact customer support if LED is faulty.
Fan wobbles	Loose blades; Uneven blade weight; Loose mounting bracket.	Tighten all blade screws; Check for bent or damaged blades; Ensure mounting bracket is securely fastened.
Remote not responding	Battery low/dead; Obstruction between remote and receiver.	Replace remote batteries; Ensure clear line of sight to the fan's receiver.

8. Specifications

- **Brand:** Fanbulous
- **Model Name:** LX42
- **Product Dimensions:** 42"D x 11.8"W x 42"H
- **Color:** Black
- **Electric Fan Design:** Ceiling Fan
- **Power Source:** DC Motor
- **Voltage:** 120 Volts (AC)
- **Indoor/Outdoor Usage:** Outdoor (IP65 Waterproof)
- **Number of Blades:** 5
- **Blade Material:** Plastic
- **Blade Length:** 42 Inches
- **Speed Settings:** 6
- **Control Method:** Remote
- **Light Type:** LED (2400LM, 3CCT)
- **Downrod Length:** 9 Inches (also includes 6-inch option)
- **Item Weight:** 13.88 pounds

9. Warranty and Support

Fanbulous stands behind the quality of its products. Your plug-in ceiling fan with lights comes with a **2-year after-sales guarantee**.

If you encounter any problems or have questions regarding your Fanbulous ceiling fan, please do not hesitate to contact our customer support team. We are committed to helping you resolve any issues.

Customer Support Contact: Please refer to the contact information provided on the product packaging or the Fanbulous official website for the most up-to-date support details.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question