

[Manuals.plus](#) /

> [Fanbulous](#) /

> Fanbulous 65 Inch Ceiling Fan with Lights and Remote Instruction Manual

Fanbulous BL65

Fanbulous 65 Inch Ceiling Fan with Lights and Remote

Model: BL65

INTRODUCTION

Thank you for choosing the Fanbulous 65 Inch Ceiling Fan with Lights and Remote. This modern ceiling fan is designed for both indoor and outdoor use, featuring a reversible DC motor, integrated LED lighting with adjustable color temperature, and convenient remote control operation. This manual provides essential information for safe installation, operation, and maintenance of your new ceiling fan.

Please read these instructions carefully before installation and retain them for future reference.

SAFETY INFORMATION

- **Electrical Safety:** Always disconnect power at the main circuit breaker before attempting any installation, repair, or cleaning. Ensure all electrical connections comply with local codes and ordinances. If you are unsure about wiring, consult a qualified electrician.
- **Mounting:** The ceiling fan must be mounted to a structurally sound ceiling joist or outlet box capable of supporting the fan's weight (approximately 24.6 pounds). Use only the hardware provided.
- **Blade Clearance:** Ensure there is adequate clearance between the fan blades and any obstructions (walls, furniture, etc.). A minimum of 7 feet (2.1 meters) from the floor to the bottom of the blades is recommended.
- **Fan Operation:** Do not insert objects into the path of the fan blades while the fan is operating.
- **Outdoor Use:** This fan is suitable for covered outdoor areas like patios and porches. It is not recommended for direct exposure to rain.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Ceiling Fan Unit

- Hardware Bag (screws, washers, wire nuts)
- Remote Control (requires 2 AAA batteries, included)
- Downrods (6", 12", 24" options)
- Fan Blades (8 dual-color blades)

SETUP AND INSTALLATION


This section outlines the general steps for installing your Fanbulous ceiling fan. Refer to the detailed installation instructions included in your product packaging for specific diagrams and safety warnings.

Mounting Options

The fan supports various mounting configurations, including standard downrod mount and sloped ceiling mounting up to 15 degrees. Three downrod lengths (6", 12", 24") are provided to accommodate different ceiling heights and room sizes. For optimal performance, ensure the fan is installed in a space of 20ft x 20ft or larger.

Fanbulous

65 Inch Large Ceiling Fan



Mounting Options

Great Room: 20 x 20FT




Image Description: This image illustrates the dimensions of the 65-inch ceiling fan and various mounting options. It shows the fan's overall width of 65 inches and the different heights achievable with the included 6-inch, 12-inch, and 24-inch downrods. Examples of installations for low ceilings, high ceilings, and slanted ceilings (up to 15 degrees) are also depicted, highlighting the fan's adaptability to different room environments.

General Installation Steps

1. **Prepare for Installation:** Turn off power at the circuit breaker. Secure the mounting bracket to the ceiling outlet

box or a structural support.

2. **Assemble Downrod:** Select the appropriate downrod length and attach it to the fan motor assembly.
3. **Hang Fan:** Carefully lift the fan assembly and hang it from the mounting bracket.
4. **Wire Connections:** Connect the electrical wires according to the wiring diagram provided in your product manual. Ensure all connections are secure.
5. **Attach Blades:** Securely attach the 8 dual-color fan blades to the motor housing. You can choose between the black or walnut side of the blades to match your decor.
6. **Install Light Kit:** Connect and install the integrated LED light kit.
7. **Final Assembly:** Attach the canopy and light shade. Restore power and test the fan.

OPERATING INSTRUCTIONS

Your Fanbulous ceiling fan is controlled by a multi-function remote control, simplifying operation of both the fan and light features.

Remote Control Functions

Remote Control



Image Description: This image displays the remote control for the Fanbulous ceiling fan, highlighting its various functions. The remote allows control over 6 wind speeds, 3 color temperature adjustments for the light, reversible DC motor mode, and timer settings (1/4/8 hours). It also features a 'Natural Wind' mode for varied airflow.

- **Power On/Off:** Press the power button to turn the fan and light on or off.
- **Fan Speed:** Use the speed buttons (1-6) to adjust the fan's airflow. There are 6 distinct speed settings.
- **Light Control:** Press the light button to cycle through the 3 color temperature options (3000K Warm White,

4000K Natural White, 6000K Cold White). The light has a memory function; if turned off and on within 10 seconds via a wall switch, it will restore the previous setting.

- **Timer Setting:** Set the fan to turn off automatically after 1, 4, or 8 hours using the timer buttons.
- **Reversible Motor:** Activate the reversible DC motor function to change the direction of airflow. This allows for a downdraft in summer to create a cooling effect and an updraft in winter to circulate warm air.
- **Mute Mode:** The remote includes a key mute mode for silent operation.

Fanbulous

6-Speed Reversible Motor

Cool in summer, warm in winter



Level 1-2
Comfortable wind



Level 3-4
Medium natural wind



Level 5-6
High cooling wind

Image Description: This image illustrates the reversible DC motor function of the Fanbulous ceiling fan. It shows arrows indicating airflow direction for both summer (forward mode, delivering cool air) and winter (reverse mode, circulating warm air). The image also categorizes fan speeds into 'Comfortable wind' (Level 1-2), 'Medium natural wind' (Level 3-4), and 'High cooling wind' (Level 5-6).

Fanbulous

Customizable Light

Meet your needs in different scenarios




Image Description: This image demonstrates the customizable LED light feature of the Fanbulous ceiling fan. It shows the fan illuminating a room with three different color temperatures: 3000K (warm white), 4000K (natural white), and 6000K (cold white). The image also highlights the light's specifications: 24W power and 2000 lumens brightness.

MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your ceiling fan.

- **Cleaning:** Before cleaning, ensure the power is disconnected. Use a soft, damp cloth to wipe down the fan blades and motor housing. Avoid using abrasive cleaners or solvents that could damage the finish.
- **Blade Inspection:** Periodically check the fan blades for any signs of damage or imbalance. Tighten blade screws if necessary.
- **Light Source:** The integrated LED light is designed for long-term use. If replacement is ever needed, consult the manufacturer or a qualified technician.
- **Remote Control:** Replace AAA batteries in the remote control as needed.

TROUBLESHOOTING

If you encounter issues with your ceiling fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Fan does not start	No power; Loose wiring; Remote not paired; Motor issue	Check circuit breaker. Ensure all wiring is secure. Re-pair remote control (refer to specific pairing instructions in your product manual). Contact support if motor issue is suspected.
Light does not work	No power; Loose wiring; LED failure	Check circuit breaker. Ensure light kit wiring is secure. If LED is integrated and fails, contact support.
Fan wobbles	Loose blades; Unbalanced blades; Loose mounting hardware	Ensure all blade screws are tight. Use a balancing kit (not included) if needed. Verify mounting bracket and downrod connections are secure.
Remote control not responding	Dead batteries; Remote not paired; Obstruction	Replace AAA batteries. Re-pair the remote control with the fan. Ensure no obstructions are blocking the signal.
Fan makes noise	Loose screws; Motor issue; Blade rubbing	Check all screws on the fan and mounting. Ensure blades are not rubbing against any part of the fan housing. Contact support if motor noise persists.

SPECIFICATIONS

- **Brand:** Fanbulous
- **Model:** BL65
- **Size:** 65 Inches
- **Color:** Black (with dual-color blades: Black/Walnut)
- **Material:** Iron, Wood, Glass
- **Power Source:** DC Motor
- **Voltage:** 120 Volts
- **Wattage:** 65 Watts (Fan), 24 Watts (Light)

- **Brightness:** 2000 Lumens
- **Light Color Temperature:** 3000K (Warm White), 4000K (Natural White), 6000K (Cold White)
- **Control Method:** Remote Control
- **Indoor/Outdoor Usage:** Indoor, Covered Outdoor
- **Room Type:** Living Room, Bedroom, Office, Study, Kitchen, Patio, Porch
- **Special Features:** 6 Fan Speeds, 3CCT LED Light, Adjustable Height (with 3 downrod options), Reversible DC Motor, Timer (1H/4H/8H)
- **Item Weight:** 24.6 pounds
- **Product Dimensions:** 65"L x 65"W x 16"H (minimum height with 6" downrod)

WARRANTY AND SUPPORT

Fanbulous is committed to customer satisfaction. We offer dedicated customer support to assist you with any questions or concerns you may have regarding the installation or use of your ceiling fan.

For assistance, please contact the Fanbulous dedicated support team. Contact information can typically be found on the product packaging or the official Fanbulous website.