

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [EDISHINE](#) /

› [EDISHINE LED Floor Lamp HFLAA2A Instruction Manual](#)

EDISHINE HFLAA2A

EDISHINE LED Floor Lamp

Model: HFLAA2A

IMPORTANT SAFETY INSTRUCTIONS

Please read and understand all instructions before assembling and using this product. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Do not connect the power until the lamp is fully assembled.
- Ensure the power supply voltage matches the lamp's requirements.
- Keep the lamp away from water and high humidity environments.
- Do not attempt to disassemble or modify the lamp. Contact qualified personnel for repairs.
- Use only the provided power adapter.
- Keep out of reach of children.

PACKAGE CONTENTS

- EDISHINE LED Floor Lamp (unassembled components)
- Power Cable
- USB Port (integrated)

ASSEMBLY INSTRUCTIONS

Follow these steps to assemble your EDISHINE LED Floor Lamp. It is recommended to assemble the lamp from the top down to the base.



This image illustrates the simple assembly of the floor lamp: 1. Attach the lamp head. 2. Assemble the pole sections. 3. Secure the base. 4. Connect the power adapter. Assemble from top to base.

1. **Attach the Lamp Head:** Carefully screw the lamp head onto the top pole section.
2. **Assemble the Pole:** Connect the remaining pole sections by screwing them together clockwise. Ensure each section is securely tightened.
3. **Secure the Base:** Attach the assembled pole to the heavy-duty base, twisting clockwise until firm. The base features a multi-angle cord outlet for flexible placement.
4. **Connect the Adapter:** Plug the power cable into the lamp's power input and then into a standard wall outlet.

OPERATING INSTRUCTIONS

Intuitive Touch Controls

The EDISHINE LED Floor Lamp features integrated touch controls located on the lamp pole for easy adjustment of settings without needing to bend down.

Adjustable Light Angle



The lamp head can rotate 320 degrees horizontally and 180 degrees vertically. The lamp pole also swivels 350 degrees, allowing for versatile lighting angles.

The lamp offers a highly flexible light angle. The light panel can rotate 320° horizontally and 180° vertically. Additionally,

the lamp pole swivels 350°, allowing you to direct light precisely for task, accent, or ambient lighting.


Brightness and Color Temperature Adjustment



The lamp offers adjustable brightness from 5% to 100% and four color temperatures: 2700K (warm), 4000K (neutral), 5000K (cool white), and 6500K (daylight).

- **Brightness:** Adjust the light intensity to your preference with five levels: 5%, 25%, 50%, 75%, and 100%.
- **Color Temperature:** Choose from four distinct color temperatures to suit different moods or tasks: 2700K (Warm White), 4000K (Natural White), 5000K (Cool White), and 6500K (Daylight).

Night Light Mode




As ambient lighting, warm light options create a cozy atmosphere for your bedroom.

Activate the 10LM, 2700K Night Light Mode for a comfortable and warm sleeping atmosphere.

The lamp includes a dedicated 10LM, 2700K night light setting, creating a soft, warm glow ideal for a comfortable sleeping atmosphere.

Timer Function



Adjustable at multiple angles, bright enough to light up the work area

The lamp includes a 30-minute or 60-minute auto-off timer for energy efficiency and convenience, ideal for bedtime.

Utilize the 30-minute or 60-minute auto-off timer for energy efficiency and convenience, especially useful for bedtime or when leaving a room.

12W Type-C Fast Charging Hub



The lamp features a convenient 12W USB-C charging port (Output: 5V 2.4A / 9V 1.33A / 12V 1A) that supports QC3.0, PD3.0, and other fast-charging protocols for devices.

The lamp is equipped with a 12W USB-C port (Output: 5V 2.4A / 9V 1.33A / 12V 1A) that supports QC3.0, PD3.0, and other fast-charging protocols. This allows you to conveniently charge your phone, tablet, or e-reader.

PRODUCT SPECIFICATIONS

Product Dimensions



The lamp measures 11.81 inches in depth and width at the base, with a total height of 70.87 inches. The lamp head is 10 inches in diameter.

Feature	Detail
Model Name	HFLAA2A
Brand	EDISHINE
Product Dimensions	11.81"D x 11.81"W x 70.87"H
Item Weight	9.37 Pounds
Material	Metal
Finish Type	Powder Coated

Light Source Type	LED
Brightness	1600 Lumen
Color Temperature	2700K, 4000K, 5000K, 6500K (Adjustable)
Wattage	19 watts
Control Method	Touch
Special Features	Adjustable Arm, Adjustable Color Temperature, Adjustable Height, Dimmable, Memory Function, 12W Type-C Fast Charging Port, Night Light, Timer Function
Power Source	Corded Electric
Indoor/Outdoor Usage	Indoor

MAINTENANCE

To ensure the longevity and optimal performance of your EDISHINE LED Floor Lamp, follow these simple maintenance guidelines:

- **Cleaning:** Disconnect the power before cleaning. Use a soft, dry cloth to wipe the lamp. Avoid using abrasive cleaners, solvents, or polishing agents as they may damage the finish.
- **Bulb Replacement:** The LED light source is integrated and not user-replaceable. Do not attempt to replace the LED components.
- **Storage:** If storing the lamp for an extended period, disassemble it carefully and store it in its original packaging in a dry, cool place.

TROUBLESHOOTING

If you encounter any issues with your EDISHINE LED Floor Lamp, please refer to the following common troubleshooting steps:

- **Lamp Not Turning On:**
 - Ensure the power cable is securely plugged into both the lamp and the wall outlet.
 - Check if the wall outlet is functional by plugging in another device.
 - Verify that all lamp pole sections are tightly screwed together.
- **Light Flickers or is Dim:**
 - Confirm the power connection is stable.
 - Adjust the brightness settings using the touch controls.
- **USB-C Port Not Charging:**
 - Ensure the lamp is powered on.
 - Check if your device's charging cable is properly connected to the USB-C port.
 - Verify that your device supports the charging protocols (QC3.0, PD3.0) or standard USB-C charging.
- **Controls Unresponsive:**
 - Disconnect the lamp from power for 30 seconds, then plug it back in to reset the controls.

If these steps do not resolve the issue, please contact customer support.

WARRANTY AND SUPPORT

EDISHINE products are designed and manufactured to the highest quality standards. This product is covered by a standard manufacturer's warranty against defects in materials and workmanship from the date of purchase.

For warranty claims, technical support, or any questions regarding your EDISHINE LED Floor Lamp, please contact our customer service team. Please have your model number (HFLAA2A) and proof of purchase available when contacting support.

Contact information can typically be found on the product packaging or the official EDISHINE website.