

WORKPRO W153030AE

WORKPRO 17"x10"-6FT Lawn Leveling Rake Instruction Manual

Model: W153030AE | Brand: WORKPRO

1. INTRODUCTION

This manual provides instructions for the assembly, operation, maintenance, and troubleshooting of the WORKPRO 17"x10"-6FT Lawn Leveling Rake. This tool is designed for smoothing soil, sand, compost, and other ground materials to create an even surface for lawns, gardens, and other outdoor areas.

2. SAFETY INFORMATION

- Always wear appropriate personal protective equipment, such as gloves and sturdy footwear, when operating the leveling rake.
- Ensure the handle sections are securely tightened before use.
- Keep children and pets away from the work area during operation.
- Do not use the rake for purposes other than its intended use of leveling ground materials.

3. PACKAGE CONTENTS

Verify that all components are present before assembly:

- Leveling Rake Ground Plate (17" x 10")
- Adjustable Handle Sections (multiple pieces for total length up to 75 inches)
- Assembly Hardware (nuts, bolts, washers)
- Assembly Tools (wrenches)



This image displays the individual parts of the leveling rake before assembly, showing the ground plate, handle sections, and ergonomic grip.

4. SETUP AND ASSEMBLY

1. Unpack all components and verify against the package contents list.
2. Attach the ground plate to the lowest handle section using the provided hardware. Ensure all bolts and nuts are securely tightened with the included wrenches.
3. Connect the remaining handle sections by screwing them together clockwise until firm. The handle length can be adjusted by adding or removing sections to achieve a length between 37 inches and 75 inches.
4. Confirm all connections are stable before use.

ADJUSTABLE 37"-75" HANDLE


 7.6 lbs



75 inch

56 inch

37 inch



This diagram illustrates the adjustable handle feature, showing the rake at three different lengths (37, 56, and 75 inches) with a child and an adult demonstrating appropriate heights for various users and tasks.

5. OPERATING INSTRUCTIONS

5.1 Preparation

- Ensure the area to be leveled is free of large debris.
- Distribute the material (soil, sand, compost) evenly in small piles across the area.

5.2 Adjust Handle Length

Adjust the handle to a comfortable height for your posture to minimize strain. The handle can be set from 37 inches to 75 inches by adding or removing sections.

5.3 Leveling Technique

1. Place the leveling rake's ground plate flat on the material.
2. Push and pull the rake across the surface in a consistent motion to spread the material evenly.
3. Overlap passes slightly to avoid creating ridges.
4. For best results, work in a grid pattern (e.g., horizontal passes followed by vertical passes).

5.4 Material Application

The rake is effective for spreading topsoil, compost, sand, or preparing seedbeds for lawns, gardens, farms, and golf courses.



This image provides a simple two-step guide to using the rake. Step 1 shows the rake pushing a pile of material, and Step 2 shows it smoothing the material evenly across the ground.



This visual demonstrates the effectiveness of the leveling rake, contrasting an uneven lawn with various materials (compost, sand, soil, peat moss) before use, with a perfectly smooth and manicured lawn after leveling.

WIDE APPLICATION



A man is shown using the leveling rake on a patch of soil, illustrating its versatility. Insets indicate its suitability for leveling sand, soil, lawns, and sports fields.

Your browser does not support the video tag.

This video demonstrates the WORKPRO Lawn Leveling Rake in use, showing its effectiveness in smoothing various ground surfaces.

6. MAINTENANCE

- **Cleaning:** After each use, remove any soil, grass, or debris from the ground plate and handle. A stiff brush and water can be used.
- **Drying:** Thoroughly dry all metal components to prevent rust, especially the carbon steel ground plate and handle.
- **Storage:** Store the rake in a dry place. For compact storage, the handle can be disassembled into sections.

7. TROUBLESHOOTING

- **Uneven Leveling:** Ensure consistent pressure and overlapping passes. Check for large debris in the material being leveled.
- **Handle Loosening:** Periodically check and tighten all handle connections and assembly hardware to

maintain stability.

- **Difficulty Spreading Material:** Ensure the material is not too wet or clumpy. Break up large clumps before leveling for smoother operation.

8. SPECIFICATIONS

Model Number	W153030AE
Ground Plate Dimensions	17 inches (Width) x 10 inches (Depth)
Adjustable Handle Length	37 inches to 75 inches (6 feet)
Material (Head & Handle)	Carbon Steel
Item Weight	Approximately 9.61 pounds
UPC	820909615897

9. WARRANTY AND SUPPORT

For warranty information or product support, please refer to the documentation included with your purchase or contact WORKPRO customer service directly. Keep your purchase receipt for warranty claims.