Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

iScooter X-02

iScooter X-02 Mobility Scooter User Manual

Model: X-02

Brand: iScooter

Introduction

Welcome to the iScooter X-02 Mobility Scooter user manual. This guide provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your new mobility scooter. Please read this manual thoroughly before first use.



The iScooter X-02 Mobility Scooter is a 4-wheel foldable electric wheelchair device designed for adults and seniors, offering intuitive control and extended range.

Safety Information

Always adhere to the specified maximum weight capacity (up to 300 lbs) and never carry additional passengers or excessive loads, as this can severely compromise the scooter's stability and lead to tipping. Furthermore, exercise extreme caution when navigating uneven terrains, inclines, or encountering obstacles; always approach curbs and slopes head-on and at a slow speed to prevent instability and potential falls.
Statements regarding dietary supplements have not been evaluated by the FDA and are not intended to diagnose, treat, cure, or prevent any disease or health condition.

Setup and Assembly

Follow the instructions in the manual to unfold and assemble the scooter if it’s not pre-assembled. Ensure all parts are securely in place.



The iScooter X-02 is designed for easy disassembly and reassembly, making it convenient for storage and transport. Follow the numbered steps to separate and connect the main components.

Your browser does not support the video tag.

This video provides a visual guide on the process of replacing the front wheel of your iScooter X-02 Mobility Scooter, ensuring proper installation and function.


Operating Instructions

Controls and Features

Feel the thrill of effortless navigation with the iScooter X-02 mobility scooter. Adjust your speed smoothly from 0 to 5 MPH, tailored to your preference and surroundings. Whether you're strolling through the park or maneuvering through crowded spaces, you'll always feel in control.



The iScooter X-02 offers intuitive control with a speed adjustment range of 0-5 MPH, allowing users to tailor their speed to different environments. The control panel is simple to operate, and a convenient bottle holder is integrated.



Detailed view of the scooter's control panel, highlighting key operational components such as the speed dial, battery indicator, key switch, throttle lever, horn, and headlight switch for easy understanding.

Driving Modes


The X-02 Mobility Scooter is equipped with LED headlights. Designed to pierce through darkness, this headlight ensures your safety and visibility during nighttime excursions. It is also equipped with a reverse safety warning bell. This essential safety feature alerts others to your presence, ensuring you navigate through your day with confidence and peace of mind.



The scooter features a lever to switch between Freewheel Mode (can be pushed, but not driven) and Drive Mode (cannot be pushed, can be driven). This allows for flexibility in movement and storage. The scooter is capable of handling inclines up to 20 degrees.

Battery Management

Enjoy the flexibility of a removable battery, with an additional battery option available. It can be installed in the mobility scooter for charging, or it can be disassembled and charged separately. Never worry about running out of power again, whether you're heading to the store or enjoying a day out.



The iScooter X-02 features a removable battery, offering flexibility for charging on or off the scooter. An additional battery option is available for extended range, providing up to 24 miles on a single charge.

Maintenance

Regular maintenance ensures the longevity and safe operation of your iScooter X-02.

- Keep the scooter clean and dry.
- Inspect all nuts and bolts for tightness.
- Ensure the battery is charged regularly, especially during periods of non-use.
- Check the functionality of the LED headlight and reverse safety warning bell.



The iScooter X-02 is equipped with flat-free tires, reducing the need for regular inflation and maintenance.

Troubleshooting

Issue	Possible Cause	Solution
Scooter does not power on	Battery not charged / Key not inserted	Charge battery / Insert key and turn on
Scooter moves slowly	Low battery / Obstruction	Charge battery / Check for obstructions
Unusual noises	Loose components / Debris	Inspect and tighten components / Clear debris
Headlight not working	Bulb failure / Wiring issue	Check connections / Contact support



The iScooter X-02 is equipped with a strong LED headlight for enhanced visibility and safety during operation, especially in low-light conditions.

SPECIFICATIONS

Specification	Value
Product Dimensions	43.3 x 19.7 x 37.4 inches; 94.2 Pounds
Item model number	X-02
Date First Available	July 3, 2024
Manufacturer	WUYI AICHI INDUSTRY AND TRADE CO., LTD
ASIN	B0D8PBGZDT
Best Sellers Rank	See Top 100 in Health & Household
Brand	iScooter
Color	Red
Item Weight	94.2 Pounds
Style	4 Wheel Foldable Mobility Scooter, Power Motor, 5MPH, 12.4Miles Range, with LED Headlight, Basket, Cup Holder See more
Product Dimensions	43.3"D x 19.7"W x 37.4"H

Warranty and Support

iScooter offers a comprehensive warranty for the X-02 Mobility Scooter.

- 360-day or 180-day warranty on different parts.
- For fast and professional service, contact iScooter Center.



iScooter provides a warranty for its products, ensuring customer satisfaction and support.



iScooter offers dedicated after-sales service, including a call center (+1 (855) 916-2366) and live chat (support@iscooterglobal.com), available for support within 24 hours.

© 2024 iScooter. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DPMT5H2Z

More documents and user manuals: **https://manuals.plus/**