

Lx-09

Right LX-09 Wireless Single Earphone User Manual

Model: LX-09 | Brand: Generic

1. PRODUCT OVERVIEW

Experience wireless freedom and exceptional sound quality with the LX-09 Wireless Single Earphone. Designed with a sleek, ergonomic ear hook style, it offers a secure and comfortable fit for all-day wear. The rechargeable Type-C battery ensures uninterrupted audio enjoyment, while intelligent noise cancellation technology delivers crystal-clear audio, even in noisy environments. This HIFI headset is perfect for music, calls, or any audio activity on the go.

Key Features:

- **Versatile Design:** Sleek and ergonomic in-ear earhook style for a secure and comfortable fit during active use or daily wear.
- **Noise Cancellation:** Intelligent noise cancellation technology effectively blocks out ambient sounds for an immersive audio experience.
- **Wireless Connectivity:** Utilizes Bluetooth for a hassle-free wireless connection to your devices without tangled cords.
- **Long Battery Life:** Built-in rechargeable battery provides up to 6 hours of continuous playback on a single charge.
- **Compact and Portable:** Lightweight and compact design allows for easy carrying and storage when not in use.



Image: The LX-09 Wireless Single Earphone, showcasing its ergonomic ear hook design and compact form factor.



Image: Multiple views of the LX-09 earphone, highlighting its sleek black finish and the integrated speaker components.

WIRELESS

Lightning fast charge Type-c Fast charging

Using Type-C charging interface, Charging speed increased significantly 1.5h charging can meet a week's electricity consumption




Image: A graphic illustrating key features of the LX-09 earphone, including Bluetooth 5.4, double horn speakers, comfort, suitability for driving, office use, running, riding, light weight, fast charge, hands-free, IP56 waterproof rating, and HiFi sound quality.

2. WHAT'S IN THE BOX

Please check the package contents upon unboxing to ensure all items are present:

- LX-09 Wireless Single Earphone
- Type-C Charging Cable

3. SETUP GUIDE

3.1 Charging the Earphone

Before first use, fully charge the earphone. Use the provided Type-C charging cable.

1. Connect the Type-C end of the charging cable to the charging port on the LX-09 earphone.

2. Connect the USB-A end of the charging cable to a compatible USB power adapter (not included) or a computer's USB port.
3. The indicator light on the earphone will illuminate during charging and turn off or change color when fully charged. A full charge takes approximately 1.5 hours.



Image: The LX-09 earphone connected to a Type-C charging cable, illustrating the fast charging capability.

3.2 Bluetooth Pairing

To connect your LX-09 earphone to a device, follow these steps:

1. Ensure the earphone is charged and powered off.
2. Press and hold the multi-function button on the earphone until the indicator light flashes red and blue alternately, indicating it is in pairing mode.
3. On your device (smartphone, tablet, etc.), enable Bluetooth and search for available devices.
4. Select "LX-09" from the list of found devices.
5. Once connected, the indicator light on the earphone will stop flashing and may turn solid blue or off, depending on the model.
6. The earphone will automatically attempt to reconnect to the last paired device when powered on.

New Bluetooth 5.3

Stable and anti-jamming

High quality Bluetooth v5.3, strong anti-interference, stable and fast audio transmission, No more worries about listening to music and talking on the phone.



Image: A visual representation of the LX-09 earphone's internal Bluetooth 5.4 chip, emphasizing stable and anti-jamming wireless connectivity.

4. OPERATING INSTRUCTIONS

4.1 Power On/Off

- **Power On:** Press and hold the multi-function button for approximately 3 seconds until the indicator light flashes blue.
- **Power Off:** Press and hold the multi-function button for approximately 5 seconds until the indicator light flashes red and then turns off.

4.2 Music Playback (Touch Control)

The LX-09 earphone features touch controls for convenient music management.

- **Play/Pause:** Single tap the touch control area.
- **Next Track:** Double tap the touch control area.
- **Previous Track:** Triple tap the touch control area.

4.3 Call Management (Touch Control)

Manage your calls with simple touch gestures.

- **Answer/End Call:** Single tap the touch control area during an incoming call or active call.
- **Reject Call:** Press and hold the touch control area for 2 seconds during an incoming call.


4.4 Noise Cancellation

The LX-09 features intelligent noise cancellation for an enhanced audio experience.

- **Activate/Deactivate Noise Cancellation:** Refer to your device's Bluetooth settings or specific app controls, as this feature is often managed at the source device level for optimal performance.



Image: The LX-09 earphone shown worn on an ear, demonstrating its "ear-hanging" and "non-inductive wearing experience" design for comfort and secure fit.



Sound and picture synced

Equipped with 5.4 chip, new low latency algorithm,
increase the transmission rate by 50%,
so that you can play games, listen to songs,
watch TV more smoothly



Image: A close-up of the LX-09 earphone worn, highlighting its lightweight integrated liquid silicone and ergonomic design for comfortable wear and freedom of movement.




Image: A person wearing the LX-09 earphone, with visual effects indicating high fidelity spatial sound and an immersive audio experience.

5. MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your LX-09 earphone.

- **Cleaning:** Gently wipe the earphone with a soft, dry, lint-free cloth. Do not use abrasive cleaners, alcohol, or chemical solvents.
- **Storage:** When not in use, store the earphone in a cool, dry place, away from direct sunlight and extreme temperatures.
- **Battery Care:** To preserve battery life, avoid fully discharging the earphone frequently. Charge it regularly, even if not in use for extended periods.
- **Water Resistance:** The earphone is rated Water Resistant (IP56). This means it can withstand splashes and light rain, but it is not designed for submersion in water. Avoid exposing it to heavy rain or direct water jets.

6. TROUBLESHOOTING

If you encounter issues with your LX-09 earphone, refer to the following common solutions:

- **No Power:**
 - Ensure the earphone is fully charged.
 - Verify the charging cable and power source are working correctly.
- **Cannot Pair with Device:**
 - Make sure the earphone is in pairing mode (indicator light flashing red and blue).
 - Ensure Bluetooth is enabled on your device and it is within range (typically 10 meters).
 - Forget "LX-09" from your device's Bluetooth list and attempt to pair again.
 - Restart both the earphone and your device.
- **No Sound or Low Volume:**
 - Check the volume levels on both the earphone and your connected device.
 - Ensure the earphone is properly connected to your device.
 - Try playing audio from a different application or source.
- **Intermittent Connection:**
 - Move closer to your connected device to reduce interference.
 - Avoid obstacles between the earphone and your device.
 - Ensure no other strong wireless signals are causing interference.

7. SPECIFICATIONS

Feature	Detail
Model Name	LX-09
Brand	Generic
Connectivity Technology	Wireless, Bluetooth, Type-C
Wireless Communication Technology	Bluetooth 5.3 (as per image, product spec says Bluetooth)
Noise Control	Active Noise Cancellation
Headphones Jack	Type-C
Included Components	Earphone, Type-C Charging Cable
Material	Plastic
Recommended Uses	Music, Calling
Compatible Devices	Smartphones, Tablets
Control Type	Touch Control
Water Resistance Level	Water Resistant (IP56)




Feature	Detail
Ear Placement	In Ear
Form Factor	Single Earpiece
Item Weight	1.6 ounces
Manufacturer	Pintotronics




8. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the retailer or manufacturer's official website where the product was purchased. Keep your proof of purchase for any warranty claims.


Manufacturer: Pintotronics

Related Documents - Lx-09

	<p>LX-09 Bluetooth Headphones User Manual</p> <p>User manual for the LX-09 Bluetooth headphones by Guangzhou Haoye Electronic Trading Co., Ltd, detailing product specifications, operation, pairing, and safety guidelines.</p>
<div><div>Wireless music headphones</div><div><div>Model LX-09, BY99, BY08, BY33, BY18, BY17, BY38, BY09, BY66, BY39, BY72, BY77, BY88, BY86, BY27, BY29, BY06, BY10, BY11, BY13</div></div><div>Shenzhen Lanbiyi Technology Co., Ltd Instruction manual</div></div>	<p>Wireless Music Headphones Instruction Manual - Shenzhen Lanbiyi Technology Co., Ltd</p> <p>Instruction manual for Shenzhen Lanbiyi Technology Co., Ltd wireless music headphones, covering product specifications, functions, key operations, packing list, and safety requirements. Includes model numbers LX-09, BY99, BY08, BY33, BY18, BY17, BY38, BY09, BY66, BY39, BY72, BY77, BY88, BY86, BY27, BY29, BY06, BY10, BY11, BY13.</p>
	<p>GoodWe Lynx C Series Rechargeable Li-ion Battery System User Manual</p> <p>Comprehensive user manual for the GoodWe Lynx C Series Rechargeable Li-ion Battery System, covering installation, operation, safety precautions, maintenance, and technical specifications for models LX C101-10, LX C120-10, LX C138-10, and LX C156-10.</p>

	<p>GoodWe Lynx C Series Rechargeable Lithium-ion Battery System User Manual</p> <p>This user manual provides comprehensive information on the GoodWe Lynx C Series Rechargeable Lithium-ion Battery System (SB Lynx C), including product overview, installation, electrical connection, operation, maintenance, and technical parameters. It covers safety precautions, system components like the battery cabinet and PCU, and detailed wiring diagrams for various GoodWe inverters.</p>
	<p>GoodWe Lynx C Series Rechargeable Li-ion Battery System Quick Installation Guide</p> <p>This quick installation guide provides essential information for setting up the GoodWe Lynx C Series Rechargeable Li-ion Battery System. It covers safety precautions, product components, installation procedures, electrical connections, power operations, and commissioning steps for commercial and industrial applications.</p>
	<p>Philips 5-Year Commercial Warranty Terms and Conditions for Bagged and Bagless Vacuum Cleaners</p> <p>This document outlines the terms and conditions for Philips' 5-year commercial warranty for bagged and bagless vacuum cleaners, including product eligibility, warranty period, consumer rights, and data processing information.</p>

Documents - Lx-09 – Lx-09



[pdf] User Manual Label

Label and Location Shenzhen Lanbiyi Technology Co Ltd LX 09 Wireless music headphones 2BGZP 2BGZPLX09 lx

Product nameplate Note: Sample size is small. The nameplate is not on the sample, but on the user manual Product name: Wireless music headphones Model number:

LX-09 Input: DC 5V, 70mA Battery: DC 3.7V, 50mAh FCC ID: 2BGZP**LX-09**

Shenzhen Lanbiyi Technology Co., Ltd Product name: Wireless music hea...

lang:de score:26 filesize: 154.4 K page_count: 3 document date: 2024-06-26



[pdf] Agent Authorization

Administrator Letter of Agency Shenzhen Lanbiyi Technology Co Ltd LX 09 Wireless music headphones 2BGZP 2BGZPLX09 lx
Shenzhen Lanbiyi Technology Co., Ltd FCC ID: 2BGZP-**LX-09** Model difference: Models **LX-09**, BY99, BY08, BY33, BY18, BY17, BY38, BY09, BY66, BY39, BY72, BY77, BY88, BY86, BY27, BY29, BY06, BY10, BY11, BY13 Note: All models differ only in their names and appearance colors, the other is exactly the same, ...
lang:it **score:24** filesize: 142.71 K page_count: 1 document date: 2024-06-26




[pdf] Test Report SAR Rating

HD 271 S1 Allo FCC MPE Portable Report Guangzhou Haoye Electronic Trading Co Ltd LX 09 Bluetooth headphones 2BOPK 2BOPKLX09 lx
RF Exposure Evaluation Report Application No.: Applicant: Address of Applicant: DNT2504290837R4469 ... e Mark: Standards: Date of Receipt: Date of Test: Date of Issue: Test Result: Bluetooth headphones **LX-09** 2BOPK-**LX-09** Input:DC 5V; DC 3.7V By rechargeable lithium-ion battery / 47 CFR Part 2.1093 FCC ...
lang:en **score:23** filesize: 1021.32 K page_count: 8 document date: 2025-05-19



[pdf] Label


Administrator Label and location Guangzhou Haoye Electronic Trading Co Ltd LX 09 Bluetooth headphones 2BOPK 2BOPKLX09 lx
FCC ID:2BOPK-**LX-09** ...
lang:en **score:22** filesize: 60.77 K page_count: 1 document date: 2025-05-20



[pdf] SAR Rating

zmp SAR Report Shenzhen Lanbiyi Technology Co Ltd LX 09 Wireless music headphones 2BGZP 2BGZPLX09 lx


RF Exposure Evaluation FCC ID: 2BGZP-**LX-09** According to KDB 447498 D01 General RF Exposure Guidance v06 and part 2.1093 Unless specifically required by the published RF exposure KDB procedures, standalone 1-g head or body and 10-g extremity SAR evaluation for general population exposure conditions... lang:en score:22 filesize: 90.06 K page_count: 1 document date: 2024-06-20



[pdf] Product Photos Teardown

pencils Internal Photos Guangzhou Haoye Electronic Trading Co Ltd LX 09 Bluetooth headphones 2BOPK 2BOPKLX09 lx

Page: 1 of 3 PHOTO GRAPHS OF EUT FCC ID:2BOPK-**LX-09** Internal Photos Internal Photos Page: Internal Photos 2 of 3 Internal Photos Page: Internal Photos 3 of 3 ... lang:en score:22 filesize: 1.65 M page_count: 3 document date: 2025-05-23



[pdf] Product Photos

pencils External Photos Guangzhou Haoye Electronic Trading Co Ltd LX 09 Bluetooth headphones 2BOPK 2BOPKLX09 lx

Page: 1 of 3 PHOTO GRAPHS OF EUT FCC ID:2BOPK-**LX-09** External Photos External Photos Page: External Photos 2 of 3 External Photos Page: External Photos 3 of 3 External Photos ... lang:en score:22 filesize: 1.33 M page_count: 3 document date: 2025-05-20



[pdf] Product Photos

pencils Test Setup photo Guangzhou Haoye Electronic Trading Co Ltd LX 09 Bluetooth headphones
2BOPK 2BOPK LX09 lx

Page: 1 of 3 Test Setup Of EUT FCC ID:2BOPK-**LX-09** Antenna Terminal Test View

Page: 2 of 3 Conduced Emission View Radiated Emission Test View Below 1G Page:
3 of 3 Radiated Emission Test View Above 1G ...

lang:en score:22 filesize: 1.54 M page_count: 3 document date: 2025-05-20



[pdf] Agent Authorization

Letter of Agency Sheila Harris Model Difference Shenzhen Lanbiyi Technology Co Ltd LX 09 Wireless
music headphones 2BGZP 2BGZPLX09 lx

Shenzhen Lanbiyi Technology Co., Ltd LETTER OF AGENCY Date: Federal
Communications Commission Authorization and Evaluation Division 7435 Oakland
Mills Road Columbia, Maryland 21046 FCC ID:2BGZP-**LX-09** To Whom It May
Concern: We certify that we are not subject to denial of federal benefits, that inclu...

lang:en score:22 filesize: 109.37 K page_count: 1 document date: 2024-06-21



[pdf] Agent Authorization

Letter of Agency Sheila Harris Covered list Attestation Shenzhen Lanbiyi Technology Co Ltd LX 09
Wireless music headphones 2BGZP 2BGZPLX09 lx

Shenzhen Lanbiyi Technology Co., Ltd CERTIFICATIONS CONCERNING
COVERED EQUIPMENT Date: Federal Communications Commission Authorization
and Evaluation Division 7435 Oakland Mills Road Columbia, Maryland 21046 FCC ID:
2BGZP-**LX-09** To Whom It May Concern: As required by section 2.911 d 5 i ,
Shenzh...

lang:en score:22 filesize: 111.92 K page_count: 1 document date: 2024-06-21



[pdf] Confidentiality Request Letter

Sample Request for Confidentiality Letter FCC Vicki Albertson Shenzhen Lanbiyi Technology Co Ltd LX 09 Wireless music headphones 2BGZP 2BGZPLX09 lx
Shenzhen Lanbiyi Technology Co., Ltd Request for Long-Term Confidentiality Letter- FCC Date: Federal Communications Commission Authorization and Evaluation Division 7435 Oakland Mills Road Columbia, Maryland 21046 Re: Request for Long-Term confidentiality FCC ID: 2BGZP-LX-09 To whom it may concern, W...
lang:en score:22 filesize: 132.05 K page_count: 1 document date: 2024-06-21

Wireless music headphones

Model:LX-09, BY99, BY08, BY33, BY18, BY17, BY38, BY09, BY66, BY39, BY72, BY77, BY88, BY86, BY27, BY29, BY06, BY10, BY11, BY13




Shenzhen Lanbiyi Technology Co., Ltd

Instruction manual

[Wireless Music Headphones Instruction Manual - Shenzhen Lanbiyi Technology Co., Ltd](#)

Instruction manual for Shenzhen Lanbiyi Technology Co., Ltd wireless music headphones, covering product specifications, functions, key operations, packing list, and safety requirements. Includes model numbers LX-09, BY99, BY08, BY33, BY18, BY17, BY38, BY09, BY66, BY39, BY72, BY77, BY88, BY86, BY27, BY29, BY06, BY10, BY11, BY13.

lang:en score:20 filesize: 1.22 M page_count: 7 document date: 2024-06-20



[pdf] Test Report

55013 Jade Test Report Shenzhen Lanbiyi Technology Co Ltd LX 09 Wireless music headphones 2BGZP 2BGZPLX09 lx
BSL Testing Co.,LTD. Project No.: BSL2406120275095F-1 Page 1 of 84 FCC PART 15C Measurement and Test Report For Shenzhen Lanbiyi Technology Co., Ltd FCC ID: 2BGZP-LX-09 RSS Rule s /Methods: Product Description: Trademark Model/Type reference.: Report No.: Date of receipt of test item: Date of sa...
lang:en score:19 filesize: 4.89 M page_count: 84 document date: 2024-06-27



[pdf] Test Report

HD 271 S1 Allo FCC BT Test Report Part1 Guangzhou Haoye Electronic Trading Co Ltd LX 09 Bluetooth headphones 2BOPK 2BOPKLX09 lx

FCC Test Report Application No.: Applicant: Address of Applicant:

DNT2504290837R4469-05151 Guangzhou Haoye Electronic Trading Co., Ltd F28, Room 2328, 23rd Floor, No. 123 Jiefang South Road, Yuexiu District, Guangzhou City

EUT Description: Bluetooth headphones Model No.: **LX-09** FCC ID: Power Su...

lang:en score:18 filesize: 5.86 M page_count: 53 document date: 2025-05-24




[pdf] Guide Buyer's Guide

12 AL Consumer Buyers Guide aqualung 80 us

Buyer s Guide 2012 Aqua Lung Buyer s Guide 2012 Diver s Profile 3 Regulators and Octopus 4 Buoyancy Compensators 13 Instruments 27 Lights 39 Masks 40 Snorkels 46 Fins 48 We t s u i t s 54 Hoods 66 Apparel 69 Bags 73 Gloves 83 Boots Socks 87 Category New Products Sin...


lang:it score:18 filesize: 9.36 M page_count: 92 document date: 2012-03-12



LX-09 Bluetooth Headphones User Manual

User manual for the LX-09 Bluetooth headphones by Guangzhou Haoye Electronic Trading Co., Ltd, detailing product specifications, operation, pairing, and safety guidelines.

lang:en score:16 filesize: 2.53 M page_count: 2 document date: 2025-05-23




[pdf] User Manual

1000009832 MANUAL DE MONT GB 3G 80 PRF EXCLUSIVE cdr Matheus Brum Siqueira balcao com tampo 3 gavetas 80cm exclusive itatiaia em aco 122107041904 gazin marketplace s3 amazonaws midias manuais |||

Cozinhas BALCO 3 GAVETAS 80 EXCLUSIVE BALC 3GAV 80 EXCLUSIVE ORIENTAO DE MONTAGEM ASSEMBLY INSTRUCTION ORIENTACIN DE ARMADO 1000009832 - 14/08/2018 02 9001/2008 2 Montagem Mounting Montaje Sugesto da quantidade de pessoas necessrias para montagem e fixao do produto na parede. Tip of the number ...

lang:i-klngon score:15 filesize: 3.19 M page_count: 2 document date: 2018-09-03




[\[pdf\]](#) User Manual Dimension Guide

SIVACON 8PS Configuring with LX system Configuration Manual A5E02194899 02 10 2011 IC LMV LV MK D E Siemens AG A B C Straight trunking unit 3 m length 2 09 E120 50 LS 270 x 730 0 65 1 Outside dimensions are manual sivacon 8ps configuring lx en GB cache industry siemens dl files 943 29341943 att 111112 v1 |||

Busbar trunking system SIVACON 8PS - Configuring with LX system Configuration Manual 10/2011 Low-Voltage Power Distribution and Electrical Installation Technology Answers for infrastructure. SIVACON 8PS - Configuring with LX system Low-voltage power distribution and electrical installation tech...

lang:en score:12 filesize: 8.16 M page_count: 210 document date: 2011-12-22




[\[pdf\]](#) Warranty Service Bulletin

b7548bb5 ba57 453a 9739 c3560634dec7 3 6 Head Warranty f01 justanswer dodgetech77 |||

NUMBER: 09-002-14 REV. B GROUP: Engine DATE: December 15, 2014 This bulletin is supplied as technical information only and is not an authorization for repair. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechan...

lang:en score:12 filesize: 114.39 K page_count: 3 document date: 0000-00-00



[\[pdf\]](#) Warranty Service Bulletin

SERVICE BULLETIN 09 002 SB 10062951 0335 static nhtsa gov odi tsbs 2014 |||

I . 1 NUMBER: 09-002-14 REV. B GROUP: Engine DATE: December 15, 2014 This bulletin is supplied as technical information only and is not an authorization for repair. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, ele ctro...

lang:en score:12 filesize: 1.13 M page_count: 3 document date: 2016-03-07




[pdf]

каталог 2014 02 1 cdnmedia 220 volt ru api v1 files 143476 manuals

, AIRLINE ANTI-AGE 99 -40 50 www.airline.ru 2 Hook 1 2 3 Claw Type Arm 1 2 3 Bayonet arm 1 2 Hook 1 2 Side pin 1 2 Male pin arm Top Lock Type Arm 1 2 Push button 1 Pinch tab 1 2 3 3 2 3 www.airline.ru ...

lang:i-klingson score:12 filesize: 3.87 M page_count: 32 document date: 2014-02-25




[pdf] Product Photos Teardown

Administrator Internal Photos Shenzhen Lanbiyi Technology Co Ltd LX 09 Wireless music headphones 2BGZP 2BGZPLX09 lx

Internal view of unit Internal view of unit PCB view of unit Antenna PCB view of unit Battery view of unit ...

lang:i-klingson score:11 filesize: 846.31 K page_count: 3 document date: 2024-06-26




[pdf]

admin Antenna Information Shenzhen Lanbiyi Technology Co Ltd LX 09 Wireless music headphones 2BGZP 2BGZPLX09 lx

R F PCB COMPANY DESCRIPTION OUR MODEL NO Dimension mm L*W*T Shenzhen STEP Technology Co., Ltd. PCB Antenna-ONboard ST008 3.7*1.8*0.8 Central Frequency 2450 Bandwidth 120 Min. Peak Gain -1.2 Impedance 50 Operating Temperature -40 85 MHz MHz dBi Ohm .Return Loss 2D Radiation Patte...

lang:i-klingson score:11 filesize: 501.84 K page_count: 3 document date: 2024-06-26




[pdf] Product Photos

Administrator External Photos Shenzhen Lanbiyi Technology Co Ltd LX 09 Wireless music headphones 2BGZP 2BGZPLX09 lx

Overall view of unit Overall view of unit Overall view of unit Overall view of unit ...

lang:i-klngon score:11 filesize: 527.38 K page_count: 2 document date: 2024-06-26



[pdf]

admin Antenna Spec Guangzhou Haoye Electronic Trading Co Ltd LX 09 Bluetooth headphones 2BOPK 2BOPKLX09 lx

Manufacturer:Guangzhou Haoye Electronic Trading Co., Ltd Add:F28, Room 2328, 23rd Floor, No. 123 Jiefang South Road, YuexiuDistrict, Guangzhou City R F PCB DESCRIPTION OUR MODEL NO Dimension mm L*W*T PCB Antenna-ONboard ST008 3.7*1.8*0.8 Central Frequency 2450 Bandwidth 120 Min. Peak Gain ...

lang:i-klngon score:11 filesize: 930.79 K page_count: 3 document date: 2025-05-23



[pdf] Specifications Warranty

WSD FL 30W 45W 70W series wsdled cc Images |||

LED Flood Light Series Wattages: 30W, 45W, 70W WSD LED Flood Lighting series can be widely used in indoor or outdoor lighting wet location . Ideal for excellent for museums, art galleries, shopping malls, office buildings, the lawn, walls, and many more applications. WSD LED INC Green Lighting Re...

lang:fr score:11 filesize: 1.36 M page_count: 3 document date: 2022-07-27

LED Flood Light Series

Wattages: 30W, 45W, 70W

WSG LED Flood Lighting series can be widely used in indoor or outdoor lighting, such as parking lots, parking garages, parking lots, and garages, shopping malls, office buildings, the lawn, roads, and many more applications.

FEATURES

- Compact LED, low-humous efficiency and long working life.
- High-efficiency LED Driver, the wide range input voltage AC85V-277V
- Optics design, greatly improve the light utilization and awareness.
- Photocell Control Available (Optional)

Die-cast aluminum
body, excellent heat
conducting and light
reflecting for LED T-1
to T-10.


SPECIFICATION			
PARTIAL	30W	45W	70W
INPUT	AC100-277V	87V/120V	120V/180V
EFFICIENCY	145 lm/W	150 lm/W	150 lm/W
WATT REDUCE	40%	40%	40%
WATT	30W	45W	70W
POWER FACTOR	0.95	0.95	0.95
POWER EFFICIENCY	90%		90%
SHOOTING		1.10W (Shooting)	
LIGHT ANGLE	120°		90°
LIFE EXPECT		75,000 hrs	
WORKING TEMPERATURE		-20° ~ +120°	
TEMPERATURE		-20° ~ +120°	
INSTALLATION		Not installation	70W
CABLE	Input Cable: 0.3m		Input Cable: 0.3m
WARRANTY		5 years warranty	

Address: 1018 Hefeng Way, Shaoxing, Zhejiang, P. R. China
Email: info@wsdled.com Tel: 86-577-83712111 Fax: 86-577-83712108

www.wsdled.com

lang:fr score:11 filesize: 1.36 M page_count: 3 document date: 2022-07-27

lang:fr score:11 filesize: 215.33 K page_count: 1 document date: 2024-06-21



[pdf] Product Photos

Administrator Test Setup Photos Shenzhen Lanbiyi Technology Co Ltd LX 09 Wireless music headphones 2BGZP 2BGZPLX09 lx

...

lang:fr score:11 filesize: 364.58 K page_count: 2 document date: 2024-06-26

Local Representative Letter
For Certification Service in the USA

Federal Communications Commission
Equipment Authorization Division, Application Processing Branch
7345 Oakland Mills Road
Columbia, MD 21046

To whom it may concern:

Pursuant to Sections 2.202 and 2.207 of the Commission's Rules (47 C.F.R.) we request as follows for the product listed below:

FCC ID	Model name
2BOPK LX 09	LX 09

We hereby acknowledge as follows:

- I, the undersigned, confirm that the point of contact accepts responsibility to act as a US Product Representative on behalf of the applicant.
- The point of contact provides the physical U.S. address and email as listed below.
- I, the undersigned, warrant that the information provided in this letter is true and correct to the best of my knowledge and belief, and I warrant that the information provided in this letter is true and correct to the best of my knowledge and belief.
- An implication date for this letter does not exist. In case the U.S. agent changes, the applicant is obligated to notify the FCC within 30 days in the granting TCB.

US-American Point of Contact	Applicant/Approval holder
<p>Company Name: HODRAY ELECTRONIC LLC Address: 1408 Pines Plaza, Upland, CA 91786 Phone: 951-255-5838 Email: hodray@hodray.com</p>	<p>Company Name: Guangzhou Haoye Electronic Trading Co., Ltd. Address: 123 Jiefang South Road, Yueshi District, Guangzhou City, China Phone: 86-77-74165-841 Email: 867774165841@gmail.com</p>

[pdf]

USA LocalRepLetter V1 1 2BOPK LX 09 Guangzhou Haoye Electronic Trading Co Ltd Bluetooth headphones 2BOPK LX 09

...

lang:fr score:11 filesize: 349.7 K page_count: 1 document date: 2025-05-20

Confidentiality Request Letter
For Certification Service in the USA

Federal Communications Commission
Equipment Authorization Division, Application Processing Branch
7345 Oakland Mills Road
Columbia, MD 21046

To whom it may concern:

Pursuant to Paragraphs 90.437 and 90.439 of the Commission's Rules (47 C.F.R.) and Section 552(b)(6) of the Freedom of Information Act, we request confidentiality for the documentation of the following products:

FCC ID	Model name
2BOPK LX 09	LX 09

For the products listed above, we request permanent confidentiality for all applicable exhibits as shown in:

- the Operational Description
- the Block Diagram
- the Schematic
- the Parts Lists
- the Test Log Information

The above listed exhibits contain trade secrets and proprietary information that could be of benefit to our competitors.

If you have any questions, please feel free to contact us at the address shown below.

Sincerely,

Wang, Feng

Signature Date: 2025-5-20


Printed Name of Signer: Wang, Feng/
Company: Guangzhou Haoye Electronic Trading Co., Ltd.
Address: 123, Room 2328, 23rd Floor, No. 123 Jiefang South Road, Yueshi District, Guangzhou City, China
Phone: 15023902158 Fax: 867774165841@gmail.com

[pdf] Confidentiality Request Letter

USA ConfidentialityRequestLetter V0 1 Guangzhou Haoye Electronic Trading Co Ltd LX 09 Bluetooth headphones 2BOPK 2BOPK LX 09 lx

...

lang:fr score:11 filesize: 101.4 K page_count: 1 document date: 2025-05-20



[pdf] Warranty

WARRANTY BULLETIN early 36l pentastar v6 engine left cylinder head failure explained 82615 autoevolution news attachements |||

WARRANTY BULLETIN CHRYSLER GROUP LLC TO: Dealer Principal, Service Manager, Service Advisor and Warranty Claims Administrator SUBJECT: X56 - 3.6L Left Cylinder Head - Select 2011 -2013 Vehicles NO: D-14-12 DATE June 10, 2014 FOR: All U.S. Dealers All U.S. Business Centers PURPOSE: To announce...

lang:en score:11 filesize: 1.45 M page_count: 6 document date: 0000-00-00

Covered Equipment Attestation Letter
For Certification Service in the USA

Federal Communications Commission
Equipment Authorization Division, Application Processing Branch
7435 Oakland Mills Road
Columbia, MD 21046

To whom it may concern

Pursuant to Section 2.911(d)(5)(i)-(ii) of the Commission's Rules (47 C.F.R.) we attest as follows for the product listed below:

FCC ID 2BOPK-LX-09	Model name LX-09
-----------------------	---------------------

We,

Applicant	Company Name: Guangzhou Haoye Electronic Trading Co., Ltd Address: F2B, Room 232B, 23rd Floor No. 123 Jiefang South Road, Yueshi District, Guangzhou City, China Phone: 15021901758
-----------	---

certify that the equipment for which authorization is sought is not "covered" equipment prohibited from receiving an equipment authorization pursuant to section 2.903 of the FCC rules. This includes the opportunity and anti-virus software produced or provided by Kaspersky Lab, Inc. or any of its successors and assignees. We certify that, as of the date of the filing of the application, the applicant is not identified on the Covered List as an entity producing "covered" equipment.

If you have any questions, please feel free to contact us at the address shown below. Sincerely,

Wujiu Feng
Signature Date: 2025-5-20

Printed Name of Signer: Wujiu Feng/
Company: Guangzhou Haoye Electronic Trading Co., Ltd
Address: F2B, Room 232B, 23rd Floor No. 123 Jiefang South Road, Yueshi District, Guangzhou City, China
Phone: 15021901758 Fax:

[pdf]

USA CoveredEquipmentLetter Combined V1 1 Guangzhou Haoye Electronic Trading Co Ltd LX 09 Bluetooth headphones 2BOPK 2BOPKLX09 lx

...

lang:en score:11 filesize: 121.18 K page_count: 2 document date: 2025-05-20

Guangzhou Haoye Electronic Trading Co., Ltd Add: F2B, Room 232B, 23rd Floor No. 123 Jiefang South Road, Yueshi District, Guangzhou City, China

Date: 2025-5-20
FCC ID: 2BOPK-LX-09
Dear Sir/Madam,

We, Guangzhou Haoye Electronic Trading Co., Ltd Herby declares the following statement for Federal Communications Commission, FCC board, circuit, structure and internal id@right experiences are the same.

Product name: Bluetooth headphones
Model no.: LX-09

Sincerely,
Wujiu Feng
Name/Title: Wujiu Feng/
Company: Guangzhou Haoye Electronic Trading Co., Ltd
Address: F2B, Room 232B, 23rd Floor No. 123 Jiefang South Road, Yueshi District, Guangzhou City, China
Phone: 15021901758
Fax:
E-Mail: 862774495@qq.com

[pdf]

Declaration of Conformity

FCC Declaration Letter Left Right Guangzhou Haoye Electronic Trading Co Ltd LX 09 Bluetooth headphones 2BOPK 2BOPKLX09 lx

...

lang:en score:11 filesize: 76.61 K page_count: 1 document date: 2025-05-26



[pdf]

Test Report

HD 271 S1 Allo FCC BT Test Report Part2 Guangzhou Haoye Electronic Trading Co Ltd LX 09 Bluetooth headphones 2BOPK 2BOPKLX09 lx

Report No.: DNT2504290837R4469-05151 DateMay 12, 2025

DH5_Ant1_High_Hop_2480 Page54 / 66 2DH5_Ant1_Low_2402

2DH5_Ant1_High_2480 Dongguan DN Testing Co., Ltd. Add: No. 1, West Fourth Street, Xingfa South Road, Wusha Community, Chang an Town, Dongguan City, Guangdong P.R.China Web: www.dn-tes...


lang:en score:10 filesize: 4.37 M page_count: 13 document date: 2025-05-24



HELLA Vehicle Lighting: Bulbs Catalog and Technical Guide

Discover HELLA's extensive range of high-quality vehicle bulbs, including halogen, Xenon, and LED options. This comprehensive catalog details product specifications, applications, and testing standards for automotive lighting solutions.

lang:no score:10 filesize: 23.06 M page_count: 126 document date: 2016-09-07



[pdf] Warranty


NUMBER 09 002 14 GROUP Engine DATE MIL Illumination Qty Part No Description 1 RL141353AC

Cylinder Head 05184455AI Gasket 68082860AA RTV Threebond 68079744AC Filter Oil TSB LC

0900214 billswebspace X56 Warranty Extension Bill s WEB SPACE This bulletin is supplied as technical information only and not an authorization for repair part of this publication may be 80

NUMBER: 09-002-14 GROUP: Engine DATE: June 10, 2014 This bulletin is supplied as technical information only and is not an authorization for repair. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photo...

lang:en score:10 filesize: 114.21 K page_count: 3 document date: 2018-01-02




[pdf] Warranty Service Bulletin

SB 10062950 0335 billswebspace

NUMBER: 09-002-14 REV. A GROUP: Engine DATE: October 03, 2014 This bulletin is supplied as technical information only and is not an authorization for repair. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical...

lang:en score:10 filesize: 772.15 K page_count: 3 document date: 2016-03-03



[pdf] Warranty

Why Does My 2013 Ram 1500 Hemi 5 7 Shake at Stops SB 10062952 0335 static nhtsa gov odi tsbs 2014 |||

NUMBER: 09-002-14 GROUP: Engine DATE: June10, 2014 This bulletin is supplied as technical information only and is not an authorization for repair. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photococ...

lang:en score:10 filesize: 839.83 K page_count: 3 document date: 2016-03-01

Модификация	Год	Двигатель	Л С (кВ)	Вид сборки
NISSAN ALMERA I Hatchback (N15) 1.4 3.0X,LX	09.1995 - 03.2000	1.4 3.0X,LX бензин	75 (55)	наклонная задняя часть
NISSAN ALMERA I Hatchback (N15) 1.4	09.1995 - 03.2000	1.4 бензин	87 (64)	наклонная задняя часть
NISSAN ALMERA I (N15) 1.4 0X,LX	09.1995 - 07.2000	1.4 0X,LX бензин	75 (55)	план
NISSAN ALMERA I (N15) 1.4	09.1995 - 07.2000	1.4 бензин	87 (64)	план
NISSAN SUNNY IV sedan 1.6	09.1997 - 03.2003	1.6 бензин	105 (77)	план
NISSAN SUNNY IV sedan 1.3	09.1997 - 03.2003	1.3 бензин	87 (64)	план
NISSAN SUNNY IV sedan 1.5	09.1997 - 03.2003	1.5 бензин	105 (77)	план
NISSAN SUNNY IV sedan 1.5 4x4	09.1997 - 03.2003	1.5 4x4 бензин	105 (77)	план
NISSAN SUNNY IV sedan 1.6	04.2000 - 09.2003	1.6 бензин	102 (75)	план

[pdf]

Модификации Год Двигатель Л С кВ Вид сборки NISSAN ALMERA I Hatchback N15 1 4 S GX LX 09

1995 03 2000 бензин 75 55 наклонная задняя часть DF4019 avtozvuk ua 573776 |||

NISSAN ALMERA I Hatchback N15 1.4 09.1995 - S,GX,LX 03.2000 NISSAN

ALMERA I Hatchback N15 1.4 09.1995 03.2000 NISSAN ALMERA I N15 1.4 GX,LX

NISSAN ALMERA I N15 1.4 NISSAN SUNNY IV 1.6 NISSAN SUNNY IV 1.3 NISSAN

SUNNY IV 1.5 NISSAN SUNNY IV 1.5 4x4 NISSAN SUNNY IV 1.6 09.1995 0...

lang:so score:10 filesize: 74.5 K page_count: 1 document date: 2019-03-11

LX 12/35

PROGETTATO PER UNA PERFORMANCE AL TOP

CONTROLLI E DATA

Il forklift LX 12/35 è un carrello elevatore a trazione elettrica a trazione anteriore. A base a ruote in gomma pneumatiche ad alta tenuta. Grazie alla sua elevata durata di esercizio e al basso costo di manutenzione e gestione, il carrello LX 12/35 è il carrello elevatore ideale per tutti i settori industriali e commerciali. Il nuovo sistema di gestione con sensori di posizione del carrello e sistema di monitoraggio a tutto schermo è ideale per tutti i settori industriali e commerciali.

INSTRUTTORE DEL FORK

Il nuovo sistema di gestione con sensori di posizione del carrello e sistema di monitoraggio a tutto schermo è ideale per tutti i settori industriali e commerciali. Il nuovo sistema di gestione con sensori di posizione del carrello e sistema di monitoraggio a tutto schermo è ideale per tutti i settori industriali e commerciali.

INSTRUTTORE DEL FORK

Il nuovo sistema di gestione con sensori di posizione del carrello e sistema di monitoraggio a tutto schermo è ideale per tutti i settori industriali e commerciali. Il nuovo sistema di gestione con sensori di posizione del carrello e sistema di monitoraggio a tutto schermo è ideale per tutti i settori industriali e commerciali.

[pdf]

Pramac Scheda prodotto Scarica scheda tecnicaLX 12 35 Carrello elevatore elettrico elevazione 3410

mm MayermooverLX 2025 05 16 15 30 09cdn shopify s files 1 0582 9990 8228 LX 09 v 1747402235 |||

LX 12/35 PROGETTATO PER UNA PERFORMANCE AL TOP LX Il carrello LX Il Ed.

un partner robusto e affidabile che colma il divario fra applicazioni a bassa intensit e

utilizzo quotidiano ad alta intensit. Grazie alla sua elevata durata di esercizio e ai

bassi costi di manutenzione adatto ad ambienti c...

lang:it score:10 filesize: 1.29 M page_count: 6 document date: 2025-05-16

LED Football Full Cut-Off Wall Pack Series

Wattages: 45W, 70W

LED Full Cut-Off Wall Pack series can be widely used in indoor or outdoor lighting wet location. Ideal for mechanical or electronic processing workshops, storage warehouses, steel mills, gas stations, toll booth, waiting rooms, the platform of railway station, indoor stadium.

FEATURES

- Customized LED, high luminous efficiency and long working life.
- High efficiency LED Drive, the wide range input voltage AC185-277V.
- Excellent optics design, greatly improve the light utilization and maintenance.
- Photocell control available (standard)
- 1-10V Dimming

SPECIFICATION

WATTAGE	45W	70W
LUMENS	4000 lm	5600 lm
BEAM ANGLE	140°x140°	100°x100°
IP		70
INPUT VOLTAGE		180-277V
POWER FACTOR		0.95
WARM UP TIME		60S
DIMMING		1-10V Dimming
LIGHT ANGLE		81.2°
LED LIFE		70,000 hrs
WARRANTY PERIOD		2YR + 1YR
STANDARD CERTIFICATION		CE, RoHS, ENEC
INSTALLATION		100-150W
WARRANTY		Input Current: 0.3 A

[pdf] Specifications Warranty

WSD BWP series 3 21 LED Football Full Cut Off Wall Pack Series Light Bulb Surplus 07W 70W

WATTAGE NT WEIGHT 8 lbs BOX DIM 14 96 x 7 68 87 45W 16 38 srsltid AfmBOopKH85YHQ lw

rxz2AOH0xP95gSk4TIs026j tZvH1hLbsyJQYV lightbulbsurplus content |||

LED Football Full Cut-Off Wall Pack Series Wattages: 45W, 70W LED LBS Full Cut-

Off Wall Pack series can be widely used in indoor or outdoor lighting wet location .

Ideal for mechanical or electronic processing workshops, storage warehouses, steel

mills, gas stations, toll booth, waiting rooms, the ...

lang:en score:10 filesize: 693.04 K page_count: 3 document date: 2024-05-13

LED Football Full Cut-Off Wall Pack Series

Wattages: 45W, 70W

LED Full Cut-Off Wall Pack series can be widely used in indoor or outdoor lighting wet location. Ideal for mechanical or electronic processing workshops, storage warehouses, steel mills, gas stations, toll booth, waiting rooms, the platform of railway station, indoor stadium.

FEATURES

- Customized LED, high luminous efficiency and long working life.
- High efficiency LED Drive, the wide range input voltage AC185-277V.
- Excellent optics design, greatly improve the light utilization and maintenance.
- Photocell control available (Optional)
- 1-10V Dimming

SPECIFICATION

WATTAGE	45W	70W
LUMENS	4000 lm	5600 lm
BEAM ANGLE	140°x140°	100°x100°
IP		70
INPUT VOLTAGE		180-277V
POWER FACTOR		0.95
WARM UP TIME		60S
DIMMING		1-10V Dimming
LIGHT ANGLE		81.2°
LED LIFE		70,000 hrs
WARRANTY PERIOD		2YR + 1YR
STANDARD CERTIFICATION		CE, RoHS, ENEC
INSTALLATION		100-150W
WARRANTY		Input Current: No cable

[pdf] Specifications Warranty

SPECIFICATION SHEETFootball Full Cut Off Wall Pack 45w 5000K Omni Ray Lighting IncWSD

FOOTBALL WALL PACK BWP seriescdn shopify s files 1 2624 9326 WSD series v 1642713617 |||

LED Football Full Cut-Off Wall Pack Series Wattages: 45W, 70W LED Football Full

Cut-Off Wall Pack series can be widely used in indoor or outdoor lighting wet location

. Ideal for mechanical or electronic processing workshops, storage warehouses, steel

mills, gas stations, toll booth, waiting rooms,...

lang:en score:10 filesize: 1.48 M page_count: 3 document date: 2022-01-20

[illegible]

LED Foot Cuff Cut-Off Wall Pack Series

Wattages: 45W, 70W

The LED Foot Cuff Cut-Off Wall Pack series can be widely used in indoor or outdoor lighting (port building), ideal for perimeter or area lighting, providing excellent, efficient performance, long life, maintenance free, no flicker, no humming noise, no pollution or safety hazard, indoor outdoor.

FEATURES

- Compact LED, high luminous efficiency and long working life.
- High efficiency LED Driver, the wide range input voltage AC85-275V.
- Excellent optics design, greatly improve the light utilization and uniformity.
- + 3-10V Dimming.

SPECIFICATION			
WATTAGE	45W		70W
LUMENS	6200 LM	8200 LM	10000 LM
POWER EFFICIENCY	140 lm/w		135 lm/w
IP67			
IM		70	
WIFI CONTROL		100-170V	
POWER FACTOR		0.95	
POWER EFFICIENCY		95%	
DIMMING		1-10V Dimming	
LED BEAMS		81.2°	
120 DIM		0.0001m	
WORKING TEMPERATURE		-20°V ~ 115°V	
TEMPERATURE		-40°V ~ 140°V	
WORKING HOURS		50k hours	
WARRANTY		3-5 years	
ENVIRONMENT		Good Corrosion	

5 years warranty

LED Footfall Full Cut-Off Wall Pack Series

Wattages: 45W 70W

The LED Footfall Full Cut-Off Wall Pack series can be widely used in indoor or outdoor lighting (high bays, low bays), light for mechanical or electronic processing workshops, storage warehouses, steel mills, mills, steel plants, steel rolling, soaking rooms, the platform of railway station, indoor stadiums.

FEATURES

- 1. Compact LED, high luminous efficiency and long working life.
- 2. High efficiency LED Driver, the wide range input voltage AC177V
- 3. Excellent optical design, greatly improve the light utilization and uniformity.
- 4. Protected control system (standby)
- 5. 1-10V Dimming.

Die-cast aluminum
high quality and better
cooling for LED
80 °C

SPECIFICATION			
TYPE	45W	70W	
LUMENS	6300 lm	10400 lm	
EFFECTY	140 lm/W	150 lm/W	
BT		2000, 4000K	
IP65 VALUE		70	
INPUT VOLTAGE		170-270V	
POWER FACTOR		0.98	
BURNING EFFECTY		90%	
SHOOTING		1-10V Dimming	
HEAT SINK		81.2°	
LEAKAGE		75.00 mA	
WORKING TEMPERATURE		-20° ~ +125°	
STORAGE TEMPERATURE		-40° ~ +145°	
WARRANTY		5-year warranty	
DRIVE		Input Current: 0.3A, 0.5A	
REMARK		5 year warranty	

Address: 10101 Shanyu Hwy, Suzhou, Jiangsu, P. R. China
 Email: info@wled.com www.wled.com

www.wled.com

[\[pdf\]](#) Specifications Warranty

```
WSD BWP series 3 21 dd26f3a9 39b3 4fd8 abea 820516e2cc5d v 1697438882 cdn shopifycdn net s files
1 0733 2655 9532 |||
```

LED Football Full Cut-Off Wall Pack Series Wattages: 45W, 70W LED Football Full Cut-Off Wall Pack series can be widely used in indoor or outdoor lighting wet location . Ideal for mechanical or electronic processing workshops, storage warehouses, steel mills, gas stations, toll booth, waiting rooms,...

lang:en score:9 filesize: 759.78 K page_count: 3 document date: 2023-03-21

[\[pdf\]](#) Specifications Warranty

[Click Here to Download Specification Sheet](#)70W Football Full Cutoff Wall Pack — CSLED AZ

LLCWSFootballWPcdn shopify s files 1 0051 2829 0353 WSFootballWP v 1664317245 |||

LED Football Full Cut-Off Wall Pack Series Wattages: 45W, 70W LED Football Full Cut-Off Wall Pack series can be widely used in indoor or outdoor lighting wet location . Ideal for mechanical or electronic processing workshops, storage warehouses, steel mills, gas stations, toll booth, waiting rooms,...

lang:en score:9 filesize: 1.1 M page_count: 3 document date: 2022-01-06

[\[pdf\]](#) Specifications Warranty

WSD BWP series 3 21 Spec Sheets45W Football LED Full Cutoff WallpackWSD e093e4c0 b193 4df3
8cc7 d0d81f93190fcdn shopify s files 1 0758 8102 1732 d0d81f93190f v 1750275752 |||

LED Football Full Cut-Off Wall Pack Series Wattages: 45W, 70W LED Football Full Cut-Off Wall Pack series can be widely used in indoor or outdoor lighting wet location . Ideal for mechanical or electronic processing workshops, storage warehouses, steel mills, gas stations, toll booth, waiting rooms....

lang:en score:9 filesize: 759.78 K page count: 3 document date: 2023-03-21