

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› [BODIOO](#) /

› [BODIOO Inflatable Hot Tub Spa Model SPA04 User Manual](#)

BODIOO SPA04

BODIOO Inflatable Hot Tub Spa

MODEL: SPA04 USER MANUAL

[Introduction](#)

[Safety Information](#)

[Package Contents](#)

[Setup](#)

[Operation](#)

[Maintenance](#)

[Troubleshooting](#)

[Specifications](#)

[Support](#)

1. INTRODUCTION

Thank you for choosing the BODIOO Inflatable Hot Tub Spa, Model SPA04. This manual provides essential information for the safe installation, operation, and maintenance of your hot tub. Please read it thoroughly before setup and retain it for future reference.

This portable hot tub is designed to provide a relaxing experience with its bubble jet system and heating capabilities, accommodating up to 4 individuals. It features durable construction and an integrated control panel for ease of use.



Image 1.1: The BODIOO Inflatable Hot Tub Spa, Model SPA04, ready for use.

2. SAFETY INFORMATION

Adhering to these safety guidelines is crucial for preventing injury and ensuring proper operation of your hot tub.

2.1. Installation Location Requirements

- The installation surface must be level and capable of supporting the combined weight of the hot tub when filled with water and all users.
- Ensure adequate drainage is available to prevent water accumulation around the hot tub.
- The hot tub must be placed within 12 feet of a grounded, grounding-type electrical receptacle.

2.2. Electrical Safety Check

- **DO NOT** use an extension cord or multi-plug adapter with this product.
- Only use a grounded socket that corresponds to the electrical rating of the hot tub's attachment plug.
- It is recommended to use a socket resistant to humidity and capable of handling high-power loads. Consult a qualified electrician if unsure.
- Regularly inspect the plug and socket for signs of damage. If damage is found, **DO NOT** plug the unit into the socket.

Inflatable Hot Tub

INSTALLATION LOCATION

Set up on a level surface that:

- Can support the combined weight of the product when filled and all its users
- Has adequate drainage
- Is within 12 ft. of a grounded, grounding-type receptacle

Outdoor setup is preferred, but if choosing an indoor location, note:

- Humidity could cause property damage without proper precaution
- An expert should be consulted to confirm the installation area is properly ventilated

ELECTRICAL SAFETY CHECK

1. Do NOT use an extension cord or multi-plug adaptor
2. Only use a grounded socket corresponding to the electrical rating of the attachment plug
3. It is recommended to use a socket that is also resistant to humidity and capable of high-power loading (if unsure, consult an electrician before use)
4. Regularly inspect the plug and socket for signs of damage (if damage is found, do NOT plug back into the socket)

Image 2.1: Guidelines for safe installation location and electrical connections.

2.3. General Safety Precautions

- Always supervise children near the hot tub.
- Do not use the hot tub if the water temperature exceeds 104°F (40°C).
- Pregnant women, individuals with heart disease, high blood pressure, diabetes, or other health conditions should consult a physician before using the hot tub.
- Avoid using the hot tub under the influence of alcohol or drugs.
- The Freeze Shield automatic heating function helps prevent internal components from freezing in cold temperatures. However, proper winterization procedures should still be followed for extended periods of non-use in freezing conditions.

3. PACKAGE CONTENTS

Verify that all items listed below are present in your package:

- Inflatable Spa Tub
- Spa Pump (Control Unit)
- Insulated Spa Cover
- Chemical Floater
- Filter Cartridges (VI) x 2
- Repair Patch
- 6-foot long power cord

4. SETUP

4.1. Site Preparation

Choose a suitable location as described in the Safety Information section (2.1). Ensure the area is clean, free of sharp objects, and has access to a grounded electrical outlet.

4.2. Inflation

1. Unfold the hot tub liner on the prepared surface.
2. Connect the inflation hose from the spa pump to the hot tub's inflation valve.
3. Plug in the spa pump and activate the inflation function. The pump will quickly inflate the spa.
4. Once fully inflated, disconnect the hose and securely close the inflation valve.

4.3. Filling with Water

Fill the hot tub with water using a garden hose. Do not exceed the maximum fill line indicated inside the tub. The water capacity is approximately 211 gallons (800 liters).

Water Capacity :
800L / 211Gal



Image 4.1: Hot tub dimensions and water capacity.

4.4. Connecting the Control Unit

Connect the two hoses from the hot tub to the corresponding inlets/outlets on the spa pump (control unit). Ensure all connections are tight to prevent leaks.

KEY FEATURES



104°F



211 GAL.



MAX TEMP



NO TOOLS



POWER
SAVING TIMER



CHEMCONNECT®

Evenly disperses a stable level of chlorine

CONTROL PANEL

Easy-to-reach digital control panel

heats the water up to 104°F



Image 5.1: Key features and control panel details.

5.2. Heating Function

Press the 'Heater' button on the control panel to activate the heating system. The water temperature can be set up to 104°F (40°C). The filtration function will automatically start when heating is active to ensure even heat distribution.

5.3. Bubble Jet Function

Activate the 'Bubble' button to enjoy the 138 bubbling jets. This feature provides a soothing massage experience.



Image 5.2: Bubble jets and control panel for easy operation.

5.4. Filtration

The hot tub features two filters that work simultaneously to maintain water circulation and cleanliness. The filtration system can be operated independently or in conjunction with the heating function.

5.5. ChemConnect Dispenser

Utilize the included ChemConnect dispenser to evenly distribute chlorine or other water treatment chemicals, ensuring clean and healthy water.

110 BUBBLE JETS



DURAPLUS

3-layer material is 33% more tear resistant and 56% more stretch resistant



FREEZE SHIELD

Heating function prevents inner components from freezing during colder temperatures



CHEMCONNECT

Dispenses proper amount of chlorine and maintains clean, healthy water



Image 5.3: Duraplus material, Freeze Shield, and ChemConnect features.

6. MAINTENANCE

6.1. Water Treatment

Regularly test the water chemistry and add appropriate chemicals (e.g., chlorine, pH adjusters) using the ChemConnect dispenser to maintain balanced and sanitary water. Follow the chemical manufacturer's instructions.

6.2. Filter Cartridge Replacement

Inspect and clean the filter cartridges regularly. Replace them every 1-2 weeks, or more frequently depending on usage, to ensure optimal filtration performance.

6.3. Cleaning the Hot Tub

Periodically drain the hot tub and clean the interior surface with a soft cloth and mild, non-abrasive cleaner.

Rinse thoroughly before refilling.

6.4. Insulated Tub Cover

Always use the insulated tub cover when the hot tub is not in use. This helps minimize heat loss, protects the tub from debris, and prevents rainwater pooling.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Hot tub not heating or heating slowly	Low water level; dirty filter cartridge; ambient temperature too low; heater malfunction.	Ensure water level is above minimum line; clean or replace filter cartridge; ensure insulated cover is used; contact support if issue persists.
Pump not working or displaying error code	Power supply issue; clogged filter; air in pump system; pump malfunction.	Check power connection; clean filter; bleed air from pump (refer to specific pump instructions); contact support.
Bubble jets not activating	Bubble function not selected; air blower malfunction.	Press the 'Bubble' button on the control panel; ensure power supply is stable; contact support.
Water quality issues (cloudy, unbalanced)	Insufficient filtration; improper chemical balance; heavy usage.	Clean/replace filter cartridges; test and adjust water chemistry using ChemConnect; increase filtration time.

8. SPECIFICATIONS

Feature	Detail
Brand	BODIOO
Model Name	SPA04
Color	Black
Product Dimensions	71"L x 71"W x 26"H
Material	Polyvinyl Chloride (PVC)
Voltage	120 Volts

Feature	Detail
Shape	Round
Water Capacity	211 Gallons (800 Liters)
Number of Jets	138
Seating Capacity	4 Persons
Maximum Temperature	104°F (40°C)
Item Weight	55 Pounds
Assembly Required	No (referring to main tub assembly)



Image 8.1: Overview of technical specifications.

9. WARRANTY AND SUPPORT

For warranty information, technical support, or to inquire about replacement parts, please contact BODIOO customer service. Refer to your purchase documentation for specific contact details or visit the official BODIOO website.

Please have your model number (SPA04) and purchase date available when contacting support.