

S190

BH-T001 Wireless Music Bluetooth Headset User Manual

Model: S190 | Brand: Generic

INTRODUCTION

Thank you for choosing the BH-T001 Wireless Music Bluetooth Headset. This compact and stylish headset is designed to provide a seamless audio experience with its advanced features and comfortable design. Please read this manual carefully before using the product to ensure proper operation and to maximize its lifespan.

Key Features:

- Wireless Freedom:** Enjoy seamless connectivity with Bluetooth technology for a cable-free audio experience.
- Compact Design:** The small and lightweight form factor makes it highly portable and convenient to carry.
- Long Battery Life:** Equipped with a large capacity battery for extended playback time.
- Multi-Device Pairing:** Easily connect to multiple devices like smartphones, tablets, and laptops.
- Smart Touch Controls:** Intuitive touch controls allow effortless operation and management of functions.

PACKAGE CONTENTS

Please check the package for the following items:

- BH-T001 Wireless Bluetooth Headset (Earbuds)
- Charging Case
- USB Type-C Charging Cable (not explicitly listed but implied by Type-C port)
- User Manual

PRODUCT OVERVIEW

Familiarize yourself with the components and design of your BH-T001 headset.



The BH-T001 Wireless Music Bluetooth Headset in its charging case, showcasing its compact design and green color.


Use the now more common TYPE-C charging interface, no longer worry about charging

Type-C is more stable and convenient than micro-USB, and is now the more common USB interface shape standard, this interface has no difference between positive and negative directions, and can be inserted at will.



Connection is fast and stable, but the power consumption is very little

The all-new 5.1 Bluetooth chip has greatly improved transmission speed and connection stability, and can provide ultra-low power performance, excellent Bluetooth connectivity, and advanced processing power. Whether listening to songs, games, video, or anything else, you can enjoy the new generation of chips





An illustration of the smart touch control area on the headset, indicating where to interact for various functions.

60ms Low Latency Mode

Headset delay as low as 60ms, listening to the voice position to seize the opportunity to keep up with your rhythm, greatly enhance your game strength

60ms






The Type-C charging port on the headset's charging case, highlighting the modern charging interface.

A good voice can be heard by the "strength to sing" between the ears

With 13mm large size biological diaphragm moving coil speaker, the sound is truly restored, three-dimensional and realistic into your ears, enjoy a more open sound field, more delicate sound quality, as well as immersive hearing experience, let you immerse yourself in it, the ear unforgettable.





An internal view illustrating the Bluetooth 5.1 chip, emphasizing stable and low-power connectivity.

Top 10 Performance Highlights



Bluetooth 5.1 chip
connection more stable, low
power consumption



13mm large dynamic circle
open sound field, exquisite
sound quality






A detailed view of the 13mm large biological diaphragm moving coil speaker, indicating the audio quality component.

Control play / pause music with a touch

Headset built-in intelligent touch module, touch can convey instructions to the headset, easy to operate, a variety of instructions that touch, bring the ear no pressure comfortable use experience.



The headset being removed from its case, demonstrating the automatic connection feature upon removal.

Pick up even without waiting

Pick up the connection switch function, can automatically connect the matching device, music ready at any time.



The headset and charging case with text highlighting good sound quality, low delay, ear detection, and comfortable wear.

The volume is reduced and the momentum is not reduced



An illustration of the headset in use during gaming, emphasizing the 60ms ultra-low latency mode for improved audio-visual synchronization.

SETUP

Charging the Headset and Case:

1. Place the earbuds into the charging case. Ensure they are correctly seated.
2. Connect the USB Type-C charging cable to the charging port on the case.
3. Connect the other end of the cable to a compatible USB power source (e.g., wall adapter, computer USB port).
4. The indicator lights on the case will show charging status. A full charge takes approximately 2 hours for the headset. The carrying case battery life is approximately 30 hours.

Pairing with a Device:

1. Ensure the headset is charged.
2. Open the charging case. The earbuds will automatically enter pairing mode (indicated by flashing lights).
3. On your device (smartphone, tablet, laptop), enable Bluetooth.

4. Search for available Bluetooth devices.
5. Select "S190" (or similar name) from the list of devices.
6. Once connected, the indicator lights on the earbuds will stop flashing.
7. The headset supports multi-device pairing, allowing connection to multiple devices simultaneously.

OPERATING INSTRUCTIONS

Power On/Off:

- **Power On:** Open the charging case, and the earbuds will automatically power on. Alternatively, touch and hold the touch area on both earbuds for 3 seconds.
- **Power Off:** Place the earbuds back into the charging case and close the lid. Alternatively, touch and hold the touch area on both earbuds for 5 seconds.

Music Playback:

- **Play/Pause:** Single tap either earbud.
- **Next Track:** Double tap the right earbud.
- **Previous Track:** Double tap the left earbud.
- **Volume Up:** Triple tap the right earbud.
- **Volume Down:** Triple tap the left earbud.

Call Management:

- **Answer/End Call:** Single tap either earbud.
- **Reject Call:** Touch and hold either earbud for 2 seconds.

Voice Assistant:

Touch and hold either earbud for 3 seconds to activate your device's voice assistant (e.g., Siri, Google Assistant).

MAINTENANCE

- **Cleaning:** Use a soft, dry, lint-free cloth to clean the earbuds and charging case. Do not use harsh chemicals or abrasive materials.
- **Storage:** When not in use, store the headset in its charging case to protect it from dust and damage. Store in a cool, dry place.
- **Battery Care:** To prolong battery life, avoid fully discharging the battery frequently. Charge the headset regularly, even if not in use for extended periods.
- **Water Resistance:** The headset is waterproof. However, avoid prolonged exposure to water or submersion. Dry thoroughly if it gets wet.

TROUBLESHOOTING

Problem	Possible Solution
---------	-------------------

Problem	Possible Solution
Headset does not power on.	Ensure the earbuds are charged. Place them in the charging case and charge the case.
Cannot pair with device.	Ensure Bluetooth is enabled on your device. Make sure the headset is in pairing mode. Try forgetting the device on your phone and re-pairing.
No sound or low volume.	Check the volume level on both the headset and your connected device. Ensure the headset is properly connected.
Intermittent connection.	Ensure the headset is within the Bluetooth range (33 feet/10 meters) of your device. Avoid obstacles between the headset and device.
Touch controls not responding.	Ensure your fingers are clean and dry. Try restarting the earbuds by placing them back in the case and taking them out.

SPECIFICATIONS

Feature	Detail
Model Name	S190
Connectivity Technology	Bluetooth 5.3
Wireless Communication Technology	Bluetooth
Noise Control	Active Noise Cancellation
Frequency Response	20 Hz
Sensitivity	98 dB
Control Type	Touch Control
Item Weight	2.4 ounces
Water Resistance Level	Waterproof
Charging Time	2 Hours
Bluetooth Range	33 Feet (10 meters)
Carrying Case Battery Average Life	30 Hours
Audio Latency	50 Milliseconds
Audio Driver Size	8 Millimeters
Material	Plastic
Color	Green (Multiple colors available for the product line)





Feature	Detail
Manufacturer	Guangzhou Changhong Huixin Technology Co., Ltd.


WARRANTY AND SUPPORT

This product comes with a standard manufacturer's warranty. For detailed warranty information, please refer to the warranty card included in your package or contact the seller directly. If you encounter any issues or have questions regarding your BH-T001 headset, please reach out to our customer support team for assistance.

For support, please contact your retailer or visit the official product support page (if available).

Related Documents - S190


	Kukje 4220i Branson Tractor Parts Catalogue Comprehensive parts catalogue for the Kukje 4220i Branson Tractor, detailing components for the engine, chassis, and various systems. Includes part numbers, names, and quantities for easy identification and ordering.
	Casio CT-S190 Casiotone Quick Start Guide A quick start guide for the Casio CT-S190 Casiotone digital keyboard, covering setup, basic operations, playing songs, rhythms, and product specifications.
	Lexus GS450h (S190; 2006-2011) Fuse Box Diagrams and Assignments Comprehensive guide to the fuse box locations and fuse assignments for the Lexus GS450h (S190) models from 2006 to 2011, including detailed descriptions of circuits protected by each fuse.
	Spicer Single Drive Axles Service Manual AXSM0056 Dana Drivetrain Comprehensive service manual (AXSM0056) for Spicer Single Drive Axles by Dana Commercial Vehicle Systems. Covers maintenance, overhaul, inspection, and repair for S170, S190, S590, S21, S23, S25, S26, S30, S35 series axles. Includes detailed procedures, parts lists, and operational theory.
	INSE Cordless Stick Vacuum Cleaner User Manual - S10 Series and More Comprehensive user manual for the INSE Cordless Stick Vacuum Cleaner, detailing operation, safety, maintenance, and troubleshooting for models S10 through S190. Includes warranty and customer support information.



INSE S10 Cordless Stick Vacuum Cleaner User Manual

Comprehensive user manual for the INSE S10 Cordless Stick Vacuum Cleaner, covering safety instructions, parts, assembly, operation, charging, maintenance, and troubleshooting. Includes model numbers S10 through S190.

Documents - S190 – S190




OLYMPUS CH-S190-XZ-E OPERATION MANUAL

GT7453 0500 fm10 book behnfeldsa INSTRUCTIONS MSA CH S190 XZ E Q OPERATION MANUAL Ch 3 ▫ Connection to the endoscope ○ When using The camera head can be connected an EN msa sm ee ctrl en Fail laadi alla 7870 ||| INSTRUCTIONS HD AUTOCLAVABLE CAMERA HEAD OLYMPUS CHS190-XZ-E OLYMPUS CH-S190-XZ-Q OPERATION MANUAL Labels and Symbols 1 Important Information -- Please Read Before Use 3 Chapter 1 Checking the Package Contents 11 Chapter 2 Instrument Nomenclature and Functions 13 Chapter 3 Preparation an... lang:en score:47 filesize: 1.17 M page_count: 60 document date: 2014-07-21




SONY BDP-S190 Blu-ray Disc / DVD Player Operating Instructions

BDP S190 Sony Corporation Operating Instructions 44101367M sony electronics support res manuals 4410 ||| Blu-ray Disc™ / DVD Player Operating Instructions 4-410-136-71 1 Getting Started Playback Settings and Adjustments Additional Information BDP-S190 WARNING To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture. To avoid electrical shock, do not open the ... lang:en score:46 filesize: 1.95 M page_count: 36 document date: 2012-02-03



Cisco S190 Web Security Appliance Quick Start Guide

Provided by ManualsAndMore Download User Manual Cisco S190 Quick Start manualsandmore ||| Cisco S190 Web Security Appliance Quick Start Guide Welcome Before You Begin Document Network Settings Plan the Installation Install the Appliance in a Rack Plug In the Appliance Temporarily Change Your IP Address for Remote Access Connect to the Appliance Power Up the Appliance Log In to ... lang:en score:45 filesize: 805.03 K page_count: 20 document date: 2019-07-24




[\[pdf\]](#) Quick Start Guide Installation Guide Guide

Cisco Web Security Appliance S190 Quickstart Guide QSG cisco c dam en us td docs security content hardware x90 series |||

Cisco **S190** Web Security Appliance Quick Start Guide Welcome Before You Begin Document Network Settings Plan the Installation Install the Appliance in a Rack Plug In the Appliance Temporarily Change Your IP Address for Remote Access Connect to the Appliance Power Up the Appliance Log In to ...

lang:en score:45 filesize: 960 K page_count: 20 document date: 2017-05-11




[\[pdf\]](#) Quick Start Guide Installation Guide Guide

Cisco Web Security Appliance S190 Quickstart Guide Secure QSG cisco content dam en us td docs security hardware x90 series |||

Cisco **S190** Web Security Appliance Quick Start Guide Welcome Before You Begin Document Network Settings Plan the Installation Install the Appliance in a Rack Plug In the Appliance Temporarily Change Your IP Address for Remote Access Connect to the Appliance Power Up the Appliance Log In to ...

lang:en score:45 filesize: 958.48 K page_count: 20 document date: 2022-02-24




[\[pdf\]](#) User Manual Quick Start Guide Guide Warranty Accessories

CASIO CASIOTONE CT S190 01 MANUAL Manual Hub drive google file d 1GtfO6fly XArp6ArGsPpwx3zCE8rfMq7 preview |||

CT-**S190** Quick Start Guide After reading this document, keep it in a safe place along with the warranty certificate. Be sure to read the Safety Precautions in the separate READ THIS sheet, and use the product correctly. For more detailed information about the product and its operation, visit the...

lang:en score:44 filesize: 4.43 M page_count: 2 document date: 2023-09-14




[pdf] User Manual

manual s190 1x2 and 2x2 2022 Руководство по эксплуатации Купить шредер Office Kit S190 в Минске — TM by f625375 tm sites default files content pf 202309 |||
Office Kit **S190 S190** , . , : : О се Kit **S190** 12 / 2x2 / : / : 58 DIN-66399: P-7 / P-6 , : 220 , : 20 . - 70/2 6 / 8 , /: 59 , : 400 , , : 350x262x567 15, 2 * 3 - : 1. . 2. , , 22...
lang:i-klinglon **score:43** filesize: 281.94 K page_count: 4 document date: 2022-07-06




[pdf] Instructions

ADA Swing Seat Jensen Commercial FREE Shipping ada s190 swing instructions converted rehabmart s |||
ADA Accessible Seat **S190** ADA Swing Seat USA Commercial Everyone should get the opportunity to swing Every child should have the memory of swinging to and fro on a swing set. However, for a child with special needs, swinging is not only a fun activity, it is helping the child develop. Studies have...
lang:en **score:42** filesize: 164.59 K page_count: 3 document date: 2021-11-02



[pdf] User Manual Instructions Troubleshooting Guide Label

GT6078 0600 fm book behnfeldsa INSTRUCTIONS MSA OTV S190 CH series S7ProH S7H *1 The OLYMPUS video system can be configured for cardiac applications only when TYPE CF EN CLV Elite msa sm ee ctrl en Fail laadi alla 7873 |||
INSTRUCTIONS VISERA ELITE XENON LIGHT SOURCE OLYMPUS CLV**S190**
Labels and Symbols 1 Important Information -- Please Read Before Use 3 Summary of the Functions of the Instrument 11 Chapter 1 Checking the Package Contents 13 Chapter 2 Nomenclature and Functions 15 Chapter 3 Installation and C...
lang:en **score:39** filesize: 1.48 M page_count: 110 document date: 2014-07-21



[pdf] Installation Guide Guide

Cisco S190 Web Security Appliance ctsadmin wem p gen Item Port Description 1 Proxy port Connect proxy P1 to the network for both incoming and outgoing traffic cisco c en us td docs security content hardware x90 series hw install guide X690 |||

8 C H A P T E R Cisco **S190** Web Security Appliance Rear Panel Ports, page 8-1 Using Status LEDs and Buttons for Maintenance, page 8-2 Summary of Features, page 8-5 Rear Panel Ports Figure 8-1 shows the rear panel ports of the Cisco **S190** Web Security Appliance. The model shown below has one power...

lang:en score:39 filesize: 149.88 K page_count: 6 document date: 2021-03-04



[pdf]

BDP S190 Sony Corporation 44101362M sony electronics support res manuals 4410 ||| Blu-ray Disc™ / DVD Player Blu-ray Disc™ / DVD 4-410-136-21 1 BDP-**S190** Blu-ray Disc/DVD 110 V - 240 V AC50/60 Hz EMC 3 2 // HDMI OUT HDMI OUT HDMI OUT HDMI ...


lang:en score:37 filesize: 2.34 M page_count: 32 document date: 2011-12-23



[pdf]

BDP S190 Sony Corporation 44101363M sony electronics support res manuals 4410 ||| Blu-ray Disc™ / DVD Player Blu-ray Disc™ / DVD 4-410-136-31 1 BDP-**S190** Blu-ray Disc/DVD 1 1 2 EMC 3 HDMI OUT HDMI OUT HDMI OUT HDMI HDMI HDMI HDMI HDMI HD...

lang:en score:37 filesize: 2.44 M page_count: 32 document date: 2012-01-19




[pdf] Product Photos Teardown

3 Internalphoto Wenze Trading Shenzhen Co Ltd S190 2BEAM 2BEAMS190 s190
FCC ID:2BEAM-S190 EUT PHOTO Internal Photos L FCC ID:2BEAM-S190 ANT FCC
ID:2BEAM-S190 R FCC ID:2BEAM-S190 FCC ID:2BEAM-S190 ANT FCC
ID:2BEAM-S190 END OF REPORT ...
lang:en score:37 filesize: 2.18 M page_count: 6 document date: 2024-02-01




[pdf] Product Photos

3 Externalphoto Wenze Trading Shenzhen Co Ltd S190 2BEAM 2BEAMS190 s190
FCC ID:2BEAM-S190 EUT PHOTOS External Photos FCC ID:2BEAM-S190 FCC
ID:2BEAM-S190 FCC ID:2BEAM-S190 FCC ID:2BEAM-S190 END OF REPORT ...
lang:en score:37 filesize: 3.84 M page_count: 5 document date: 2024-02-19



[pdf]

Model Difference Statement Wenze Trading Shenzhen Co Ltd S190 2BEAM 2BEAMS190 s190
Wenze Trading Shenzhen Co., Ltd S190_Model Difference Product description:
Bluetooth Earphone Model name: S190, A2, A2C, A2D, TW45, TW46, XT18, 7520,
i12, A3, A5, At1, At2, K26, K29, J300, G07, i7s, KL81, T3 Pro, F9 FCC
ID:2BEAM-S190 All the models are the same circuit and RF module.The
appearance...
lang:en score:36 filesize: 1.05 M page_count: 3 document date: 0000-00-00



[pdf] Instructions

PERRONE BENNARDINO Instructions for installation EVO with diaphragm 90 mm STM ITALY Ducati Superbike 998 Slipper Clutch Desmoheart FDU S190 ing v 1620924672 cdn shopify s files 1 0045 2545 7496 |||

0F3SR140N220000 FDU-**S190** 003MG018 1 Tightness circlip 0F3SR140N22A004 2 Bearing rest 0F30S140F240013 3 M25 Clutch nut 0F30S140R240013 M20 Clutch nut 4 901RD027 Toothed washer 5 0F3SR140M240007 Spring stopper hub 6 003MG007 Ball bearing 7 003MG008 Spring stopper pl...

lang:en score:35 filesize: 389.37 K page_count: 1 document date: 2021-04-09

CUT | S190-191
Francesco Rota | 2013




[pdf] Specifications

Specification SheetCut S190 191 Lounge chair by Lapalmacut s190 lounge lapalmacdn shopify s files 1 0619 2408 1887 cut lapalma |||

CUT **S190**-191 Francesco Rota 2013 www.lapalma.it 1 CUT Francesco Rota 2013 Two elements, plastic and fabric, are enough. Just bring them together, give the former an external shape and the latter a soft interior. Or you can change everything and leave the colour and tactile pleasure of the ...

lang:en score:35 filesize: 706.61 K page_count: 4 document date: 2024-09-03



[pdf] Quick Start Guide Installation Guide Instructions Label

BDP S190 Sony Corporation Blu ray Disc™ DVD Player 4 410 136 11 1 Operating Instructions Getting Started Playback Settings and Adjustments Additional Information 44101361M sony asia electronics support res manuals 4410 |||

Blu-ray Disc™ / DVD Player Operating Instructions 4-410-136-11 1 Getting Started Playback Settings and Adjustments Additional Information BDP-**S190** WARNING Precautions To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture. To avoid electrical shock, do...


lang:en score:35 filesize: 2.03 M page_count: 32 document date: 2011-12-23



[\[pdf\]](#) Instructions

Tracey de Martini 2010 2011 Ducati Streetfighter Z Fi TC FI QS INSTALLATION INSTRUCTIONS P N s S190S S190R T190S T190R CONTROL UNIT FUEL HARNESS T190Ri gfx motosport product bazzaz ||| 2010-2011 Ducati Streetfighter Z-Fi TC / Z-Fi QS INSTALLATION INSTRUCTIONS P/N s **S190S**, **S190R**, T190S, T190R WARNING USE ONLY IN RACE OR OTHER CLOSED COURSE APPLICATIONS AND NEVER ON PUBLIC ROADS Z-Fi products do not meet California CARB highway requirements Z-Fi TC/QS CONTROL UNIT FUEL HARNESS COIL...

lang:en **score:35** filesize: 3.13 M page_count: 7 document date: 2011-11-01




[\[pdf\]](#) User Manual Declaration of Conformity

Microsoft Word FS II Professional UM 100602 MVv3 German R3 doc Administrator Rollei DF S190 SE Bedienungsanleitung manual 1295640 skener negativu a diapozitivu rollei df s 190 se asset conrad media10 add 160267 c1 de 001295640ML02 |||

Rollei DF-**S190** SE -Patent anstehend- Bedienungsanleitung Version 1.02 Mai 2010 Inhalt I. Den Rollei DF-**S190** SE-Scanner auspacken 2 II. Dias oder Negative in den Schlitten einlegen 3 III. Schnellstart
.....

lang:de **score:35** filesize: 3.46 M page_count: 44 document date: 2014-12-11




[\[pdf\]](#) User Manual Instructions Dimension Guide

Project planning manual PROJ g500 H with m850 helical geared servo motor motors synchronous gearboxes Servo Getriebemotoren Synchronmotoren Stirnradgetriebe C Lenze SE Geared Safety instructions ^ 16 ▷ Information on mechanical installation 37 electrical 38 Further documents v2 0 EN lenze TD

Project planning EN Geared servo motors g500-H / m850 helical geared servo motor Contents About t ... 850-S120/S3960 m850-S120/M3960 m850-S120/L3960 m850-S140/S3240 m850-S140/M3240 m850-S140/L3240 m850-**S190**/S3000 m850-**S190**/M3000 m850-**S190**/L2520 8 Product information Features Features The following...

lang:en **score:34** filesize: 10.26 M page_count: 156 document date: 2021-07-09



[\[pdf\]](#) User Manual Instructions Dimension Guide Documentation

Project planning manual g500 B with m850 bevel geared servo motor motors Servo Getriebemotoren C Lenze SE Geared 2022 05 25 — The document includes safety instructions which must be observed All persons working on and the drives have documentation at hand during v4 0 EN lenze TD |||

Project planning EN Geared servo motors g500-B / m850 bevel geared servo motor Contents About thi ... 850-S120/S3960 m850-S120/M3960 m850-S120/L3960 m850-S140/S3240 m850-S140/M3240 m850-S140/L3240 m850-**S190**/S3000 m850-**S190**/M3000 m850-**S190**/L2520 8 Product information Features Features The following...

lang:en score:34 filesize: 17.21 M page_count: 140 document date: 2022-05-11




[\[pdf\]](#) User Manual Instructions Dimension Guide Documentation

Project planning manual g7xx P and g8xx with m850 planetary geared servo motor g7x0 motors g8x0 synchronous Gearboxes Servo Getriebemotoren Synchronmotoren Getriebe C Lenze SE 15 giu 2022 — The document includes safety instructions which must be observed All persons working on the drives have documentation at hand during work v3 0 EN lenze TD |||

Project planning EN Geared motors g7xx-P and g8xx-P / m850 planetary geared servo motor Contents ... 850-S120/S3960 m850-S120/M3960 m850-S120/L3960 m850-S140/S3240 m850-S140/M3240 m850-S140/L3240 m850-**S190**/S3000 m850-**S190**/M3000 m850-**S190**/L2520 11 Product information Designs Designs Standard gearbo...

lang:en score:34 filesize: 12.59 M page_count: 208 document date: 2022-06-15



[\[pdf\]](#) Quick Start Guide Installation Guide Instructions Label

BDP S190 Sony Corporation Operating Instructions 2 03 MB Release Date 12 04 2014Operating 2014Blu ray Disc™ DVD Player SonyBlu PlayerManuals for BDP S190 MYSupport SG Pan Scan Displays a full height picture on the entire screen with trimmed sides x Cinema Conversion Mode Auto Normally select this The playerv1v1v1v1v1sony electronics support res manuals 4410 44101361Msony 44101361M ||| Blu-ray Disc™ / DVD Player Operating Instructions 4-410-136-11 1 Getting Started Playback Settings and Adjustments Additional Information BDP-**S190** WARNING Precautions To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture. To avoid electrical shock, do...

lang:en score:34 filesize: 2.03 M page_count: 32 document date: 2011-12-23

S190 Flame Retardant Treated Vest

EN ISO Safety Products for LIFE®

General

ANSI/ISEA Classification: Does not comply with the flame resistant requirements of ANSI/ISEA 107-2015 as an FR garment

Working Materials: No, non-protective garment

Presentations: No

Presentations: Low MP: M0-00218, L0-00217, S0-00216, XS-00215, XXS-00214, 4XL-00219, 5XL-00218, 6XL-00217, 7XL-00216, 8XL-00215, 9XL-00214

Presentations: Flame Retardant Treated vest: M0-00218, L0-00217, S0-00216, XS-00215, XXS-00214, 4XL-00219, 5XL-00218, 6XL-00217, 7XL-00216, 8XL-00215, 9XL-00214

Bar Stock: Flame Retardant Treated vest

Color Pkts: M0-30104, 4XL-00219, 5XL-00218

Size Pkts: Each

Color Dimensions: M0-30104, 4XL-00219, 5XL-00218

Color Weight: 220g

Description

ANSI/ISEA 107-2015 flame resistant treated vest, 4 pockets, 2 zippers, one 1" front pull, 1" zipper gun. Does not comply with the flame resistant requirements of ANSI/ISEA 107-2015 as an FR garment

Materials

Material: Treated Polyester Fabric

Color: Hi-Viz Lime Green, Hi-Viz Orange

Size: M0-30104

Sizing

Size Chart: Color 7-Pocket Flame Retardant Treated Vest

Size Chart: M0-45" 27" 10.5" x 21"

Size Chart: L0-47.5" 29.5" 12" x 22"

Size Chart: S0-49.5" 29" 45.5" x 23"

Size Chart: XS-46.5" 29"

Color Pkts: Hi-Viz Lime Green and Hi-Viz Orange

Color Pkts: Treated Polyester Fabric

Customization Capabilities: n/a

Labeling

Size Tag Info:

ANSI/ISEA 107-2015

Does not comply with the flame resistant requirements of ANSI/ISEA 107-2015 as an FR garment

Color 1

Color 2

Color 3

Color 4

Color 5

Color 6

Color 7

Color 8

Color 9

Size Tag Info:

Color 1

Color 2

Color 3

Color 4

Color 5

Color 6

Color 7

Color 8

Color 9

Color 10

Color 11

Color 12

Color Tag Info:

Color 1

Color 2

Color 3

Color 4

Color 5

Color 6

Color 7

Color 8

Color 9

Color 10

www.eniso.com | 1-866-363-6666, 404-381-8000 | 1-866-363-6662 | 1-866-363-6663

EN ISO 107-2015

[\[pdf\]](#) Dimension Guide Label

S190 Spec Sheet 1613163322084 fullsourcemedias3 amazonaws images item media |||

S190 Flame Retardant Treated Vest General ANSI/ISEA Classification: Warning
Markings: Personalization: Item Number: Item Series: Case Pack: Sell Pack: Case
Dimensions: Case Weight: Does not comply with the flame resistant requirements of
ANSI/ISEA 107-2015 as an FR garment Yes, on packaging and ga...

lang:en score:34 filesize: 139.13 K page count: 1 document date: 2020-07-08

ADDER / SUBTRACTOR - GALVANIC SEPARATION		S190-1-ST		
The S190 complies the electromagnetic compatibility prescriptions based on the EMC/CEC directive.				
CE	Reference norms	EN 50081-2 Industry environment emission norm EN 50082-2 Industry environment immunity norm		
	Module to sum or subtraction of two analog signals, even if they have different impedance, by introducing a galvanic insulation 350V/100 between input signals and output signal for a linear optoisolator. Device allows to work with analog signals as Input and also even if they are in different standards.			
BIPOLAR SET				
Units can be set independently, by some DIP-switches on front panel for a serie of prestated standard signals. For inputs press the following table:				
The diagram shows the front panel of the S190 module. It includes labels for "SOMMATORE / SOTTRATTORE" and "S190". There are two sets of switches labeled "SPAN A" and "SPAN B". Each set has four positions: "A+B", "A-B", "A-B", and "A-B". Below these are "NGR" and "UGTA" sections, each with a switch labeled "NGR" and "UGTA". The "SENSE" label is at the bottom left, and the "CE" mark is at the bottom right.				
Input type:	DIP-switch	Input A Input B		
Current 0 - 20 mA				
Current 4 - 20 mA				
Voltage 0 - 5 Vdc				
Voltage 1 - 5 Vdc				
Voltage 0 - 10 Vdc				
Voltage 2 - 10 Vdc				

SENECA s.r.l. – Via Austria 28 – 35127 PADOVA – ITALY
www.seneca.it 049.804042

Pagina 1

[\[pdf\]](#)

en S190 Dispositivos analógicos SENECA is000943 e seneca it media 2854 |||

ADDER / SUBTRACTOR - GALVANIC SEPARATION **S190**-1-ST The **S190** complies
the electromagnetic compatibility prescriptions based on the 89/366/EEC directive.
Reference norms: EN 50081-2 Industry environment emission norm EN 50082-2
Industry environment immunity norm Module to do sum or subtraction of...
lang:en score:34 filesize: 269.36 K page count: 4 document date: 2016-05-25

lang:en score:34 filesize: 269.36 K page count: 4 document date: 2016-05-25



Spicer®
Single Reduction
Single Drive Axles

135 Series
180 Series

Single reduction axles like **Spicer®** are available for **applications up to 63 Tonnnes GCM.**

The S170 and S190 Series axles are designed to handle single trailer linhaul, construction, refuse, city delivery, fire and rescue, and other demanding applications.



FEATURES	BENEFITS
Ratio coverage from 2.67 to 3.83. Correct DANA for specific model coverage.	Broad ratio coverage allows maximum performance under a variety of conditions.
Extra wide head-width geometry.	Greater strength for added durability over previous models.
High capacity gearing and bearing system.	Durability and reliability with higher horsepower/engine sizes.
Targeted, heat treated steel differential cases.	Stronger for increased peak and bearing life over previous models.
16 spline, twistlock, MSB bolt ring gear fasteners.	High durability for reliable performance.
Integrated pinion cage and wheel differential mounting.	Eliminates bolted pins for improved reliability.
Large wheel differential geometry.	Maximum strength, heavier power density.
Integrated pinion cage and carrier.	Added strength and eliminates a lead pin.
Strong, lightweight, asymmetrical housing for 21,000 through 70,000 lb. axle.	Added strength with less deflection than previous models.


SPICER
DRIVE SHAFTS

[\[pdf\]](#) Borchure

DCVS36571 AustraliaBrochure S170 S190 Single Drive Axles dana au s |||

Spicer Single Reduction Single Drive Axles S170 Series **S190** Series The S170 and **S190** Series axles are designed to handle single trailer linehaul, construction, refuse, city delivery, fire and rescue, and other demanding applications. Single reduction axles ideally suited for a variety of applicatio...

lang:en score:34 filesize: 162.33 K page count: 2 document date: 2014-01-30



[\[pdf\]](#) Quick Start Guide Specifications Guide Warranty SAR Rating Label

EN BARTEC SP9EX1 Smartphone 11 S190 7E0001 QuickStartGuide bartec fileadmin Products

Enterprise Mobility Smartphones Cameras EM SC 4 |||


Quick Start Guide BARTEC SP9EX1 Smartphone BARTEC SC9EX1 Smartscanner

Type 17-S19*-****/***** ATE ... nical changes. Changes, mistakes, and printing

errors do not substantiate any claim to damages. 11-**S190**-7E0001 / August 2024 - 3

BARTEC SP9EX1 Smartphone BARTEC SC9EX1 Smartscanner 1 Basic safety i...

lang:en score:33 filesize: 1.88 M page_count: 44 document date: 2024-08-29



[\[pdf\]](#) Quick Start Guide Instructions

BDP S190 Sony Corporation 44101369M sony electronics support res manuals 4410


Blu-ray Disc™ / DVD Player Operating Instructions 4-410-136-92 1 Getting Started

Playback Settings and Adjustments Additional Information BDP-**S190** WARNING To

reduce the risk of fire or electric shock, do not expose this apparatus to rain or

moisture. To avoid electrical shock, do not open the ...

lang:en score:33 filesize: 2.05 M page_count: 32 document date: 2012-04-02




[\[pdf\]](#) Product Photos

3 Test Setup Photos Wenzhe Trading Shenzhen Co Ltd S190 2BEAM 2BEAMS190 s190

FCC ID:2BEAM-**S190** EUT TEST PHOTOS END OF REPORT ...

lang:en score:33 filesize: 726.82 K page_count: 1 document date: 2024-02-01




[pdf]

S190 Spec Sheet 1604584971409 fullsourcemia s3 amazonaws images item media |||

S190 - Hi-Vis Pocket T-Shirt Collection: High Visibility Leisurewear Range
Range: High Visibility Shell Fabric: 100 Polyester, Bird Eye Knit 150g
Product information 2 silver heat seal reflective tape 100 polyester moisture wicking fabric
Pocket: 1 left chest 50 UPF rated fabric to block 98 of ...

lang:en score:33 filesize: 356.51 K page_count: 2 document date: 2020-11-05



[pdf]

zhouyongbang cover letter Wenze Trading Shenzhen Co Ltd S190 2BEAM 2BEAMS190 s190

Wenze Trading Shenzhen Co., Ltd Federal Communications Commission
Authorization and Evaluation Division 7435 Oakland Mills Road Columbia, MD 21046
USA Date: 02-01-2024 FCC ID: 2BEAM-**S190** Ref. #1: Attestation Statements Part 2.911 d 5 i Filing Wenze Trading Shenzhen Co., Ltd certifies that t...

lang:en score:33 filesize: 45.32 K page_count: 1 document date: 2024-02-01



[pdf]

Quick Start Guide Guide Warranty SAR Rating Label

EN BARTEC SC9EX1 Smartscanner 11 S190 7E0001 B QuickStartGuide bartec fileadmin Products
Enterprise Mobility Smartphones Cameras EM SC 4 |||

Quick Start Guide BARTEC SP9EX1 Smartphone BARTEC SC9EX1 Smartscanner
Type 17-S19*-****/****** ATE ... hnical changes. Changes, mistakes, and printing
errors do not substantiate any claim to damages. 11-**S190**-7E0001/B - December
2024 BARTEC SP9EX1 Smartphone BARTEC SC9EX1 Smartscanner TABLE OF
CONTENT...

lang:en score:33 filesize: 2.25 M page_count: 52 document date: 2025-01-21




[pdf] SAR Rating

DE BARTEC SC9EX1 Smartscanner 11 S190 7E0001 B Kurzanleitung bartec fileadmin Products Enterprise Mobility Smartphones Cameras EM SC 4 |||

Kurzanleitung BARTEC SP9EX1 Smartphone BARTEC SC9EX1 Smartscanner Typ 17-S19*-****/***** ATEX / I ... ten wir uns vor. nderungen, Irrtmer und Druckfehler begrnden keinen Anspruch auf Schadensersatz. 11-**S190**-7E0001/B - Dezember 2024 BARTEC SP9EX1 Smartphone BARTEC SC9EX1 Smartscanner INHALTSVERZEICHN...

lang:de score:32 filesize: 2.23 M page_count: 52 document date: 2025-01-22




[pdf] User Manual Instructions Dimension Guide

Project planning manual PROJ g500 H with m850 helical geared servo motor motors Servo Getriebemotoren C Lenze SE Geared Still haven t found what you are looking 2 mar 2022 — The document includes safety instructions which must be observed Layout of the DANGER! TV °C Site altitude Amsl v3 0 EN lenze TD |||

Project planning EN Geared servo motors g500-H / m850 helical geared servo motor Contents About t ... 850-S120/S3960 m850-S120/M3960 m850-S120/L3960 m850-S140/S3240 m850-S140/M3240 m850-S140/L3240 m850-**S190**/S3000 m850-**S190**/M3000 m850-**S190**/L2520 8 Product information Features Features The following...

lang:en score:32 filesize: 10.25 M page_count: 156 document date: 2022-02-28




[pdf] Datasheet

Click here to the Data Sheet S190 Adder Subtractor Galvanic Isolation Seneca NETWORK ENGINEERING Lebanon is000942 i e seneca it media 1711 |||

SOMMATORE / SOTTRATTORE - SEPARAZIONE GALVANICA **S190** Strumento conforme alle prescrizioni sulla compatibilità elettromagnetica direttiva 89/366/CEE. Norme di riferimento: EN 50081-2 Norma Emissione - Ambiente industriale EN 50082-2 Norma Immunit - Ambiente industriale Modulo per eseguire la somma o...

lang:it score:32 filesize: 264.6 K page_count: 8 document date: 2011-06-13



[pdf] Datasheet Catalog

Datasheet Myc Tag Polyclonal Antibody Agarose S190 104 8 fortis datasheets s3 us east 2 amazonaws

|||

Myc Tag Antibody Goat Polyclonal Antigen Affinity Purified Catalog No. **S190-104** Lot


No. **S190-104-8** Conjugate Agarose Immobilized GeneID 4609 APPLICATIONS

AMOUNT STORAGE/SHELF LIFE PHYSICAL STATE BUFFER ORIGIN

PRODUCTION PROCEDURES IP 0.1 mg antibody/0.4 ml of 50 gel slurry 2 - 8 C / 1

yea...

lang:en score:32 filesize: 54.58 K page_count: 1 document date: 2019-09-03



[pdf] Specifications Dimension Guide

KPC S190S Series xls Kevin S190S1Specsheet lib store yahoo net 80 surveillance video

KT C USA, Inc. Toll-free: 888-767-CCTV 2288 , Fax:213-381-0064 B/W CYLINDER

CAMERA KPC-**S190S** SERIES SONY 1/3 SUPER HAD CCD KPC-**S190SP1**

0.05LUX/F2.0, f3.7mm KPC-**S190SP3** 0.05LUX/F2.0, f3.7mm

KPC-**S190SWX**/KPC-**S190SHWX** WATER RESISTANT/ LENS EXCHANGEABLE

KPC-**S190SB1** 0.05LUX/F2.0, f3.6mm KP...

lang:en score:32 filesize: 177.36 K page_count: 1 document date: 2006-09-14




Portwest Hi Vis T-Shirt S190 - AITEK Test Certificate for ANSI/ISEA 107-2015 Compliance

Official AITEK test certificate for Portwest Style S190 Hi Vis Heatseal T-Shirt.

Confirms compliance with ANSI/ISEA 107-2015 safety standards for high-visibility apparel. Includes garment details and testing report reference.

lang:en score:32 filesize: 409.81 K page_count: 1 document date: 2017-10-05



Item Number: 34
Model Number: S190
Group: Asphalt Maintenance and Recycling Equipment
Make: McCloskey
MSRP: \$435,617
Model: Deck Screen
Discount 6%: **(F-26,137.02)**

Total Net Price: \$409,479.98

Commonwealth Equipment * 36 Hazleton St * Ashley PA 18706
Phone: 877-217-4474 * commonwealthequipment.com

SPECIFICATIONS nsuitor VSA 24 05 0713 34 S190 myvendorlink external vfile d vrf s 147052 v 80534
sv 0 i ft b |||

VSA Heavy Equipment Contract 24-05-0713 Item Number: 34 Model Number:**S190**
Group: Asphalt Maintenance and Recycling Equipment Make: McCloskey MSRP:
435,617 Model: Deck Screen Discount 6 : -26,137.02 Total Net Price: 409,479.98
Price Does Not Include Freight Commonwealth Equipment * 36 Hazleton ...
lang:en score:32 filesize: 1.07 M page count: 11 document date: 2023-06-20



INSTRUCTIONS

- **Fine and Medium:** Sprinkle Takus where desired, then saturate with Scenic Cement™ (S191) using an eyedropper or the Scenic Sprayer™ (S192).
- **Coarse and Extra Coarse:** Apply Scenic Glue™ (S190) where desired, then press Takus into glue.

INSTRUCTIONS

- **Fin et Moyen:** Saupoudrer talus l'emplacement souhaité, puis saturer avec Scenic Cement™ (S191) à l'aide de une pipette ou le Scenic Sprayer™ (S192).

cole.

- INSTRUCCIONES**
- **Fino y Mediano:** Espolvoree talud en las áreas deseadas, luego saturar con Scenic Cement™ (S191), utilizando una pipeta o el Scenic Spray™ (S192).
 - **Groso y Muy Groso:** Aplique Scenic Glue™ (S190) en las áreas deseadas, luego presione el talud contra el nanoaglutinante.

ANWEISUNGEN

- ANWEISUNGEN:**
- **Fein und Mittel:** Sprinkle talus (Feistbruch) und tropfen Sie die Scenic Cement™ (S191) über den Talus, am besten mit Hilfe einer Pipette oder Sie die Scenic Sprayer™ (S192).
 - **Grob und Extra Grob:** Trage an den gewünschten Punkten Scenic Glue™ (S190) auf und drücke Talus in das Meibum.

Cette revue est une publication officielle et est distribuée gratuitement.
Cet article n'est pas garanti par les auteurs et n'est pas destiné à être diffusé par les auteurs.
Tous droits réservés. Toute réimpression ou utilisation non autorisée sans la permission écrite de la revue est interdite.
Tous droits réservés. Toute réimpression ou utilisation non autorisée sans la permission écrite de la revue est interdite.

MODELING AND EARLY INFORMATION: The product suggests the use of materials that may be or cause damage. Take care to cover projects with plastic.

Made in USA E30 ©2013 O.C.O.

WOODLAND SCENICS® PO BOX 98, LINN CREEK, MO 65052 • woodlandscenics.com

Instructions Talus Coarse Various Colors TrainLife GCT Binst 9415414253683112553 cdn shopify s files
1 1196 3030 |||

TALUS INSTRUCTIONS Fine and Medium: Sprinkle Talus where desired, then saturate with Scenic Cement™ S191 using an eyedropper or the Scenic Sprayer™ S192 . Coarse and Extra Coarse: Apply Scenic Glue™ **S190** where desired, then press Talus into glue. INSTRUCTIONS Fin et Moyen: Saupoudrer talu...
lang:en score:32 filesize: 109.5 K page count: 1 document date: 2014-06-11