Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

onerbl JY-LB2201

Onerbl AC-DC Adapter Instruction Manual

Model: JY-LB2201 / JYLB2201

Brand: Onerbl

1. Introduction

This manual provides essential information for the safe and effective use of your Onerbl AC-DC power adapter. This adapter is designed to convert standard AC electrical power into the DC power required by compatible devices, specifically the Olubfdh JY-LB2201 and JYLB2201 21V Lithium-Ion battery-powered electric cordless leaf blowers. Please read these instructions carefully before use.

2. Product Overview

The Onerbl AC-DC adapter is a compact power supply unit featuring a standard US plug, an integrated cable, and a barrel connector for device attachment. It is designed for durability and reliable performance.



Figure 1: Front view of the Onerbl AC-DC adapter, showing the main unit, cable, and barrel connector.



Figure 2: Front and side views of the adapter, highlighting the input (100-240VAC) and output specifications.




Figure 3: Adapter dimensions, indicating a length of 2.6 inches, width of 1.6 inches, and thickness of 1.2 inches. The cable length is approximately 76 inches.

3. Compatibility

This AC-DC adapter is specifically designed for use with:

- Olubfdh JY-LB2201 Electric Cordless Leaf Blower
- Olubfdh JYLB2201 Electric Cordless Leaf Blower
- Devices requiring a 21V DC input and compatible barrel connector, typically for 4.0Ah Lithium-Ion (Li-ion) batteries.

Important Note:
The 21V specification refers to the leaf blower's battery voltage, not the charger's output voltage. This adapter is engineered to provide the correct charging voltage for 21V battery systems.

4. Setup

Follow these steps to set up your Onerbl AC-DC adapter:

1. **Inspect the Adapter:** Before each use, visually inspect the adapter, cable, and connector for any signs of damage,

fraying, or exposed wires. Do not use if damaged.

2. **Connect to Device:** Insert the barrel connector of the adapter firmly into the charging port of your Olubfdh leaf blower's battery or the leaf blower itself, if it has an integrated charging port. Ensure a secure connection.
3. **Connect to Power Outlet:** Plug the AC adapter into a standard 110-240V AC electrical wall outlet.
4. **Verify Charging:** Observe the charging indicator on your leaf blower or battery (if available) to confirm that charging has begun.

5. Operating Instructions

Once connected, the adapter will supply power to operate your device or charge its battery. For optimal battery life, it is recommended to fully charge the battery before initial use and to avoid completely draining the battery frequently.

Important Note on Batteries:

Rechargeable batteries have a finite lifespan, typically 1 to 3 years depending on usage and care. If an older battery does not accept a charge, it may indicate the battery has reached the end of its service life, not a fault with the charger.



Figure 4: The adapter connected to a power strip, illustrating a typical usage scenario.

6. Maintenance

To ensure the longevity and proper function of your adapter:

- **Cleaning:** Disconnect the adapter from the power outlet and device before cleaning. Use a dry, soft cloth to wipe the exterior. Do not use liquid cleaners or immerse the adapter in water.
- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and extreme temperatures. Avoid wrapping the cable too tightly around the adapter to prevent damage.
- **Handling:** Do not pull the cable to disconnect from the outlet or device. Always grasp the plug or connector directly.

7. Troubleshooting

If you encounter issues with your adapter, refer to the following common problems and solutions:

- **Device Not Charging/Powering On:**
  - Ensure the adapter is securely plugged into both the wall outlet and the device.
  - Verify the wall outlet is functional by testing it with another device.
  - Check the adapter cable and connector for any visible damage.
  - If using an older battery, consider that the battery itself may be at the end of its lifespan.
- **Adapter Feels Warm:**
  - It is normal for the adapter to feel slightly warm during operation. If it becomes excessively hot, disconnect it immediately and contact support.

8. Specifications

Attribute	Detail
Brand	Onerbl
Input Voltage	100-240 Volts AC (50/60Hz)
Output Voltage	Designed for 21V DC battery systems
Connector Type	Barrel Connector
Color	Black
Cable Length	Approx. 76 inches
Manufacturer	Shenzhen Waweis Technology Co., Ltd

9. Warranty and Support

Onerbl products are manufactured with quality materials and tested to meet the power needs of your device. For any questions, technical assistance, or warranty inquiries, please refer to the contact information provided with your purchase or visit the official Onerbl support website.

© 2024 Onerbl. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DPWWS6Q4

More documents and user manuals: **https://manuals.plus/**