

Bettdow BD3095

Bettdow Projector Stand BD3095 Instruction Manual

Model: BD3095

PRODUCT OVERVIEW

The Bettdow Projector Stand BD3095 is designed to provide a stable and adjustable platform for your projector. It features a standard 1/4-inch screw interface for wide compatibility, flexible angle adjustment, and 360-degree rotation to meet various projection needs. Its lightweight design ensures portability and ease of use.

- **1/4-inch Screw Interface:** Ensures broad compatibility with projectors featuring a standard 1/4-inch threaded hole.
- **Flexible Angle Adjustment:** Allows for precise pitch angle adjustments to optimize projection.
- **360-Degree Rotation:** Provides full rotational capability for versatile positioning.
- **Easy Installation:** Designed for quick and straightforward setup without complex tools.
- **Lightweight and Portable:** Weighing approximately 240g, it is easy to transport and reposition.

SETUP INSTRUCTIONS

Follow these steps to set up your Bettdow Projector Stand BD3095:

1. **Attach Projector:** Locate the 1/4-inch threaded hole on the bottom of your projector. Align the projector with the 1/4-inch screw on the stand's top plate. Gently twist the projector clockwise onto the screw until it is securely fastened. Ensure the connection is firm to prevent wobbling.

1/4 Inch Standard Screw

Compatible with projectors with a hole on the bottom, including our BETTDOW AC1059 model.



Image: The 1/4-inch standard screw on the projector stand, compatible with various projectors.

- 2. Position the Stand:** Place the projector stand on a stable, flat surface. The base of the stand is equipped with non-slip silicone pads to ensure stability.

All-round Anti-Slip Base

Non-slip silicone pads on the four corners make it stably stand on a flat surface




Image: View of the stand's base with anti-slip silicone pads for secure placement.

- 3. Wall Mounting (Optional):** The stand includes screws for optional wall mounting. However, the product is not made of stainless steel, and hanging casting is not recommended for heavy projectors. For wall mounting, ensure the wall can support the combined weight of the stand and projector, and use appropriate tools for installation.

Easy To Install

Simply twist the screw to connect to the projector.



This product comes with screws to fix it to the wall, but the product itself is not made of stainless steel and is not recommended for hanging casting.

Image: Projector mounted on the stand, illustrating the simple attachment process and optional wall-mounting screws.

OPERATING INSTRUCTIONS

Adjusting your projector's position with the Bettdow Projector Stand is straightforward:

- **Angle Adjustment:** The stand allows for flexible up and down angle adjustments. Gently tilt the projector to achieve the desired pitch angle for your projection surface. The stand supports approximately 180 degrees of vertical tilt.
- **360-Degree Rotation:** The base of the stand features a 360-degree swivel mechanism. Rotate the entire projector and stand assembly to adjust the horizontal orientation of your projection.

Flexible Adjustment



Image: Diagram illustrating the flexible 180-degree angle adjustment and 360-degree rotation capabilities of the stand.

MAINTENANCE

To ensure the longevity and optimal performance of your projector stand:

- **Cleaning:** Wipe the stand with a soft, dry cloth. Avoid using abrasive cleaners or solvents, as these may damage the finish.
- **Screw Tightness:** Periodically check the tightness of the 1/4-inch screw connecting the projector to the stand. If it feels loose, gently tighten it by hand. Do not overtighten.
- **Storage:** When not in use, store the stand in a cool, dry place away from direct sunlight and extreme temperatures.

TROUBLESHOOTING

If you encounter issues with your projector stand, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Projector feels unstable or wobbles on the stand.	The 1/4-inch screw is not fully tightened, or the stand is on an uneven surface.	Ensure the projector is securely twisted onto the 1/4-inch screw. Place the stand on a flat, stable surface.
Difficulty adjusting the angle or rotation.	Friction in the adjustment mechanism.	Apply gentle, even pressure when adjusting. The mechanism is designed for smooth operation without requiring excessive force.
Stand slides on the surface.	Non-slip pads are dirty or the surface is excessively smooth.	Clean the non-slip silicone pads on the base. Ensure the surface is clean and dry.

SPECIFICATIONS

Model Number	BD3095
Product Weight	Approximately 240g (0.53 lbs)
Product Material	ABS
Load-bearing Capacity	Up to 5 KG (11 lbs)
Package Dimensions	7.8 x 7.48 x 4.02 inches
Mounting Type	Tabletop Mount
Special Features	Adjustable, Kickstand, Lightweight, Non-Slip
Compatible Devices	Projectors with 1/4-inch screw hole



Image: Detailed dimensions and key parameters of the Bettdow Projector Stand BD3095.

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the product packaging or contact Bettdow customer service directly. Keep your purchase receipt for any warranty claims.

© 2025 Bettdow. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0DPX4Y7F8>

More documents and user manuals: **<https://manuals.plus/>**