

Miseno MSD-SPEZ-6076-BP

Miseno Spezia Bypass Frameless Shower Door

Model: MSD-SPEZ-6076-BP

PRODUCT OVERVIEW

The Miseno Spezia Bypass Frameless Shower Door is designed to enhance your bathroom with a modern and sophisticated aesthetic. This shower enclosure series features a roll-top bypass door mechanism, offering a sleek, semi-frameless design. It incorporates smooth-gliding panels and a built-in towel bar, constructed from durable tempered glass that resists water spots for easier cleaning.

Key features include:

- **Reversible Door Opening:** The door can be configured to open to the left or right, depending on installation requirements.
- **Durable Construction:** Made with 5/16" thick tempered glass, complemented by aluminum and stainless steel profiles and guide rails.
- **Coordinated Design:** Designed to integrate seamlessly with other products from the Miseno Spezia line.
- **Frameless Aesthetic:** Provides a contemporary and clean look to the shower area.
- **Space-Saving Bypass Operation:** The bypass door design is ideal for smaller bathrooms where swing doors might be impractical.



Image: The Miseno Spezia Bypass Frameless Shower Door in a Brushed Gold finish, showcasing its modern design within a bathroom setting.

SETUP AND INSTALLATION

Proper installation is crucial for the functionality and longevity of your Miseno Spezia shower door. It is highly recommended that installation be performed by a qualified professional to ensure correct alignment, sealing, and safety.

This shower door is designed for a three-wall alcove installation. The enclosure width range is 56" to 60". Ensure your finished opening measures within this range for proper fitment. All necessary hardware for installation is included.

In-Line Door



Side Panel



In line door & side panel



Designed to be a in-line door, you can also add a return panel to enclose the showerign space for your comfort. 4 colors avaiable

Polished Chrome



Brushed Nickel



Matt Black



Brushed Gold



Image: A diagram illustrating the configuration options for the shower door, showing how an in-line door can be combined with a side panel to create a full enclosure.

Pre-Installation Checks:

- Verify all components are present and undamaged according to the packing list.
- Confirm that the shower base and walls are properly installed and level.
- Ensure the wall studs are adequate to support the weight of the shower door assembly.

General Installation Steps (Consult detailed manual for specifics):

1. Measure and mark the installation points for the guide rails and profiles.
2. Secure the wall profiles and guide rails to the prepared surfaces.
3. Carefully install the tempered glass panels into the guide rails.
4. Attach the rollers and handles to the glass panels.
5. Adjust the door panels for smooth operation and proper alignment.
6. Apply silicone sealant as instructed to ensure a watertight enclosure.

OPERATING INSTRUCTIONS

The Miseno Spezia shower door features a bypass design, allowing both panels to slide smoothly past each other. This design provides flexible entry and exit points and is particularly beneficial in spaces where a swinging door would be impractical.

- To open the door, gently slide either glass panel along the top and bottom guide rails.
- The stainless steel rollers and wheels are designed for quiet and effortless movement.
- Utilize the integrated stainless steel handle and towel bar for convenient operation and towel storage.

Stainless Steel Rollers

which makes your shower door

Safe and Silent enough



Image: A close-up view of the stainless steel rollers, highlighting their role in ensuring safe and silent operation of the shower door.

304 stainless steel wheels
prevents rust while retaining
superior strenght.



Image: A detailed view of the 304 stainless steel wheels, emphasizing their rust-preventative properties and contribution to structural integrity.



Stainless Steel Handle and Towel Bar

Image: A close-up of the stainless steel handle and integrated towel bar, designed for both functionality and aesthetic appeal.

MAINTENANCE

Regular cleaning and maintenance will preserve the appearance and functionality of your Miseno Spezia shower door.

Glass Cleaning:

- The tempered glass is designed to repel water and spots. For daily cleaning, wipe down the glass panels with a soft cloth or squeegee after each use to prevent water spot buildup.
- For deeper cleaning, use a non-abrasive glass cleaner specifically designed for shower doors. Avoid cleaners containing harsh chemicals, abrasive particles, or ammonia, as these can damage the glass surface or protective coatings.

Frame and Hardware Cleaning:

- Clean the aluminum profiles and stainless steel hardware with a soft, damp cloth and mild soap.
- Rinse thoroughly with clean water and dry immediately to prevent water spots or mineral buildup, especially on the Brushed Gold finish.
- Avoid using abrasive pads, steel wool, or harsh chemical cleaners on any metal components.

Roller and Track Maintenance:

- Periodically inspect the rollers and guide rails for any debris or buildup that might impede smooth operation.
- Clean the tracks with a small brush or cloth to remove any accumulated soap scum or dirt.
- Do not apply oil or grease to the rollers or tracks unless specifically recommended by the manufacturer, as this can attract more dirt.

TROUBLESHOOTING

This section addresses common issues you might encounter with your shower door.

Door Not Sliding Smoothly:

- **Check Tracks:** Inspect the top and bottom guide rails for obstructions like dirt, soap scum, or debris. Clean the tracks thoroughly.
- **Inspect Rollers:** Ensure the rollers are clean and free from hair or other blockages. Verify they are properly seated in the tracks.
- **Alignment:** If the door feels misaligned, consult the installation manual or a professional to check and adjust the panel alignment.

Water Leaks:

- **Sealant Integrity:** Check all silicone sealant lines for cracks, gaps, or deterioration. Reapply sealant where necessary, ensuring the area is clean and dry before application.
- **Gaskets/Sweeps:** Inspect the vinyl gaskets or sweeps along the bottom and sides of the glass panels. Replace if they are worn, torn, or hardened.
- **Proper Closure:** Ensure the door panels close completely and are not obstructed.

Scratches on Glass:

- Avoid using abrasive cleaning tools or harsh chemicals.
- Minor surface scratches may sometimes be reduced with specialized glass polishing compounds, but deep scratches often require professional attention or panel replacement.

SPECIFICATIONS

Attribute	Detail
Model Number	MSD-SPEZ-6076-BP
Overall Height	76 inches (bottom to top of door fixture)
Overall Width	60 inches (left to right of door fixture)

Enclosure Width Range	56 inches to 60 inches
Maximum Door Opening	29-3/16 inches (assuming door is not trimmed)
Opening Direction	Reversible
Glass Thickness	5/16 inches
Glass Type	Tempered Glass
Material	Aluminum (profiles), Stainless Steel (hardware)
Finish Type	Brushed Gold
Installation Type	Three Wall Alcove
Item Weight	179.4 Pounds

WARRANTY INFORMATION

The Miseno Spezia Bypass Frameless Shower Door (MSD-SPEZ-6076-BP) is covered under Miseno's **Limited Warranty**. For specific details regarding coverage, duration, and terms, please refer to the official warranty documentation provided with your product or visit the Miseno website. This warranty typically covers manufacturing defects in materials and workmanship under normal use and service.

CUSTOMER SUPPORT

If you require assistance with installation, troubleshooting, or have questions regarding your Miseno Spezia shower door, please contact Miseno customer support. When contacting support, please have your model number (MSD-SPEZ-6076-BP) and purchase information readily available.

For further information, you may visit the official Miseno website or refer to the contact details provided in your product packaging.