

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [LIDER](#) /

› [LIDER Outlet Extender \(Model: 3ft 1A1C Black\) Instruction Manual](#)

### LIDER 3ft(1A1C)

# LIDER Outlet Extender (Model: 3ft 1A1C Black) Instruction Manual

Model: 3ft(1A1C) | Brand: LIDER

## 1. INTRODUCTION

This manual provides essential information for the safe and effective use of your LIDER Outlet Extender. Please read these instructions carefully before installation and operation, and retain them for future reference. The LIDER Outlet Extender is designed to expand your power access with 3 AC receptacles, 1 USB Type-A port, and 1 USB Type-C port. Its ultra-thin, flat-face design and 3ft cord are ideal for discreet placement behind furniture or in tight spaces, ensuring a clean and organized environment. This product is ETL-Listed, confirming its adherence to safety standards.

## 2. SAFETY INFORMATION

### WARNING: To reduce the risk of electric shock or fire, always follow these safety precautions:

- Do not exceed the maximum wattage of 1250W.
- Do not use in wet locations or near water.
- Do not plug into another relocatable power tap.
- Fully insert the plug into the wall outlet.
- Keep children and pets away from the unit and its cords. Ensure all wires are managed to prevent tripping hazards or accidental contact.
- Ensure the wall plate face covering is securely snapped on after installation to cover the receptacle hole completely.
- This product is for indoor use only.



Image: Enhanced Safety. This image illustrates the importance of keeping children away from electrical outlets and managing cords to prevent hazards.



Image: Child Safety. This image highlights the need to keep wires out of reach of children and to ensure all receptacle holes are covered.

# Protect Pets From Danger



Image: Pet Safety. This image demonstrates the importance of protecting pets from electrical hazards by securing the outlet extender.

## 3. PRODUCT OVERVIEW

---

### 3.1 Components

- Ultra-thin Wall Plate Plug
- 3ft Extension Cord (16 AWG)
- Power Strip with:
  - 3x AC Receptacles
  - 1x USB Type-A Port
  - 1x USB Type-C Port

### 3.2 Features

- Flat-face, slim design for minimal protrusion from the wall.
- Compatible with both decorator and duplex receptacles.
- ETL-Listed for safety and quality assurance.



Image: LIDER Outlet Extender. This image displays the complete unit, including the flat wall plug, the 3-foot extension cord, and the power strip with three AC outlets, one USB-A port, and one USB-C port.



Image: Product Features. This image highlights the AC receptacles, USB ports (2.4A total maximum), mounting hole, and rubber gasket for screw covers on the power strip.

## 4. SETUP INSTRUCTIONS

- 1. Identify a suitable wall outlet:** Ensure the outlet is a standard 125VAC, 60Hz duplex or decorator receptacle and is not already overloaded.
- 2. Prepare the extender:** If the extender wall plate face covering is separate, ensure it is ready for attachment.
- 3. Plug in the extender:** Carefully insert the ultra-thin wall plate plug into the desired wall outlet. Ensure it is fully seated.
- 4. Secure the wall plate (if applicable):** If your model requires, snap the sleek, matte-facing back onto the wall plate to cover the original outlet completely.
- 5. Position the power strip:** Utilize the 3ft extension cord to position the power strip conveniently. The power strip can be placed on a surface or mounted using the integrated mounting holes (hardware not included).



Image: Plugging in the Extender. This diagram illustrates how the flat plug of the LIDER Outlet Extender is inserted into a standard wall outlet.




Image: Flat-Face Outlet Extender in Use. This image demonstrates the slim profile of the extender, allowing furniture to be placed closer to the wall.

# Simple and Clean



Image: Simple and Clean Installation. This image illustrates how the power strip can be neatly positioned under a desk for organized power access.

## 5. OPERATING INSTRUCTIONS

Once the LIDER Outlet Extender is properly installed, it is ready for use.

- **AC Receptacles:** Plug your electronic devices into the three standard AC receptacles. Ensure the total wattage of all connected devices does not exceed 1250W.
- **USB Charging Ports:** Connect your USB-powered devices (smartphones, tablets, etc.) to the USB Type-A or USB Type-C ports using appropriate charging cables. The USB Type-A port provides 5V/1.2A, and the USB Type-C port provides 5V/1.5A. The total maximum output for both USB ports is 2.4A.

The extender does not feature an on/off switch; power is supplied continuously when plugged into a live outlet.

## 6. MAINTENANCE

To ensure optimal performance and longevity of your LIDER Outlet Extender:

- **Cleaning:** Disconnect the extender from the wall outlet before cleaning. Use a dry, soft cloth to wipe the

surface. Do not use liquid cleaners or abrasive materials.

- **Inspection:** Periodically inspect the cord and the unit for any signs of damage, such as frayed wires, cracks, or discoloration. If damage is observed, discontinue use immediately and contact customer support.
- **Storage:** When not in use, store the extender in a cool, dry place away from direct sunlight and moisture.

## 7. TROUBLESHOOTING

---

### 7.1 No Power to Devices

- **Check the wall outlet:** Ensure the wall outlet itself is functioning by plugging in another device directly.
- **Verify connection:** Make sure the LIDER Outlet Extender's flat plug is fully inserted into the wall outlet.
- **Check device connections:** Ensure your devices are properly plugged into the extender's AC receptacles or USB ports.
- **Overload:** Confirm that the total wattage of connected devices does not exceed the maximum capacity of 1250W. Disconnect some devices if overloaded.

### 7.2 USB Devices Not Charging

- **Check USB cable:** Try a different USB cable to rule out a faulty cable.
- **Verify device compatibility:** Ensure your device is compatible with the USB charging specifications (Type-A 5V/1.2A, Type-C 5V/1.5A).
- **Total USB output:** The total maximum output for both USB ports is 2.4A. If multiple high-power devices are connected, charging speed may be affected.

If you continue to experience issues, please contact LIDER customer support.

## 8. SPECIFICATIONS

---

Feature	Specification
Brand	LIDER
Model	3ft(1A1C)
Color	Black
AC Receptacles	3
USB Type-A Ports	1 (5V/1.2A)
USB Type-C Ports	1 (5V/1.5A)
Total USB Output	2.4A (Maximum)
Voltage	125VAC, 60Hz
Max Wattage	1250W
Cord Length	3ft
Wire Gauge	16 AWG

Feature	Specification
Certifications	ETL-Listed
Item Weight	9.9 ounces
Package Dimensions	7.95 x 3.58 x 2.28 inches




Image: Product Dimensions. This image provides detailed measurements for the wall plate (4.50" x 2.76") and the power strip (6.26" x 1.41" x 1.10"), along with the 3ft extension cord.

## 9. WARRANTY AND SUPPORT

LIDER products are manufactured with quality and safety in mind. While specific warranty details are not provided in this manual, please refer to the product packaging or the official LIDER website for the most current warranty information.

For technical support, troubleshooting assistance, or any questions regarding your LIDER Outlet Extender, please contact LIDER customer service. You can often find contact information on the product packaging or by visiting the official LIDER brand store online: [LIDER Store](#).

## Related Documents - 3ft(1A1C)

 <p><b>AUKEY</b> User Manual 3.3ft/1m USB 3.0 A to C Cable</p>	<p><a href="#">AUKEY CB-CMD1 3.3ft/1m USB 3.0 A to C Cable User Manual</a></p> <p>User manual for the AUKEY CB-CMD1, a 3.3ft/1m USB 3.0 A to C cable. Includes specifications, package contents, warranty information, and support contacts.</p>
 <p><b>AUKEY</b> User Manual 3.3ft/1m USB 3.0 A to C Cable</p>	<p><a href="#">AUKEY CB-CD2 3.3ft/1m USB 3.0 A to C Cable User Manual</a></p> <p>User manual for the AUKEY CB-CD2 3.3ft/1m USB 3.0 A to C Cable, providing specifications, package contents, and warranty information.</p>
 <p><b>AUKEY</b> User Manual USB 3.0 A to C Cable 3.3ft/1m</p>	<p><a href="#">AUKEY CB-CMD3 USB 3.0 A to C Cable User Manual</a></p> <p>User manual for the AUKEY CB-CMD3 USB 3.0 A to C Cable, including package contents, specifications, and warranty information.</p>
 <p><b>HEYMIX</b> World Travel Adapter - Universal Plug with USB Ports</p>	<p><a href="#">HEYMIX World Travel Adapter - Universal Plug with USB Ports</a></p> <p>The HEYMIX World Travel Adapter is a versatile, all-in-one solution for international travel, featuring EU/UK/AU/US plugs and dual USB ports. Includes specifications, operation instructions, and safety precautions for global use.</p>
 <p><b>AUKEY</b> User Manual 3.3ft/1m USB-C to C Cable</p>	<p><a href="#">AUKEY CB-CD5 3.3ft/1m USB-C to C Cable User Manual</a></p> <p>Official user manual for the AUKEY CB-CD5 3.3ft/1m USB-C to C Cable. Find specifications, package contents, warranty information, and customer support details from AUKEY.</p>
 <p><b>997104 - Cell Phone Accessories - EUR - 60H Stock Assortment Listing</b></p>	<p><a href="#">997104 - Cell Phone Accessories - EUR - 60H Stock Assortment Listing</a></p> <p>Detailed stock assortment listing for 997104 Cell Phone Accessories (EUR - 60H) from EXCHANGE, featuring a wide range of cables, chargers, power banks, cases, and mounts from various brands.</p>

