

SONOFF BMT01

SONOFF BMT01 Wireless Digital Meat Thermometer User Manual

Model: BMT01

1. INTRODUCTION

The SONOFF BMT01 is a wireless digital meat thermometer designed to assist in precise temperature monitoring during cooking, grilling, smoking, and oven use. It features dual probes, a timer mode, smart LCD backlight, and notification alerts, all controllable via a smartphone application.

1.1. Package Contents

Verify that all items listed below are present in your package:

- BBQ Meat Thermometer (BMT01) x 1
- Probe Sensor x 2 (Stainless Steel)
- Probe Clip x 1
- Magnetic Hook x 1
- Storage Bag x 1
- Quick Guide x 1
- AAA Batteries x 2 (included)

What's in the package?

- 1 BBQ meat thermometer x 1
- 2 Probe sensor x 2
- 3 Probe clip x 1
- 4 Magnetic hook x 1
- 5 Storage bag x 1
- 6 Quick guide x 1



Image: Contents of the SONOFF BMT01 package, showing the main thermometer unit, two probe sensors, a probe clip, a magnetic hook, a storage bag, and the quick guide.

2. SETUP GUIDE

Follow these steps to set up your SONOFF BMT01 thermometer for first use.

2.1. Battery Installation

1. Locate the battery compartment on the back of the thermometer.
2. Open the battery cover.
3. Insert two AAA batteries, ensuring correct polarity (+/-).
4. Close the battery cover securely.

2.2. Probe Connection

The BMT01 supports up to four probes, with two included in the package. Connect the probe sensors to the designated ports on the side of the thermometer.


2.3. App Download and Pairing

The SONOFF BMT01 integrates with the eWeLink app for smart features and remote monitoring.


1. **Download the eWeLink App:** Scan the QR code provided in the quick guide or on the product packaging, or search for "eWeLink" in your device's app store (Google Play for Android, App Store for iOS).
2. **Register/Log In:** Open the eWeLink app and register a new account or log in with an existing one.
3. **Power On Device:** Pull out the battery insulation sheet to power on the device. The display will show temperature readings after probes are inserted.
4. **Add Device:** In the eWeLink app, follow the on-screen instructions to add a new device. Ensure your phone's Bluetooth and Wi-Fi are enabled. The app will guide you through the pairing process, which may involve entering your Wi-Fi network password.
5. **Confirm Connection:** Once successfully paired, the app will display the device status as "Connected."

Quick Start

Basic using



Pull out the device battery insulation sheet to power the device.




The temperature is displayed after the probe is inserted.

Alert setting



Download the eWeLink App and scan the QR code



Set the Preset Temp. in the eWeLink App.

*Pairing with eWeLink is primarily for more functions and settings via the eWeLink app. These functions do not connect to the eWeLink cloud and support only local operations.

Image: Visual quick start guide illustrating battery activation, probe connection, eWeLink app download, and setting a preset temperature.

3. OPERATING INSTRUCTIONS

The SONOFF BMT01 offers several features to enhance your cooking experience.

3.1. Remote Monitoring

Once connected to the eWeLink app, you can monitor the temperature of your food from your smartphone. The device transmits temperature data to your phone, allowing you to check progress remotely within a communication range of up to 328ft (100m).



Image: The SONOFF BMT01 thermometer unit alongside a smartphone displaying the eWeLink app interface, showing real-time temperature monitoring and preset options.

3.2. Temperature Alerts

Set a target temperature for your food within the eWeLink app. When the food reaches this temperature, both the BMT01 device and your phone will sound an alarm, notifying you that your food is ready or needs attention. This helps prevent overcooking.




Image: The thermometer unit and a smartphone displaying an alert notification, indicating that the target temperature for the meat has been reached.

3.3. Real-Time Temperature Chart

The eWeLink app records the temperature detected by the probes and generates a real-time temperature chart. This feature allows you to track temperature changes throughout the cooking process, providing valuable insights for consistent results.

3.4. Timer Reminder

Utilize the timer function in the eWeLink app to set a resting period for your freshly cooked meat. Once the timer concludes, you will receive a reminder, ensuring your meat rests properly before serving for optimal tenderness and flavor.

Specification

 Model BMT01 Input 3V $\frac{1}{3}$ 0.1A(2*1.5VAAA Batteries) Battery model AAA (1.5V) Dimension 104.6x71.4x19.2mm Color Black Casing material PC Working temperature -10°C~55°C	 Model MPS01 Casing material SUS304 Working temperature 0~300°C/32~572°F Working humidity 5~95%RH, non-condensing Probe length 15cm Total length 1.5m Compatible product BMT01
--	---

Image: A smartphone screen showing the eWeLink app's timer function counting down, set against a background of perfectly cooked meat.

3.5. Temperature Suggestions and Customization

The eWeLink app provides reference temperatures and cooking tips for various types of meat (e.g., beef, lamb, pork, poultry, fish, sausage) and doneness levels (e.g., rare, medium-rare, medium, medium-well, well-done). You can select these presets or customize settings to match your preferred cooking style and taste.




Image: The eWeLink app interface showing a selection of meat types and recommended cooking temperatures for different doneness levels, aiding in precise cooking.

3.6. Fahrenheit/Celsius Switch

The thermometer supports both Fahrenheit (°F) and Celsius (°C) temperature units. You can switch between these units directly on the device or within the eWeLink app settings to suit your preference.

4. MAINTENANCE

Proper care and maintenance will ensure the longevity and accuracy of your SONOFF BMT01 thermometer.

4.1. Cleaning

- **Probes:** After each use, clean the stainless steel probes with warm, soapy water. Rinse thoroughly and dry completely before storage. Do not immerse the probe connectors or the main thermometer unit in water.
- **Main Unit:** Wipe the main thermometer unit with a damp cloth. Do not use abrasive cleaners or immerse the unit in water.
- **Product Care Instructions:** Wipe Clean.

4.2. Battery Replacement

When the battery indicator on the device or in the app shows low power, replace the two AAA batteries following the instructions in Section 2.1. Remove batteries if the device will not be used for an extended period.

4.3. Storage

Store the thermometer and probes in the provided storage bag in a cool, dry place when not in use. Avoid extreme temperatures and direct sunlight.

5. TROUBLESHOOTING

If you encounter issues with your SONOFF BMT01, refer to the following common solutions:

Problem	Possible Cause	Solution
Device not powering on.	Dead or incorrectly installed batteries.	Replace batteries with new AAA batteries, ensuring correct polarity. Check if the battery insulation sheet has been removed.

Problem	Possible Cause	Solution
Cannot connect to eWeLink app.	Wi-Fi/Bluetooth issues, incorrect password, device too far from router/phone.	Ensure phone's Bluetooth and Wi-Fi are on. Verify Wi-Fi password. Move device closer to router/phone. Restart the thermometer and try pairing again. Ensure you are using a 2.4GHz Wi-Fi network.
Inaccurate temperature readings.	Probe not fully inserted, damaged probe, or probe not calibrated (though typically not user-calibrated).	Ensure probes are fully inserted into the meat and the thermometer unit. Check probes for visible damage. Test probes in boiling water (212°F/100°C) or ice water (32°F/0°C) for approximate accuracy.
No alerts received.	App notifications disabled, device not connected, or target temperature not set.	Check app notification settings on your phone. Ensure the thermometer is connected to the app. Verify that a target temperature has been set for the active probe.

If the problem persists, please contact SONOFF customer support for further assistance.

6. SPECIFICATIONS

Technical specifications for the SONOFF BMT01 Wireless Digital Meat Thermometer:

Feature	Detail
Model Name	BMT01
Input	3V (2*1.5V AAA Batteries)
Battery Model	AAA (1.5V)
Dimensions	104.6 x 71.4 x 19.2 mm
Color	Black
Casing Material	PC (Polycarbonate)
Working Temperature (Device)	-10°C ~ 55°C (14°F ~ 131°F)
Probe Sensor Model	MPS01
Probe Casing Material	SUS304 Stainless Steel
Probe Working Temperature Range	0°C ~ 300°C (32°F ~ 572°F)
Probe Working Humidity	5-95%RH, non-condensing
Probe Length	15 cm (6 inches)
Total Cable Length (Probe)	1.5 m (4.9 feet)
Connectivity Technology	Wi-Fi
Response Time	2 seconds

Feature	Detail
Accuracy	±1.8°F/1°C
Communication Distance	Up to 328ft / 100m (open area)
Display Type	Digital LCD
Number of Probes Supported	Up to 4 (2 included)
Reusability	Reusable
Indoor/Outdoor Usage	Outdoor

7. WARRANTY AND SUPPORT



SONOFF products are manufactured to high-quality standards. For warranty information, please refer to the documentation included with your product or visit the official SONOFF website.


For technical support, product inquiries, or warranty claims, please contact SONOFF customer service:

- **Official Website:** sonoff.tech
- **Email Support:** Refer to the quick guide or official website for specific support email addresses.

Please have your product model (BMT01) and purchase details ready when contacting support.

Related Documents - BMT01

	BMT01 Quick Start Guide: Setup and Basic Operation Get started quickly with the BMT01. This guide provides essential setup instructions, basic operation details, and troubleshooting tips for the BMT01 printed component.
	SONOFF BMT01 BBQ Meat Thermometer User Manual User manual for the SONOFF BMT01 BBQ Meat Thermometer, covering features, specifications, setup, usage, safety warnings, and regulatory compliance.
	Sonoff BMT01 BBQ Meat Thermometer: Quick Start Guide & Specifications Get started quickly with the Sonoff BMT01 BBQ Smart Bluetooth Meat Thermometer. This guide covers setup, app connection, operation, safety, and technical specifications. Monitor your cooking temperatures with ease.



Documents - SONOFF – BMT01



[SONOFF BMT01 BBQ Meat Thermometer User Manual](#)

User manual for the SONOFF BMT01 BBQ Meat Thermometer, covering features, specifications, setup, usage, safety warnings, and regulatory compliance.

lang:en score:45 filesize: 6.52 M page count: 13 document date: 2024-11-12




[\[pdf\]](#) User Manual

User Manual BMT ZH BMT01 V1 0 sonoff tech 2024 11 |||

User Manual **BMT01** ZH BBQ V1.0 SONOFF BBQ Meat Thermometer APP App 1
MCU App App 55 5180 / **BMT01** EP2T42F40 3V0.1A 2*1.5V AAA 1.5V 100g 2
104.6x71.4x19.2mm PC -10-55/14-131 0-300/32-572 5 -95 RH, 2000
CE/FCC/ISED/RoHS G...

lang:i-klingon **score:45** filesize: 5.57 M page_count: 8 document date: 2024-11-12



[\[pdf\]](#) User Manual Instructions Specifications

User Manual Sonoff BMT01 BBQ Smart Bluetooth Meat Thermometer Perfect Grilling Expert4house
Termometro per Carne expert4house en index controller attachment id 834 |||

User Manual **BMT01** EN BBQ Meat Thermometer User Manual V1.0 Introduction
SONOFF BBQ Meat Thermometer is a smart barbecue thermometer. Insert the heat-resistant probe into the center of the food, and monitor the real-time temperature on the device screen or the eWeLink app. It will alert you when the Preset Temp. is reached, helping you effortlessly grill delicious barbecue.

lang:en **score:40** filesize: 620.44 K page_count: 13 document date: 2024-12-30



[\[pdf\]](#) User Manual

Sonoff MPS01 2 pack grilovací sondy czu6830925ebf40c manual sonoff bmt grilovací teplomersmartica
s1 cdn upgates u u6830925ebf40c teplomer |||

Machine Translated by Google Uzivatelsk prucka BMT EN Teplomr na grilovan maso
Uzivatelsk prucka ... ovoz n teplota maso na grilovn teplomrn sonda Provozn vlhkost
Pracovn vska Osvdcen Vkonn standard **BMT01** EP2T42F40 3V 0,1A 2x1,5V baterie
AAA 1,5 V 100 g bez bateri a dalsho pslusenstv. 104,6x7...

lang:hr **score:35** filesize: 912.23 K page_count: 13 document date: 2025-05-23



CTC Laboratories, Inc. (FCC Designation Number: CN1208)
2/F, Building 1 and 1-2/F, Building 2, Jiquan Building, Guantaan High-Tech Park, Longhua District,
Shenzhen, Guangdong, China
Tel: +86-755-27521011 Fax: +86-755-27521011 http://www.sz-ctc.org.cn

Maximum Permissible Exposure Evaluation
FCC ID: 2APN5BMT01

According to FCC 1.1310: The criteria listed in the following table shall be used to evaluate the environment
impact of human exposure to radio frequency (RF) Radiation as specified in § 1.1307(b).

EUT Specification	
Applicant	Shenzhen Sonoff Technologies Co., Ltd.
Address	3F & 6F, Bldg A, No. 663, Bulong Rd, Shenzhen, Guangdong, China
Product Name	BBQ Meat Thermometer
Trade Mark	CTC
Model Type Reference	BMT01
Latest Version	/
Model Differences	/
Frequency Band (GHz)	BLE 2402-2480MHz
Device Category	☐ Portable (<5mm separation) ☐ Mobile (<20cm separation) ☐ Fixed (>20cm separation) ☐ Other
Exposure Classification	☐ Occupational/Controlled exposure (S<5mW/cm²) ☐ General Population/Uncontrolled exposure (S<1mW/cm²)
Antenna Diversity	☐ Single antenna ☐ 2X diversity ☐ 3X diversity ☐ TX-RX diversity
Antenna Gain (dBi)	1.65dBi
Evaluation Agency	☒ SAR Evaluation

CTC Laboratories, Inc.
1-2/F, Building 1, Jiquan Building, Guantaan High-Tech Park, Shenzhen, Guangdong, China
Tel: +86-755-27521011 Fax: +86-755-27521011 http://www.sz-ctc.org.cn
For further information, please refer to the FCC website: www.fcc.gov
Accreditation Information of the People's Republic of China: (2016060001)

[pdf] Specifications

Measurement Report Kent MPE Shenzhen Sonoff Technologies Co Ltd BMT01 2APN5BMT01 bmt01
CTC Laboratories, Inc. FCC Designation Number: CN1208 2/F., Building 1 and 1-2/F.,
Building 2, Ji ... ax: 86-755-27521011 http://www.sz-ctc.org.cn Maximum Permissible
Exposure Evaluation FCC ID: 2APN5**BMT01** According to FCC 1.1310: The criteria
listed in the following table shall be used to evaluate...
lang:en score:33 filesize: 144.54 K page_count: 2 document date: 2024-10-30

C5266091_X8_54.1

Letter of Authorization

Company: Shenzhen Sonoff Technologies Co., Ltd.
Address: 3F & 6F, Bldg A, No. 663, Bulong Rd, Shenzhen, Guangdong,
China
Product Name: BBQ Meat Thermometer
Model Number: BMT01
FCC Identifier: 2APN5BMT01

We authorize LGAI Technological Center S.A., Ronda de la Font del Camí, s/n,
08030 Bellaterra, Spain, to act on our behalf on all matters concerning the
above named equipment.

Any individual within LGAI Technological Center S.A. is authorized to act on our
behalf and take action on the application.

We declare that authorize LGAI Technological Center S.A., Ronda de la Font del
Camí, s/n, 08030 Bellaterra, Spain, is allowed to forward all information
related to the approval project to the Federal Communications Commission and
to discuss any issues concerning the approval application. Any and all acts
carried out by LGAI Technological Center S.A. on our behalf shall have the
same effect as acts of our own.

Name: Stan Li Date: Oct. 25, 2024


Title: Manager

Signature of applicant: 

1/1


[pdf]

Adria Galin Pons Letter of Authorization Shenzhen Sonoff Technologies Co Ltd BMT01 2APN5BMT01
bmt01
C5266091_X8_Ed.1 Letter of Authorization Company: Shenzhen Sonoff
Technologies Co.,Ltd. Address: 3F 6F, Bldg A, No. 663, Bulong Rd, Shenzhen,
Guangdong, China Product Name: BBQ Meat Thermometer Model Number: **BMT01**
FCC Identifier: 2APN5**BMT01** We authorize LGAI Technological Center S.A., Ronda
de la...
lang:en score:32 filesize: 52.81 K page_count: 1 document date: 2024-10-25



[pdf] User Manual Instructions

Lukáš Chlebovský Meat Thermometer AlzaSONOFF BBQ is a smart barbecue thermometer Insert the
heat resistant probe into center of food and monitor real time Sonoff BMT01dwn alza cz manual 149376
|||
Meat Thermometer User Manual Uzivatelsk manu Uzvatesk manu Hasznlati utasts
Benutzerhandbuch ... tery protection cover: Protects the battery compartment 5
Specification Feature Details Model **BMT01** MCU EP2T42F40 Input 3 V0.1 A 21.5 V
Batteries Battery model AAA 1.5 V Net weight 1...
lang:en score:31 filesize: 1 M page_count: 77 document date: 2025-05-03



[pdf] Test Report

Measurement Report Kent Test report Shenzhen Sonoff Technologies Co Ltd BMT01 2APN5BMT01 bmt01

CTC Laboratories, Inc. Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistr ... : CTC2024214105 FCC

ID.....: 2APN5**BMT01** IC : 29127-**BMT01** Applicant

lang:en score:30 filesize: 5.6 M page_count: 54 document date: 2024-10-30




[pdf] User Manual

Uživatelská příručka BMT EN ps 553Manual Sonoff grilovací teplomer chytrevypinace cz fotky70063 fotov |||

Machine Translated by Google Uzivatelsk prucka BMT EN Teplomr na grilovan maso Uzivatelsk prucka ... ovoz n teplota maso na grilovn teplomrn sonda Provozn vlhkost Pracovn vska Osvdcen Vkonn standard **BMT01** EP2T42F40 3V 0,1A 2x1,5V baterie AAA 1,5 V 100 g bez bateri a dalsho pslusenstv. 104,6x7...

lang:hr score:25 filesize: 912.22 K page_count: 13 document date: 2025-05-23




[pdf] Specifications

SONOFF Antenna Specification Shenzhen Sonoff Technologies Co Ltd BMT01 2APN5BMT01 bmt01

Antenna Specification Product description: 2.4G PCB Antenna Uni Link s part number: ANTENNA-2400 Issue Date: 2024-09-10 Note: 2400-2500MHz

Manufacturer: Shenzhen Sonoff Technologies Co.,Ltd. Address: 3F 6F, Bldg A, No. 663, Bulong Rd, Shenzhen, Guangdong, China 1PRODUCT TECHNICAL SPECIFI...


lang:tl score:23 filesize: 615.21 K page_count: 4 document date: 2024-10-31



[pdf]


Adria Galin Pons Attestation Statement Shenzhen Sonoff Technologies Co Ltd BMT01 2APN5BMT01 bmt01

Attestation Statements C5266091_X24_Ed.2 TO: Office of Engineering Technology Federal Communicat ... Applicant Company name: Shenzhen Sonoff Technologies Co.,Ltd. Grantee code: 2APN5 FCC ID: 2APN5**BMT01** FRN: 0027467786 Contact Name: Stan Li Address: 3F 6F, Bldg A, No. 663, Bulong Rd, Shenz... lang:en score:23 filesize: 128.58 K page_count: 1 document date: 2024-10-30




[pdf]

Adria Galin Pons US Agent Shenzhen Sonoff Technologies Co Ltd BMT01 2APN5BMT01 bmt01
US Agent for Service of Process LETTER OF ATTESTATION TO: Office of Engineering Technology Federal ... ff Technologies Co.,Ltd. Product Description: BBQ Meat Thermometer Grantee code: 2APN5 FCC ID: 2APN5**BMT01** FRN: 0027467786 Contact Name: Stan Li Address: 3F 6F, Bldg A, No. 663, Bulong Rd, Shenzhen, ... lang:en score:23 filesize: 73.02 K page_count: 1 document date: 2024-10-25




[pdf] Guide

BMT01 640x120mm 105g 8 V1 1 Quick Guide sonoff tech 2024 11 |||
...
lang:en score:22 filesize: 17.37 M page_count: 1 document date: 2024-11-09



[pdf]

Adria Galin Pons Confidentiality Shenzhen Sonoff Technologies Co Ltd BMT01 2APN5BMT01 bmt01
C5266091_X10_Ed.2 Shenzhen Sonoff Technologies Co.,Ltd. Office of Engineering Technology Federal Communications Commission 7435 Oakland Mills Road Columbia, MD 21046 Subject: Request for Confidentiality FCC ID: 2APN5**BMT01** Date: Oct. 25, 2024 To Whom It May Concern, Pursuant to the provisions of... lang:en score:21 filesize: 145.91 K page_count: 2 document date: 2024-10-25




[pdf] Label

BMT 01 cdr yan ID label and location Shenzhen Sonoff Technologies Co Ltd BMT01 2APN5BMT01 bmt01

6.34 mm 31.83 mm 20.43 mm 54.07 mm 3.91 mm 18.01 mm 8mm*8mm 1
opensanssemibold sonoff 36.68 mm 2024.7.23 BMT-01 ...


lang:en score:21 filesize: 768.44 K page_count: 1 document date: 2024-07-30



[pdf] Borchure

2024 SONOFF V2024 12 5V 2A 10 0W PC V0 40 5x34 5x21mm 43 1g USB Power Adapter Type I
5VUSB Input Output Casing material Size 1 giorno fa — Thermostat Voice Control
NSPanel EU US 44 Rating Max Load LED load LED Gang Wireless SONOFF Product
Brochure 2025 sonoff tech 04 |||

Shenzhen Sonoff Technologies Co.,Ltd Address 663 A 3F 6F, Bldg A, No. 663,
Bulong Rd, Dafap11 b 2.4GHz PC V0 Transmitter: 70x31x19mm Magnet:
42x14x16mm 28g CE/FCC/RoHS GATEWAY SENSORS **BMT01** BBQ Meat
Thermometer BBQ Temperature Detection APP Monitoring APP / Unit Switching / Ti...
lang:en score:21 filesize: 18.6 M page_count: 52 document date: 2024-12-12



SONOFF Product Brochure: Smart Home Automation Devices

Explore the comprehensive SONOFF product brochure, featuring a wide range of smart home automation devices including Wi-Fi and Zigbee switches, plugs, sensors, cameras, and control panels designed for a simpler, smarter life.


lang:en score:20 filesize: 19 M page_count: 53 document date: 2025-09-01



SONOFF Smart Home Products Brochure | Innovative Automation Solutions

Explore the comprehensive SONOFF product brochure showcasing a wide array of smart home devices, including Wi-Fi and Zigbee switches, plugs, lighting, sensors, and cameras. SONOFF offers quality, innovation, and simple automation for a smarter lifestyle.

lang:en score:20 filesize: 10.96 M page_count: 52 document date: 2025-04-15




[pdf] User Manual

BMT01 20240925 User manual Shenzhen Sonoff Technologies Co Ltd 2APN5BMT01 bmt01

...

lang:en score:19 filesize: 5.67 M page_count: 1 document date: 2024-10-25




[pdf] User Manual

BMT01 20240925 User manual 2 Shenzhen Sonoff Technologies Co Ltd 2APN5BMT01 bmt01

...


lang:en score:19 filesize: 458.53 K page_count: 1 document date: 2024-10-31



[Sonoff BMT01 BBQ Meat Thermometer: Quick Start Guide & Specifications](#)

Get started quickly with the Sonoff BMT01 BBQ Smart Bluetooth Meat Thermometer. This guide covers setup, app connection, operation, safety, and technical specifications. Monitor your cooking temperatures with ease.

lang:en score:18 filesize: 2.59 M page_count: 1 document date: 2024-12-30




[\[pdf\]](#)

Manuel installateur BMT01 SONOFF Termómetro para carne de barbacoa manuel installation thermometre bmt01 sonoff domadoo fr es index controller attachment id 3229 |||

...

lang:en score:16 filesize: 2.58 M page_count: 1 document date: 2025-01-29



[\[pdf\]](#) Product Photos

good External photos Shenzhen Sonoff Technologies Co Ltd BMT01 2APN5BMT01 bmt01
CTC Laboratories, Inc. Room 101 Building B, No. 7, Lanqing 1st Road, Luhuhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel: 86-755-27521059 Fax: 86-755-27521011 <http://www.sz-ctc.org.cn> External Photos



Page 1 of 4 Page 2 of 4 Page 3 of 4 Page 4 of 4 ...

lang:en score:15 filesize: 1 M page_count: 4 document date: 2024-10-25



CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhui Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel: +86-755-27521059 Fax: +86-755-27521011 <http://www.sz-ctc.org.cn>



Page 1 of 3

[\[pdf\]](#) Product Photos Teardown

good Internal photos Shenzhen Sonoff Technologies Co Ltd BMT01 2APN5BMT01 bmt01

CTC Laboratories, Inc. Room 101 Building B, No. 7, Lanqing 1st Road, Luhui

Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China Tel:

86-755-27521059 Fax: 86-755-27521011 <http://www.sz-ctc.org.cn> Internal Photos

Page 1 of 3 Page 2 of 3 Antenna Page 3 of 3 ...

lang:en score:15 filesize: 1.2 M page_count: 3 document date: 2024-10-29