VASAGLE KDT090K01

VASAGLE KDT090K01 Extendable Dining Table User Manual

Model: KDT090K01 | Brand: VASAGLE

Introduction

Thank you for choosing the VASAGLE KDT090K01 Extendable Dining Table. This manual provides essential information for the safe assembly, operation, and maintenance of your new table. Please read these instructions carefully before assembly and retain them for future reference.

Product Features

- **Elegant Design:** The wood textures and clean lines of this dining table evoke a country style while maintaining a modern aesthetic.
- **Extendable Tabletop:** The tabletop can extend from 140 cm to 160 cm and 180 cm, providing space for 4, 6, or 8 people, depending on your needs.
- **Durable Materials:** The tabletop is heat-resistant up to 140 degrees Celsius, while the solid wood table legs and frame ensure a load capacity of 120 kg.
- **Thoughtful Design:** The tabletop joints are positioned approximately 1 mm apart to prevent finger pinching. Latches facilitate the installation of the extension leaf.
- **Versatile Use:** This table is not only practical for family meals but can also be used for studying or working, adapting to your needs.

Assembly Instructions

Assembly is required for this product. Please ensure all components are present before beginning. An assembly guide and installation tool are included in the package.

Extending the Tabletop

The table features an extendable tabletop that can accommodate 4 to 8 people. Follow these steps to extend or retract the table:

1. Gently pull apart the two halves of the tabletop.
2. Retrieve the extension leaves from the storage compartment beneath the table and place them into the opening.
3. Push the tabletop halves back together and secure them using the integrated latches.



Figure 1: Step-by-step guide for extending the table. The table can be expanded from 140cm to 160cm or 180cm by inserting one or two leaves.



Figure 2: Two-person operation is recommended for extending or retracting the table to ensure smooth movement and prevent damage.



Figure 3: Integrated latches provide secure locking of the tabletop sections.



Figure 4: The robust sliding mechanism allows for smooth and stable table extension.

Usage and Operation

This table is designed for dining, study, or workspace use. Its extendable feature allows it to adapt to various situations and guest numbers.

Capacity

The table can comfortably seat 4 people when compact (140 cm), 6 people with one extension (160 cm), and up to 8 people with both extensions (180 cm).



Figure 5: Table dimensions and seating arrangements for different lengths.



Figure 6: Customizable table dimensions for various uses, from a compact desk to a larger dining setup.

Video Demonstration

Watch this video for a visual guide on the table's features and extension mechanism:

Video 1: Demonstration of the YU YUSING Extendable Dining Table, showcasing its versatility and ease of extension. Note: This video is provided by a seller and demonstrates a similar product's functionality.

Maintenance and Care

To ensure the longevity and appearance of your table, follow these care guidelines:

- **Cleaning:** Wipe the table surface with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that may damage the finish.
- **Heat Resistance:** The tabletop is resistant to heat up to 140°C. However, it is always recommended to use coasters or placemats for very hot items to prevent potential damage.
- **Spills:** Clean up spills immediately to prevent staining, especially for liquids that may penetrate the wood finish.
- **Avoid Scratches:** Use placemats or tablecloths during meals and avoid dragging sharp objects across the surface.



Figure 7: The table's engineered wood top offers superior heat resistance compared to standard surfaces.

Safety Information

- **Maximum Load:** Do not exceed the maximum load capacity of 120 kg to ensure stability and prevent damage.
- **Finger Pinching:** Exercise caution when extending or retracting the table. The joints are designed with a small 1mm gap to minimize risk, but always ensure fingers are clear of moving parts.

- **Stability:** Ensure the table is placed on a flat, stable surface. Regularly check that all screws and fasteners are tight.




Figure 8: The thoughtful 1mm gap design prevents finger pinching and small objects from falling through.

Troubleshooting

If you encounter any issues with your table, please refer to the following common solutions:

- **Table Wobbles:** Check that all assembly screws are securely tightened. Ensure the table is on a level surface. Adjust any leveling feet if present.
- **Difficulty Extending/Retracting:** Ensure the mechanism is clean and free of debris. Apply a silicone-based lubricant to the sliding rails if movement is stiff. Always use two people for extension/retraction.
- **Missing Parts:** If any parts are missing upon unboxing, please contact customer support immediately.

Specifications

Feature	Detail
Model	KDT090K01
Color	Honey Brown
Dimensions (L x W x H)	85 x 85 x 76.2 cm (compact); 85 x (140/160/180) x 76.2 cm (extended)
Item Weight	30.3 Kilograms
Maximum Weight Recommendation	120 Kilograms
Primary Material	Engineered Wood, Solid Wood
Frame Material	Oak Wood
Assembly Required	Yes
Style	Contemporary

Warranty and Support

For any questions, concerns, or to report missing/damaged parts, please contact VASAGLE customer support. Keep your purchase receipt for warranty claims. Specific warranty details may vary by region and retailer.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question