

[Manuals.plus](#) /

> [PANICAL](#) /

> PANICAL Motorcycle Windshield Accessories Instruction Manual

PANICAL KY DS20200792

PANICAL Motorcycle Windshield Accessories Instruction Manual

Model: KY DS20200792

INTRODUCTION

This instruction manual provides detailed information for the installation, operation, and maintenance of your PANICAL Motorcycle Rearview Mirror Windshield Accessories. Designed specifically for Honda GoldWing 1800 F6B GL1800 models from 2018-2025, these accessories enhance rider comfort by reducing wind drag and stress on shoulders and upper arms.

PRODUCT OVERVIEW AND COMPONENTS

The PANICAL Motorcycle Rearview Mirror Windshield Accessories are crafted from high-quality PC material using an injection molding process, ensuring durability and a precise fit. The transparent design integrates seamlessly with your motorcycle's aesthetics.

What's in the Box:

- 2 x Windshield Accessories (Left and Right)
- Adhesive strips for installation
- Cleaning wipe



Figure 1: Package Contents. Includes two transparent windshield accessories, two pre-cut adhesive strips, and an alcohol cleaning wipe for surface preparation.

Product size



PANICAL

Figure 2: Product Dimensions. Each windshield accessory measures approximately 9.6 inches in length and 3.7 inches in width.

SPECIFICATIONS

Feature	Detail
Brand	PANICAL
Model	KY DS20200792 (GoldWing Decorative Accessories)
Color	Transparent
Material	ABS Plastic (PC material)
Exterior Finish	ABS
Style	Decorative
Vehicle Service Type	Motorcycle

Fit Type	Vehicle Specific Fit (Honda GoldWing 2018-2025 F6B GL1800)
Item Weight	12.3 ounces
Package Dimensions	10.6 x 3.9 x 2.4 inches

INSTALLATION GUIDE

Follow these steps for a secure and proper installation of your PANICAL rearview mirror windshield accessories.

1. **Prepare the Surface:** Ensure the installation area on your motorcycle (near the rearview mirrors, as indicated in Figure 3) is clean and dry. Use the provided cleaning wipe to remove any dirt, grease, or residue. Allow the surface to dry completely before proceeding.



Figure 3: Installation Location. The accessories are installed on the fairing near the rearview mirrors of the Honda GoldWing.

2. **Apply Adhesive:** Carefully peel off the backing from one side of the adhesive strip. Align the adhesive strip precisely with the designated area on the back of one windshield accessory. Press firmly to ensure good adhesion.
3. **Position and Attach:** Peel off the remaining backing from the adhesive strip on the accessory. Carefully position the accessory onto the prepared surface of your motorcycle, ensuring correct alignment. Press down firmly and hold for at least 30 seconds to secure it in place. Apply even pressure across the entire surface of the adhesive.
4. **Repeat for Second Side:** Repeat steps 2 and 3 for the second windshield accessory on the opposite side of your motorcycle.
5. **Curing Time:** For optimal adhesion, avoid washing your motorcycle or exposing the installed accessories to heavy rain for at least 24-48 hours after installation. This allows the adhesive to fully cure.



Figure 4: Installed Accessories. A front view of the motorcycle showing both transparent windshield accessories properly installed.

OPERATING PRINCIPLE

These windshield accessories are designed to redirect airflow around the rider's hands, shoulders, and upper arms. By creating a more aerodynamic profile, they effectively reduce wind drag and buffeting, leading to a more comfortable riding experience, especially at higher speeds or during long journeys.

Reduce wind drag

Effectively reduce stress on shoulders and upper arms



Figure 5: Wind Deflection. Illustration showing how the accessory reduces wind drag and stress on the rider's shoulders and upper arms.

CARE AND MAINTENANCE

To ensure the longevity and clarity of your PANICAL windshield accessories, follow these maintenance guidelines:

- **Cleaning:** Clean the accessories regularly with a soft cloth and mild soap and water. Avoid abrasive cleaners or harsh chemicals that could scratch or damage the PC material.
- **Inspection:** Periodically inspect the accessories and the adhesive bond for any signs of loosening or damage. Re-secure or replace if necessary.
- **Storage:** If removing the accessories for storage, clean them thoroughly and store them in a protective bag or container to prevent scratches.

TROUBLESHOOTING

Common Issues and Solutions:

- **Accessory not adhering properly:**

- Ensure the surface was thoroughly cleaned and dry before application.
- Verify that sufficient pressure was applied during installation.
- Allow adequate curing time (24-48 hours) before exposing to moisture or stress.
- If the issue persists, the adhesive may need to be replaced.

- **Reduced wind deflection:**

- Confirm the accessories are installed in the correct orientation and position as shown in the installation guide.
- Ensure both left and right accessories are installed.

WARRANTY AND SUPPORT

For any questions, concerns, or support regarding your PANICAL Motorcycle Windshield Accessories, please contact the seller directly through the platform where the purchase was made. Refer to your purchase documentation for specific warranty details, if applicable.

Manufacturer: PANICAL

Model Number: KY DS20200792

© 2025 PANICAL. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0DQCVX5M7>

More documents and user manuals: <https://manuals.plus/>