

[Manuals.plus](#) /

› [BOZYBO](#) /

› BOZYBO High Pressure Rain Shower Head with Handheld Spray Combo (Model 460311) User Manual

BOZYBO 460311

BOZYBO High Pressure Rain Shower Head with Handheld Spray Combo User Manual

Model: 460311

INTRODUCTION

Thank you for choosing the BOZYBO High Pressure Rain Shower Head with Handheld Spray Combo. This manual provides essential information for the safe installation, operation, and maintenance of your new shower system. Please read these instructions thoroughly before beginning installation or use.



An overview of the BOZYBO shower system, showing the large fixed rainfall shower head and the detachable handheld shower head, both actively spraying water.

SAFETY INFORMATION


Please observe the following safety guidelines during installation and use:

- Always turn off the main water supply before beginning any installation or maintenance procedures.
- Use appropriate tools and follow all local plumbing codes and regulations.
- Do not overtighten connections, as this may damage components or cause leaks.
- Ensure all connections are properly sealed with plumber's tape to prevent water leakage.
- Inspect all components for damage before installation. Do not install damaged parts.

INCLUDED COMPONENTS

Verify that all the following components are included in your package:

- Exclusive Shower Arm
- Handheld Shower Head (10 Spray settings)
- 12-inch Rainfall Shower Head
- Stainless Steel Shower Hose (59 inches)
- User Manual
- Spare Washer
- Teflon Tape



A visual representation of all items included in the package: exclusive shower arm, handheld shower head, 12-inch rain shower head, stainless steel shower hose, user manual, spare washer, and Teflon tape.

SETUP AND INSTALLATION

Pre-Installation

- Ensure the main water supply to your shower is turned off.
- Remove your existing shower head and clean any old sealant or debris from the shower arm threads.

Installation Steps

1. **Step 1: Install Shower Arm/Diverter Unit.** Apply Teflon tape (included) clockwise to the threads of your existing shower arm. Screw the new shower arm/diverter unit onto the shower arm until hand-tight, then tighten slightly with a wrench if necessary, ensuring the diverter knob faces downwards.
2. **Step 2: Attach Rainfall Shower Head.** Apply Teflon tape to the threads on the top outlet of the diverter unit. Screw the 12-inch rainfall shower head onto this outlet.
3. **Step 3: Connect Handheld Shower Hose.** Connect one end of the stainless steel shower hose to the side outlet of the diverter unit. Ensure a washer is in place before tightening.
4. **Step 4: Attach Handheld Shower Head.** Connect the other end of the shower hose to the handheld shower head. Ensure a washer is in place before tightening.
5. **Step 5: Secure Handheld Shower Head.** Place the handheld shower head onto the magnetic docking system integrated into the main shower arm. The buckle structure will provide additional security.



A four-step visual guide for installing the shower system, showing the connection of the main unit to the wall, attachment of the fixed shower head, connection of the hose, and securing the handheld unit.

360°ADJUSTABLE RAINFOREST SHOWER HEAD



Newest adjustable design ensure
the most ideal showering experience
for kids, man and woman



This image illustrates the magnetic docking mechanism for the handheld shower head, which includes a buckle structure for secure attachment. It also shows the individual components: an upgraded bracket, splitter, shower arm, and shower holder.

OPERATING INSTRUCTIONS

Mode Selection

Use the black knob located on the shower arm/diverter unit to switch between the following water flow modes:

- **Rainfall Spray:** Water flows only from the large fixed shower head.
- **Handheld Spray:** Water flows only from the detachable handheld shower head.
- **Rainfall + Handheld Spray:** Water flows from both the fixed and handheld shower heads simultaneously.

Handheld Spray Settings

The handheld shower head offers 10 distinct spray settings. Rotate the dial on the face of the handheld shower head to select your desired spray pattern. Settings include:

- Pause

- Mist
- Massage + Mist
- Massage
- Rainfall + Massage
- Spraying
- Rainfall + Mist
- Power Mist
- Power Jet (for targeted cleaning)
- Wide Fan (for broader cleaning coverage)

3 Modes + 2 Washing Jets + 8 Hand Sprays



This image displays the various spray options: Rainfall Spray, Handheld Spray, and a combination of both. It also shows the Power Jet and Wide Fan cleaning modes, along with eight distinct handheld spray patterns including Pause, Mist, Massage, and combinations.

Adjustability

- The main shower arm is designed with 360-degree adjustability, allowing you to position the fixed shower head to your preferred height and angle.

- The rainfall shower head itself features a 360-degree copper ball joint, enabling precise directional adjustment of the water flow.



The image demonstrates the full 360-degree adjustability of the main shower arm and the rainfall shower head, allowing users to direct water flow as desired.

MAINTENANCE

Nozzle Cleaning


The shower heads are equipped with anti-clogging rubber nozzles. To remove mineral buildup and maintain optimal spray performance, periodically rub the rubber nozzles with your finger or a soft brush.

General Cleaning

To clean the exterior surfaces of your shower system, use a soft cloth and a mild, non-abrasive cleaner. Avoid using harsh chemicals, abrasive pads, or strong detergents, as these can damage the finish.

COVER WHOLE BODY WITH LUXURIOUS SHOWERING

Gives you a "drenching" from shoulders up to top of head



Detailed view of the shower head features, including flexible anti-clogging nozzles, specialized high-pressure massage jets, and the overall design of the 278 nozzles for a wide spray. The image also indicates the 12-inch size of the main panel.

TROUBLESHOOTING

Low Water Pressure

- Ensure the main water supply valve is fully open.
- Check the shower hose for any kinks or obstructions.
- Clean the nozzles on both shower heads for mineral buildup as described in the Maintenance section.

Leaks from Connections

- Turn off the water supply.
- Ensure all connections are tightened securely, but do not overtighten.
- Verify that plumber's tape was applied correctly and sufficiently to all threaded connections.
- Check for damaged washers in the connections and replace if necessary.

Handheld Shower Head Not Docking Securely

- Ensure the magnetic docking area on both the handheld shower head and the main arm is clean and free of soap scum or debris.
- Confirm the handheld shower head is correctly aligned with the magnetic dock.

SPECIFICATIONS

Feature	Detail
Brand	BOZYBO
Model Number	460311
Style	Modern
Shape	Square
Material	Acrylonitrile Butadiene Styrene (ABS)
Finish Type	Polished
Installation Type	Wall Mounted
Flow Rate	2.5 gallons per minute (GPM)
Color	Starlight
Product Dimensions	12"L x 7.4"W (Fixed Head)
Number of Handheld Settings	10
Special Features	Detachable Handheld, Self-Cleaning Nozzles, Magnetic Docking
Hose Length	59 Inches
Item Weight	4.04 pounds
UPC	860013145415

ENJOY TRUE RAINFOREST SHOWERING




**Anti-clogging
Nozzles**



**High Pressure
Message Design**



**Truthly Rain
Shower
(278 Nozzles)**



12" Large Panel

This image provides detailed measurements of the fixed rainfall shower head and the handheld shower head, along with the overall system length. It also lists the associated patent numbers: US011857983B2, US12269049B1, and US0D1058748S.

WARRANTY INFORMATION

For detailed warranty information regarding your BOZYBO High Pressure Rain Shower Head with Handheld Spray Combo, please refer to the manufacturer's official website or contact their customer support directly. Warranty terms and conditions may vary.

CUSTOMER SUPPORT

If you require further assistance, have questions about installation, operation, or maintenance, please contact BOZYBO customer support. You can typically find contact information on the manufacturer's official website or through the retailer where you purchased the product.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Answered questions about this manual

I just purchased the BOZYBO 460311 shower combo and the handheld shower wand will not attach to the base because the magnets seem to be repelling each other. How can I fix this or do I need to return it?

It is highly unusual for the magnets in the BOZYBO 460311 docking system to repel each other, as they are fixed during manufacturing to ensure attraction. Before considering a return, please check the following:Check...

[Read full answer](#)