Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

ZUZEE Q13

ZUZEE Q13 Portable Tire Inflator Air Compressor User Manual

Model: Q13 | Brand: ZUZEE

1. Safety Instructions

Please read all safety instructions carefully before using the ZUZEE Q13 Portable Tire Inflator. Failure to follow these instructions may result in electric shock, fire, and/or serious injury.

- Keep the device away from children.
- Do not operate the inflator in wet conditions or near flammable liquids or gases.
- Ensure the inflation hose is securely connected to the tire valve before starting inflation.
- Do not over-inflate tires. Always refer to the vehicle manufacturer's recommended tire pressure.
- Monitor the inflation process closely. The device features an auto-shutoff, but manual monitoring is recommended.
- Avoid prolonged continuous operation to prevent overheating. Allow the device to cool down if it becomes hot.
- Do not disassemble or modify the device. Contact customer support for repairs.
- Store the inflator in a cool, dry place when not in use.

2. Product Overview

The ZUZEE Q13 is a portable air compressor designed for inflating various items such as car tires, motorcycle tires, bicycle tires, and sports balls. It features a digital pressure gauge, LED light, and can function as an emergency power bank.

Key Features:

- **Fast Inflation:** Inflates tires quickly with up to 150 PSI output.
- **Digital Display:** Real-time and preset pressure values shown on an LED dual-screen.
- **Preset Modes:** Dedicated modes for cars, motorcycles, bikes, and balls, plus a custom mode.
- **Auto-Shutoff:** Automatically stops inflation when the preset pressure is reached.
- **Multi-function LED Light:** Provides illumination for night use and can serve as an emergency signal.
- **Power Bank Function:** Can charge electronic devices via its USB output.

- **High Capacity Battery:** Supports extended operation.

Package Contents:



Image: The ZUZEE Q13 Portable Tire Inflator shown with its included accessories: air pump, air tube, charging cable, and four air nozzles.

- 1 x ZUZEE Q13 Air Pump
- 1 x Air Tube
- 1 x Charging Cable
- 4 x Air Nozzles (various types for different inflation needs)

3. Setup

3.1 Charging the Device

Before first use, fully charge the ZUZEE Q13. Connect the provided charging cable to the device's charging port and a suitable USB power adapter (not included). The battery indicator on the display will show the charging status.

3.2 Attaching the Inflation Tube

Screw the inflation tube securely into the air outlet port on the top of the inflator. Ensure a tight connection to prevent air leakage during operation.

4. Operating Instructions



Image: A visual guide demonstrating the three easy steps to operate the ZUZEE Q13: connect the tube, set mode and pressure, then press the On/Off button.

4.1 Powering On/Off

- Press and hold the power button (usually marked with a power symbol) to turn the device on.
- Press and hold the power button again to turn the device off.

4.2 Setting Pressure Units

With the device powered on, press the 'M/U' button to cycle through available pressure units: PSI, BAR, KPA, and

KG/CM².

4.3 Selecting Inflation Mode and Setting Target Pressure

1. Press the 'M/U' button repeatedly to select the desired preset inflation mode (Car, Motorcycle, Bike, Ball) or the Manual mode.
2. Once a mode is selected, use the '+' and '-' buttons to adjust the target pressure value. The preset value will flash while being adjusted.

4.4 Starting and Stopping Inflation

1. Connect the inflation tube to the item you wish to inflate. Ensure the connection is secure.
2. Press the power button (On/Off button) to start inflation. The real-time pressure will be displayed.
3. The inflator will automatically stop once the preset target pressure is reached.
4. To manually stop inflation at any time, press the power button again.

4.5 Using the LED Light

Press the LED light button (often integrated with the power button or a separate button) to turn on the flashlight. Press again to cycle through different light modes (e.g., steady light, flashing, SOS) or to turn it off.

4.6 Using as a Power Bank

Connect your electronic device to the USB output port on the inflator using a compatible charging cable. The inflator will begin charging your device.

5. Inflation Modes

The ZUZEE Q13 offers five distinct inflation modes, each with a recommended pressure range:



Image: A visual representation of the five inflation modes (Car, Motorcycle, Bike, Ball, Manual) with their typical pressure ranges.

- **Car Mode:** Recommended pressure range 30-42 PSI.
- **Motorcycle Mode:** Recommended pressure range 26-43 PSI.
- **Bike Mode:** Recommended pressure range 30-145 PSI.
- **Ball Mode:** Recommended pressure range 7-14 PSI.
- **Manual Mode:** Allows custom pressure settings from 3-150 PSI for other inflatable items.

Note: Always refer to the manufacturer's recommended pressure for the specific item you are inflating.

6. Maintenance

6.1 Cleaning

Wipe the exterior of the inflator with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners. Ensure the device is turned off and disconnected from any power source before cleaning.

6.2 Storage

Store the inflator and its accessories in a dry, cool place, away from direct sunlight and extreme temperatures. Keep it out of reach of children.

6.3 Battery Care

To prolong battery life, charge the device fully at least once every three months, even if not in regular use. Avoid completely draining the battery frequently.

7. Troubleshooting

Problem	Possible Cause	Solution
Inflator does not turn on.	Low battery or no charge.	Charge the device fully.
No air comes out or inflation is slow.	Inflation tube not securely connected; blocked nozzle; low battery.	Ensure tube is tight; check for obstructions; charge battery.
Device overheats and shuts off.	Prolonged continuous use.	Allow the device to cool down for at least 10-15 minutes before resuming use.
Inaccurate pressure reading.	Incorrect unit selected; sensor issue.	Verify the pressure unit (PSI, BAR, KPA, KG/CM²); if problem persists, contact support.
LED light not working.	Low battery; malfunction.	Charge the device; if still not working, contact support.

8. Specifications



Image: The ZUZEE Q13 display showing real-time and preset pressure values, battery indicator, and unit selection.

Feature	Detail
Model Number	Q13
Manufacturer	ZUZEE
Max Inflation Pressure	150 PSI
Battery Capacity	20000mAh (as per product description)
Accuracy	±0.1 Bar
Noise Level	≤50dB (Acceptable)
Package Dimensions	19.99 x 13.69 x 6.6 cm
Item Weight	689 g

Feature	Detail
Included Components	Tire Inflator, Air Tube, Charging Cable, Air Nozzles

9. Warranty and Support

For warranty information and customer support, please refer to the documentation included with your purchase or contact ZUZEE customer service directly. Keep your purchase receipt as proof of purchase for warranty claims.

© 2026 ZUZEE. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DQKT49JP

More documents and user manuals: **https://manuals.plus/**