

[Manuals.plus](#) /

› [HIZERO](#) /

› HIZERO F600 Hard Floor Cleaner User Manual

HIZERO F600

HIZERO F600 Hard Floor Cleaner

USER MANUAL

Introduction

The HIZERO F600 is an advanced all-in-one hard floor cleaner designed to sweep, mop, and separate waste simultaneously. Featuring patented Non-Suction Technology and a built-in LED headlight, it ensures thorough cleaning and a healthier home environment. Its cordless design and long runtime make it ideal for large homes, efficiently handling both wet and dry messes on various hard floor surfaces.



Image: The HIZERO F600 Hard Floor Cleaner, showcasing its sleek design and integrated headlight.

What's Included

Unpack your HIZERO F600 and ensure all components are present:

- F600 Hard Floor Cleaner Unit
- Polymer Cleaning Roller
- Brush Roller
- Solid Waste Tray
- Base Dock
- User Manual
- 600ml Dirty Water Tank
- 600ml Clean Water Tank
- Brush Roller Cleaner
- Power Adapter
- 100ml Hizero Cleaning Solution
- Cleaning Brush
- Waste Water Tank Brush Tool



Image: A visual representation of all items included in the HIZERO F600 package, laid out clearly.


Setup

1. **Unpacking:** Carefully remove all components from the packaging.
2. **Charging:** Before first use, fully charge the HIZERO F600. Connect the power adapter to the charging port on the base dock, then place the cleaner onto the dock. The indicator light will show charging status.
3. **Assemble Water Tanks:** Ensure the 600ml clean water tank and 600ml dirty water tank are correctly inserted into their respective compartments on the main unit.
4. **Fill Clean Water Tank:** Open the cap of the clean water tank and fill it with clean tap water. For optimal cleaning, you may add a small amount of HIZERO cleaning solution as per instructions on the solution bottle. Close the cap securely.
5. **Insert Rollers:** Ensure the polymer cleaning roller and brush roller are properly installed in the cleaning head. Refer to the diagrams in the user manual for correct placement.

Operating Instructions

The HIZERO F600 is designed for intuitive operation, combining sweeping and mopping functions for efficient cleaning.

1. **Power On/Off:** Press the power button located on the handle to turn the unit on or off. The LED headlight will illuminate when the unit is active.
2. **Cleaning Mode:** The F600 operates in a combined sweep and mop mode. Simply push the cleaner forward to sweep and mop simultaneously.
3. **Runtime:** The F600 provides up to 60 minutes of continuous cleaning on a single charge, suitable for cleaning large areas up to 3,500 sqft.
4. **Low Noise Operation:** The Non-Suction Technology ensures a quiet cleaning experience, operating at less than 60dB.
5. **Cleaning Under Furniture:** The ultra-slim design allows the F600 to lay nearly flat (180°) and reach under low furniture and into dark corners, illuminated by the built-in LED headlight.
6. **Multi-Surface Cleaning:** The HIZERO F600 is effective on various hard floor surfaces including wood, tile, marble, and laminate.



60Min Runtime for Whole-Home Cleaning

Image: The HIZERO F600 being used in a kitchen, living room, and bedroom, demonstrating its versatility across different home environments.



**Cleans Where
Others Can't Reach**

Image: The HIZERO F600's low-profile design allowing it to clean effectively under furniture and along edges, highlighted by its LED headlight.




Image: The HIZERO F600 demonstrating its ability to clean effectively on tiles, marble floors, and hardwood surfaces.




Image: A graphic illustrating the HIZERO F600's low noise level (below 60dB) compared to other vacuum cleaners, with a cat nearby indicating quiet operation.

Maintenance

Regular maintenance ensures optimal performance and longevity of your HIZERO F600.

1. **Self-Cleaning System:** The F600 features UltimateClean Technology for self-cleaning. After each use, place the unit on its base dock and activate the self-cleaning cycle as per the quick start guide. This cleans the internal components and rollers.
2. **Emptying Dirty Water Tank:** After each cleaning session, remove the dirty water tank and dispose of the collected dirty water. Rinse the tank thoroughly with clean water.
3. **Solid-Liquid Separation:** The F600's Triple Separation system isolates fur, solids, and liquids. Empty the solid waste tray regularly. This makes disposal easy and prevents clogging.
4. **Cleaning Rollers and Brushes:** Periodically remove the polymer cleaning roller and brush roller for manual cleaning. Use the provided brush roller cleaner and cleaning brush to remove any tangled hair or debris.



DESIGN
AWARD
2022



Solid-liquid Separation For Easy Cleaning

Image: Demonstrates the solid-liquid separation feature, showing how to easily remove and dispose of solid waste and dirty water from the HIZERO F600.



Image: A detailed view of the HIZERO F600's internal components, illustrating how the brush and roller can be removed for cleaning, alongside steps for emptying the dirty water tank.

Troubleshooting

If you encounter issues with your HIZERO F600, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Unit does not power on.	Battery is depleted; Power button not pressed correctly.	Ensure the unit is fully charged. Press and hold the power button firmly.
Poor cleaning performance.	Clean water tank empty; Dirty water tank full; Rollers/brushes clogged.	Refill clean water tank. Empty dirty water tank. Clean rollers and brushes thoroughly.
Water leakage.	Water tanks not properly sealed; Unit tilted excessively.	Ensure both clean and dirty water tanks are securely closed and correctly inserted. Avoid tilting the unit beyond recommended angles during operation.
Unusual noise during operation.	Debris caught in rollers or brush; Component not installed correctly.	Inspect and clean rollers and brushes. Ensure all removable components are securely in place.

Specifications

Feature	Detail
Brand	HIZERO
Model Name	Hizero Bionic Floor Cleaner F600
Special Feature	60 Minute Runtime, Cordless, Dual Tank, Removes wet and dry debris, Dual-Sided Edge Cleaning, SmoothPower Self-Propulsion System, Lightweight, Self-Cleaning
Surface Recommendation	Hard Floor, Hardwoods, Tile, Marble, Wood, Laminate, Multi Surface
Wattage	40.7 Watt-hours

Feature	Detail
Item Weight	5 Pounds (approx. 2.27 kg)
Clean Water Tank Volume	600 Milliliters
Dirty Water Tank Volume	600 Milliliters
Form Factor	Upright
Color	Black
Power Source	Battery Powered
Voltage	18.5 Volts
Package Dimensions	36 x 14 x 7.25 inches

Warranty and Support

HIZERO is committed to providing excellent customer service and support for your F600 Hard Floor Cleaner.

- **Warranty:** The HIZERO F600 comes with a 2-Year Protection Plan. This warranty covers manufacturing defects and ensures peace of mind.
- **Lifetime Technical Support:** Enjoy lifetime technical support for your HIZERO product.
- **Service Centers:** HIZERO has over 20 local service centers nationwide for fast repairs and assistance.
- **Contact Support:** For any questions, troubleshooting assistance, or warranty claims, please refer to the contact information provided in the included user manual or visit the official HIZERO website.
- **Optional Protection Plans:** Additional protection plans are available for purchase, including 2-Year and 3-Year options, as well as a monthly "Complete Protect" plan.

Note: For specific terms and conditions of the warranty and protection plans, please refer to the documentation provided at the time of purchase or contact HIZERO customer service.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question