Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

eclife THKFSF022

eclife 30" Floating Bathroom Vanity with Sink Combo

Model: THKFSF022 | Brand: eclife

1. Introduction

This manual provides detailed instructions for the assembly, installation, operation, and maintenance of your new eclife 30" Floating Bathroom Vanity with Sink Combo. Please read all instructions carefully before beginning installation and retain this manual for future reference.



Figure 1: Overview of the eclife 30" Floating Bathroom Vanity.

2. Important Safety Information

WARNING: Always follow the assembly instructions provided. Be cautious when mounting the cabinet to the wall to avoid injury. Keep the area around the cabinet clear during and after installation.

- Ensure all components are present and undamaged before assembly.
- Wear appropriate safety gear (gloves, eye protection) during installation.
- Two people are recommended for lifting and mounting the vanity to prevent injury.
- Verify wall structure can support the weight of the vanity and its contents.

3. Package Contents

The following components are included with your eclife 30" Floating Bathroom Vanity:

- Cabinet (Wall Mounted)
- Faucet
- Instructions Manual
- Sink (Undermount Single Sink)

4. Specifications

Feature	Detail
Brand	eclife
Model Name	THKFSF022
Color	Light Walnut
Product Dimensions	18.1"D x 30"W x 18.1"H
Mounting Type	Wall Mount
Material	Engineered Wood (Frame), SMC (Top)
Storage Options	Drawers (2)
Assembly Required	Yes



Figure 2: Detailed dimensions of the vanity components.

5. Setup and Installation

The eclife floating vanity is designed for straightforward assembly. Follow the numbered instructions and diagrams provided in the separate assembly guide for detailed steps.

5.1 Pre-Installation Checks

- Unpack all parts and verify against the parts list.
- Ensure the wall where the vanity will be mounted is structurally sound and can support the weight.
- Locate wall studs for secure mounting. If studs are not available at desired locations, use appropriate heavy-duty wall anchors (not always included).

5.2 Assembly Steps

1. Assemble the cabinet frame according to the provided diagrams.

2. Install the drawer slides.
3. Attach the sink to the cabinet top.
4. Install the faucet and drain assembly onto the sink.

5.3 Wall Mounting

1. Mark the desired height and level position on the wall.
2. Drill pilot holes for the mounting brackets, ensuring they align with wall studs or appropriate anchors.
3. Secure the mounting brackets to the wall.
4. Carefully lift the assembled vanity and hook it onto the wall brackets.
5. Secure the vanity to the brackets using the provided hardware.
6. Connect the water supply lines and drain. Test for leaks.



Figure 3: Assembled vanity before final wall mounting.

6. Operating Instructions

6.1 Drawers

The vanity features two spacious drawers for storage. Pull the drawers gently to open and push to close. While not soft-closing, the slides are designed for smooth operation.



Figure 4: Drawers providing ample storage space.

6.2 Faucet and Sink

Operate the faucet by lifting the handle for water flow and adjusting left/right for temperature. The undermount single sink is designed for efficient drainage.



Figure 5: Included faucet design.

7. Maintenance and Care

7.1 Cabinet Care

- Wipe the cabinet surfaces with a soft, damp cloth. Avoid abrasive cleaners.
- Promptly clean up any water spills to prevent damage to the engineered wood.
- Avoid placing extremely hot or cold items directly on the cabinet surface.

7.2 Sink Care

The SMC (Sheet Molding Compound) sink material is designed for easy cleaning and resistance to water stains. Clean with mild soap and water. Avoid harsh chemicals or abrasive pads that could scratch the surface.



Figure 6: Smooth and easy-to-clean SMC sink countertop.

8. Troubleshooting

Problem	Possible Cause	Solution
Drawers do not close smoothly	Misaligned slides or obstructions.	Check drawer slides for proper alignment and ensure no items are blocking the mechanism.
Water leaks from plumbing connections	Loose connections or damaged seals.	Tighten all plumbing connections. Inspect and replace any worn or damaged washers/seals.
Vanity feels unstable after mounting	Improper wall mounting or insufficient anchors.	Re-evaluate wall mounting. Ensure brackets are securely fastened to studs or appropriate heavy-duty anchors are used. Consult a professional if unsure.

9. Warranty and Support

Your eclife vanity comes with a 30-day easy return policy. For any questions, assistance with assembly, or to report missing/damaged parts, please contact eclife customer support. Your satisfaction is our priority.
For further assistance, please refer to the contact information provided with your purchase or visit the official eclife store online.

© 2026 eclife. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DQL7V9B1

More documents and user manuals: **https://manuals.plus/**