

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Intex](#) /

> [Intex 48404NP Rectangular Above Ground Pool for Dogs with Filter Pump Instruction Manual](#)

Intex 48404NP

Intex 48404NP Rectangular Above Ground Pool for Dogs with Filter Pump

Instruction Manual

1. PRODUCT OVERVIEW

The Intex 48404NP is a rectangular above-ground pool designed for dogs and small children, offering a refreshing and safe play area. Constructed with durable PVC and a robust steel frame, this pool is built for longevity and ease of use. It includes a filter pump to maintain water cleanliness, a ramp for easy access, a removable skimmer, and a protective cover.



Image 1.1: The Intex 48404NP Rectangular Above Ground Pool for Dogs, fully assembled and filled with water.

Key Features:

- **Dimensions:** 229 cm (L) x 152 cm (W) x 46 cm (H)
- **Capacity:** 1238 Liters
- **Material:** Durable 0.24 mm thick PVC with a mosaic print, supported by a sturdy steel frame.
- **Included Accessories:** 1136 L/h cartridge filter pump, pet ramp, removable skimmer, and pool cover.
- **Assembly Time:** Approximately 10 minutes.

2. SETUP INSTRUCTIONS

Follow these steps for quick and easy assembly of your Intex 48404NP pool. Ensure you have all components listed in the package contents before beginning.

2.1 Site Preparation

1. Choose a flat, level surface in your yard, free from sharp objects, debris, or excessive slopes.
2. Clear the area of any grass or vegetation that could damage the pool liner.
3. Ensure the chosen location is near a water source for filling and a power outlet for the filter pump.

2.2 Pool Assembly

1. Unfold the pool liner and spread it out in the prepared area. Ensure the drain valve is positioned where water can be easily drained away from the house or other structures.
2. Assemble the steel frame according to the included instruction manual. Connect the horizontal beams and vertical legs, ensuring all pins and connectors are securely in place.
3. Insert the frame through the sleeves of the pool liner.
4. Attach the pet ramp to the designated side of the pool frame.



Image 2.1: Animated demonstration of the rectangular pool assembly, including the pet ramp attachment.

2.3 Filter Pump Installation

1. Connect the filter pump hoses to the inlet and outlet fittings on the pool liner. Ensure all connections are tight to prevent leaks.
2. Place the filter pump on a stable, level surface, at least 2 meters (6.5 feet) away from the pool.
3. Insert the filter cartridge into the pump housing.

3. OPERATING INSTRUCTIONS

Once assembled, your Intex pool is ready for use. Follow these guidelines for safe and effective operation.

3.1 Filling the Pool

1. Ensure the drain valve is securely closed.
2. Begin filling the pool with water using a garden hose.
3. Fill the pool to the recommended water level, typically indicated by a fill line on the liner or approximately 5 cm (2 inches) below the top edge.

3.2 Using the Filter Pump

1. After filling the pool, plug in the filter pump.
2. Run the pump for several hours each day to circulate and filter the water. The recommended run time depends on usage and water quality, but typically 4-6 hours daily is sufficient.
3. Always unplug the pump before performing any maintenance or when the pool is in use.



Image 3.1: The pool with the filter pump system connected and ready for operation.

3.3 Pet Ramp and Skimmer Use

1. The pet ramp provides a safe and easy entry and exit point for your dog. Encourage your pet to use the ramp to prevent damage to the pool liner.
2. Attach the removable skimmer to the side of the pool. The skimmer helps collect floating debris from the water surface, improving water cleanliness.



Image 3.2: A dog safely entering the pool using the integrated pet ramp.



Image 3.3: Animated view of the skimmer in action, collecting surface debris.

4. MAINTENANCE

Regular maintenance is crucial for extending the life of your pool and ensuring clean water for your pets and family.

4.1 Water Draining and Refreshing

The pool features a convenient drain valve for easy water removal.

1. To drain, connect a garden hose to the drain valve.
2. Open the drain valve to allow water to flow out. Direct the hose to a suitable drainage area.
3. Once drained, clean the pool liner and refill with fresh water as needed.



Image 4.1: Animated demonstration of using the drain valve to empty the pool.

4.2 Filter Pump and Skimmer Cleaning

1. **Filter Cartridge:** Regularly check and clean the filter cartridge. Turn off and unplug the pump, then remove the cartridge. Rinse it thoroughly with a garden hose. Replace the cartridge every 2-4 weeks, or more frequently with heavy use.
2. **Skimmer:** Empty the skimmer basket daily or as needed to remove collected debris.



Image 4.2: Close-up of the removable skimmer, showing its position in the pool.

4.3 Pool Cover

Use the included pool cover when the pool is not in use to prevent debris from entering the water and to reduce evaporation.

5. TROUBLESHOOTING

This section addresses common issues you might encounter with your Intex pool.

5.1 Cloudy Water

- **Cause:** Insufficient filtration, dirty filter cartridge, or high organic load.
- **Solution:** Ensure the filter pump runs for adequate hours daily. Clean or replace the filter cartridge. Drain and refill the pool if water quality does not improve.

5.2 Filter Pump Not Working

- **Cause:** Power issue, clogged impeller, or airlock.
- **Solution:** Check power connection and circuit breaker. Unplug the pump and inspect the impeller for debris. Follow the pump manual for air bleeding procedures.

5.3 Leaks

- **Cause:** Puncture in liner, loose hose connections, or faulty drain valve.
- **Solution:** Inspect the liner for visible punctures and use a vinyl repair kit if necessary. Tighten all hose connections. Ensure the drain valve cap is securely closed.

6. PRODUCT SPECIFICATIONS

Feature	Specification
Brand	Intex
Model Number	48404NP
Product Dimensions (L x W x H)	2.29 m x 1.52 m x 0.46 m (229 x 152 x 46 cm)
Capacity	1238 Liters
Shape	Rectangular
Color	Blue
Material Type	Metal, Polyvinyl Chloride (PVC)
Item Weight	27.7 Kilograms
Included Components	Instruction Manual, Filter Pump, Ramp, Skimmer, Cover
Filter Pump Flow Rate	1136 L/h

7. WARRANTY INFORMATION

Intex provides a warranty for this product. The availability of spare parts in the EU is guaranteed for **2 years** from the date of purchase. For specific warranty terms and conditions, please refer to the detailed warranty card included with your product or visit the official Intex website.

8. CUSTOMER SUPPORT

Should you have any questions, require assistance with assembly, or need to report a defect, please contact Intex customer support. Refer to the contact information provided in your product packaging or visit the official Intex website for regional

support details.

Online Resources: For additional tips, FAQs, and product registration, please visit the Intex official website.