Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- Quest /
- > Quest 63009 Electric Pressure Cooker User Manual

Quest 63009

Quest 63009 Electric Pressure Cooker User Manual

Model: 63009 | Brand: Quest

Introduction

Thank you for choosing the Quest 63009 Electric Pressure Cooker. This 6-litre, 1000W multi-function appliance is designed to simplify your cooking experience, offering 12-in-1 capabilities including pressure cooking, slow cooking, steaming, roasting, and keeping food warm. This manual provides essential information for safe and efficient operation, maintenance, and troubleshooting.



Front view of the Quest 63009 Electric Pressure Cooker, showcasing its stainless steel housing and control panel.

IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before using the appliance to prevent injury or damage. Keep this manual for future reference.

- Always ensure the lid is properly locked before operating the pressure cooker.
- Do not touch hot surfaces. Use handles or knobs.
- Exercise extreme caution when opening the lid after pressure cooking, as hot steam will escape. Always use the steam release valve.
- Do not immerse the main unit in water or other liquids. Clean with a damp cloth.
- Ensure the inner pot is correctly placed inside the cooker before heating to prevent failsafe activation.
- This appliance is for household use only.
- · Keep out of reach of children.

• Do not operate if the power cord or plug is damaged.

PRODUCT COMPONENTS AND FEATURES

The Quest 63009 Electric Pressure Cooker comes with several components designed for ease of use and versatility.



An illustrative diagram highlighting the key features and dimensions of the Quest 63009 Electric Pressure Cooker, including its 6L capacity, 1000W power, locking lid, carry handles, clear LED display, 12 one-touch smart functions, 0-12 hour timer, and start button. The dimensions are 32(W) x 35(H) x 32(D) cm.



A collage of close-up images showcasing the Quest 63009 Electric Pressure Cooker's stainless steel housing, the variety of 12 one-touch programs on the control panel, the spacious 6-litre inner pot, and the built-in steam vent for safe pressure release.

Included Accessories:

- Measuring Cup: For precise ingredient measurement.
- Spoon: For serving and stirring.
- Steel Rack: Useful for steaming or elevating food.
- Recipe Book: Provides a variety of delicious options using the built-in presets.

SETUP

Before first use, please follow these steps:

- 1. Unpack all components and accessories from the box.
- 2. Wash the inner pot, lid, measuring cup, spoon, and steel rack with warm, soapy water. Rinse thoroughly and dry

completely.

- 3. Wipe the exterior of the main unit with a damp cloth. Do not immerse the main unit in water.
- 4. Place the pressure cooker on a stable, flat, heat-resistant surface, away from heat sources and direct sunlight.
- 5. Ensure the inner pot is properly seated inside the main unit.
- 6. Connect the power cord to the appliance and then plug it into a grounded electrical outlet.

OPERATING INSTRUCTIONS

Control Panel Overview



A detailed diagram of the Quest 63009 Electric Pressure Cooker's control panel, illustrating the time display, pressure fields, plus/minus buttons, temperature control, delay time function, warm/cancel button, and start button. It also lists the 12 smart programs, categorized into pressure cooking and non-pressure cooking modes.

- Time Display: Shows cooking time in HH:MM format. Counts up or down depending on the smart program.
- Pressure Fields: LEDs indicate if the pressure cooker is using high or low pressure during cooking.

- -/+ Buttons: Adjust time for cooking, Delay Start, and Warm settings.
- Temp Button: Pre-set cooking time or levels, depending on the smart program.
- Delay Time Button: Delays the start of cooking.
- Warm/Cancel Button: Turns the Keep Warm setting on/off. Cancels stops a smart program at any time.
- Start Button: Initiates the selected cooking mode.

12 Smart Programs:

The Quest 63009 offers 12 pre-set smart programs for various cooking needs:

- Pressure Cooking Modes: Soup/Broth, Meat/Stew, Steam, Beans/Tendon, Rice, Multigrain, Porridge.
- Non-Pressure Cooking Modes: Slow Cook, Sauté, Yogurt, Cake, Keep Warm.

Basic Operation Steps:

- 1. **Prepare Ingredients:** Add your ingredients and liquid to the inner pot according to your recipe. Do not exceed the MAX fill line.
- Close Lid: Place the lid on the cooker, aligning the arrow on the lid with the arrow on the base. Rotate the lid clockwise until it locks into place. Ensure the steam release valve is in the correct position (usually "Sealing" for pressure cooking).
- 3. **Select Program:** Press the desired smart program button (e.g., "Rice", "Meat/Stew"). The default cooking time will display.
- 4. **Adjust Settings (Optional):** Use the "+/-" buttons to adjust the cooking time or temperature (for programs like Sauté or Slow Cook) if needed. You can also use the "Delay Time" function to set a delayed start.
- 5. Start Cooking: Press the "Start" button. The cooker will begin preheating, and then the cooking cycle will start.
- 6. **Pressure Release:** Once cooking is complete, the cooker will beep. For pressure cooking, allow natural pressure release or use the quick release method by carefully turning the steam release valve to the "Venting" position. Exercise extreme caution as hot steam will be released.
- 7. **Open Lid:** Once all pressure is released (the float valve drops down), rotate the lid counter-clockwise and lift it away from you to avoid steam.
- 8. Serve: Carefully remove the inner pot and serve your meal.

MAINTENANCE AND CLEANING

Regular cleaning ensures the longevity and optimal performance of your pressure cooker.

Cleaning:

- · Always unplug the appliance and allow it to cool completely before cleaning.
- Inner Pot: The non-stick inner pot is dishwasher safe, but hand washing with warm, soapy water is recommended to preserve its coating.
- Lid: Wash the lid, sealing ring, and steam release valve with warm, soapy water. Ensure all food residue is removed from the sealing ring and valve. The sealing ring can be removed for thorough cleaning.
- Main Unit: Wipe the exterior of the main unit with a damp cloth. Do not use abrasive cleaners or scourers. Never
 immerse the main unit in water.
- · Accessories: Wash the measuring cup, spoon, and steel rack with warm, soapy water.
- Ensure all parts are completely dry before reassembling or storing.

Storage:

- Store the pressure cooker in a cool, dry place.
- For best results, place the lid upside down on the inner pot to prevent odors and allow air circulation.

TROUBLESHOOTING

If you encounter any issues with your Quest 63009 Electric Pressure Cooker, refer to the table below for common problems and solutions.

Problem	Possible Cause	Solution
Cooker not turning on.	Not plugged in; power outage; faulty outlet.	Check power cord connection; check circuit breaker; try a different outlet.
Lid won't close or lock.	Sealing ring not properly installed; inner pot not seated correctly; food obstructing lid.	Ensure sealing ring is flat; reposition inner pot; check for obstructions.
Steam leaking from lid during pressure cooking.	Sealing ring dirty or damaged; steam release valve not in "Sealing" position; lid not properly closed.	Clean or replace sealing ring; turn valve to "Sealing"; ensure lid is locked.
Food not cooking properly.	Insufficient liquid; incorrect program/time selected; power interruption.	Add more liquid; verify program settings; restart cooking if power was interrupted.
Error code displayed.	Specific internal issue.	Unplug the cooker, wait a few minutes, then plug back in. If the error persists, contact customer support.

If the problem persists after trying these solutions, please contact Quest customer support.

SPECIFICATIONS

Feature	Detail
Brand	Quest
Model Number	63009
Capacity	6 Litres
Power / Wattage	1000 Watts
Colour	Stainless Steel
Item Weight	4.2 kg
Product Dimensions	32D x 32W x 35H centimetres
Control Method	Touch
Controller Type	Push Button, Digital
Operation Mode	Both Manual and Automatic

Feature	Detail
Special Features	40-120°C Cooking Temperature, 12 Hour Timer, Keep Warm Setting, 12 Programmable Presets
Auto Shutoff	Yes

WARRANTY AND CUSTOMER SUPPORT

Quest Appliances are committed to providing high-quality products. All our products are certified to British safety and testing standards.

For any questions regarding your Quest 63009 Electric Pressure Cooker, including operational queries or technical support, please do not hesitate to contact our dedicated support team. You can reach us through our official Amazon page:

Visit the Quest Store on Amazon

Please have your model number (63009) and purchase details ready when contacting support.

© 2025 Quest Appliances. All rights reserved.

Related Documents - 63009



Quest Dehumidifier Care and Cleaning Guide: Maintenance & Troubleshooting

Keep your Quest dehumidifier running optimally with this comprehensive care and cleaning guide. It provides step-by-step instructions for various Quest dehumidifier models, filter recommendations (MERV-11, MERV-13), coil cleaning procedures, and essential maintenance tips for longevity and efficiency. Includes details for Quest 10 Series, Quest 5 Series (1st and 2nd Gen), and Quest 6 Series.



Quest 5L Slow Cooker User Manual and Safety Guide

Comprehensive guide to using and maintaining your Quest 5L Slow Cooker, including safety instructions, usage tips, and preparation advice for various foods.



Hoover Quest 600/700/800 App Configuration Guide


A step-by-step guide to configuring your Hoover Quest robot vacuum cleaner (models 600, 700, 800) via Bluetooth using the Hoover app.





Nocpix QUEST Thermal Imaging Binoculars Quick Start Guide

A quick start guide for the Nocpix QUEST series of thermal imaging binoculars, including models QUEST H50R, QUEST H35R, and QUEST L35R. This guide covers safety information, battery installation, button descriptions, menu functions, app usage, and specifications.



Quest Multi-Function Food Processor Instruction Manual

Instruction manual for the Quest Multi-Function Food Processor (Item No. 34800, Model HGM-420). Covers safety instructions, functions, usage guidelines, and troubleshooting.



Hoover Quest Robotic Vacuum Cleaner Instruction Manual

Comprehensive instruction manual for Hoover Quest 600, 700, and 800 Series robotic vacuum cleaners, covering setup, operation, maintenance, safety, and troubleshooting.

Documents - Quest - 63009



[pdf] User Manual Instructions Specifications

7KM Handbuch Manual SI EP EMS S IM 1 TI Siemens AG Document 11 déc 2022 — These operating instructions do not purport to cover all details or support industry siemens cs products 7km2200 2ea30 1ca1 pmd sentron MAN L1V30415167B 06 en US attachments 109746835 ||| ||| PAC2200 SENTRON 7KM Power Monitoring Device PAC2200 Equipment Manual Introduction 1 Description 2 Installation 3 Connection 4 Operation 5 Commissioning 6 Service and maintenance 7


PAC2200 SENTRON 7KM Power Monitoring Device PAC2200 Equipment Manual Introduction 1 Description ... dbus Offset Number of Name Unit registers 63003 2 Subnet mask - 63005 2 Gateway - 63007 2 **63009** 2 63135 2 63137 2 Bootloader version - Password protection ON/OFF MODBUS RTU ad- dress if RS... lang:en score:16 filesize: 4.12 M page count: 142 document date: 2022-12-09



StopTech High Performance Brake Systems Catalog 2018

Explore the 2018 StopTech catalog featuring high-performance brake upgrades including Big Brake Kits, AeroRotors, Sport Rotors, Performance Brake Pads, Axle Packs, and Stainless Steel Brake Lines for various vehicle makes and models. Discover StopTech's race-proven performance for street and track.

lang:en score:13 filesize: 7.71 M page_count: 624 document date: 2017-08-24



DENSO 2017 Radiator & Condenser Automotive Catalog

Comprehensive DENSO 2017 catalog featuring a wide range of radiators and condensers for domestic, European, and import vehicles, including detailed application information and service instructions.

lang:en score:10 filesize: 13.18 M page_count: 305 document date: 2017-04-21



[pdf] User Manual

PAC2200 Handbuch Manual L1V30415167A 04 SI LP SIN MT CI TI Siemens AG 35566d91e2ef160c68753c4c91d1f7174616c041 ma dca siem sentron PCA2200 it krannich media s3 amazonaws 3 5 6 \parallel

PAC2200 SENTRON Dispositivo di misura 7KM PAC2200 Manuale del prodotto Introduzione 1 Descrizio ... istri 63001 2 Indirizzo IP Unit - 63003 2 63005 2 Maschera di sottore- te Gateway - 63007 2 **63009** 2 63135 2 63137 2 Versione bootloader - Protezione con - password ON/OFF Indirizzo MODBUS...

lang:it score:10 filesize: 3.22 M page count: 142 document date: 2021-09-30