

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› [SKRT](#) /

› SKRT 3-Wheel Electric Mobility Scooter (Model B0DQYVPMYV) Instruction Manual

SKRT B0DQYVPMYV

SKRT 3-Wheel Electric Mobility Scooter Instruction Manual

Model: B0DQYVPMYV

1. INTRODUCTION

This manual provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your SKRT 3-Wheel Electric Mobility Scooter. Please read this manual thoroughly before using the scooter and retain it for future reference.

2. SAFETY INFORMATION

Your safety is paramount. Always operate the scooter with caution and adhere to all local traffic laws and regulations. Ensure you are familiar with all controls before operating the device.

- **Maximum Weight Capacity:** Do not exceed the maximum weight capacity of 300 lbs.
- **Braking:** Utilize the fast-acting drum brake system for quick and safe stops.
- **Stability:** The sturdy 3-wheel base and anti-dump rear wheel ensure balance and stability. Avoid sharp turns at high speeds.
- **Tires:** Three solid tires effectively resist punctures. Regularly inspect tires for wear.
- **Visibility:** Use the LED headlights for enhanced nighttime driving safety.
- **Battery:** Ensure the detachable lithium battery is securely attached and charged before use.

Legal Disclaimer: Statements regarding dietary supplements have not been evaluated by the FDA and are not intended to diagnose, treat, cure, or prevent any disease or health condition. This product is a mobility aid and should be used as intended.

3. SETUP AND ASSEMBLY

Your SKRT 3-Wheel Electric Mobility Scooter comes largely pre-assembled for ease of setup. Follow these steps to prepare your scooter for first use:

1. **Unboxing:** Carefully remove all components from the packaging.
2. **Handlebar Assembly:** Insert the handlebar into the main frame and secure it using the provided fasteners.
3. **Seat Installation:** Attach the seat to the mounting bar, ensuring it is firmly secured. Adjust the seat height to your comfort.
4. **Armrests:** Install the armrests onto the seat frame.
5. **Basket Attachment:** Secure the front basket to the handlebar column.
6. **Battery Installation:** Ensure the detachable lithium battery is correctly inserted into its compartment.

SOLVE THE TRAVEL PROBLEMS OF THE ELDERLY

SIZE



Image 1: Overview of the SKRT 3-Wheel Electric Mobility Scooter components, including the main body, seat, and basket.



COLLAPSIBLE



ADJUSTABLE SEAT



FRAME DETAILS

Minimalist design Durable and beautiful



ANTI-TIPPER WHEELS



FRONT DELUXE LIGHT

Image 2: Close-up of the scooter's frame details, highlighting the collapsible design, adjustable seat mechanism, anti-tipper wheels, and front deluxe light.

Setup Videos:

Your browser does not support the video tag.

Video 1: This video provides detailed instructions for the installation of an electric scooter, covering various assembly steps.

Your browser does not support the video tag.

Video 2: A customer shares their unboxing and easy setup experience for a mobility scooter, demonstrating the simplicity of getting started.

4. OPERATING INSTRUCTIONS

To operate your SKRT 3-Wheel Electric Mobility Scooter, ensure the battery is charged and securely attached. Adjust the seat and handlebar to a comfortable position. The scooter features user-friendly controls for a smooth ride.

- **Power On:** Insert the key into the ignition and turn it to the 'ON' position.
- **Speed Adjustment:** Use the speed dial to set your desired maximum speed. The scooter has a maximum speed of 3.72 MPH (6 km/h).
- **Forward/Reverse:** Use the responsive controls on the handlebar to move forward or engage the reverse button for effortless backing up.

- **Braking:** Apply the drum brake system by squeezing the brake lever on the handlebar to slow down or stop.
- **Turning:** The scooter offers a tight turning radius for excellent maneuverability in small spaces.
- **Horn and Lights:** Activate the horn for alerts and turn on the night lights (LED Headlights) when visibility is low.



Image 3: Demonstrates the reverse button for effortless backing and the tight turning radius, ideal for indoor spaces.



Anti-slip wheels

Climbing slopes without fear of tipping over



Climbing angle

Image 4: Highlights the anti-slip wheels for climbing slopes without tipping and the scooter's 8-degree climbing angle capability.



Image 5: Close-up of the bright LED headlights, emphasizing their role in enhancing nighttime driving safety.

5. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your SKRT 3-Wheel Electric Mobility Scooter.

- **Cleaning:** Clean the scooter regularly with a damp cloth. Avoid using harsh chemicals or excessive water.
- **Battery Care:** Charge the lithium-ion battery fully after each use. A full charge provides a range of up to 17 miles (27 km). Do not overcharge or completely drain the battery.
- **Tire Inspection:** Periodically check the solid tires for any signs of wear or damage.
- **Fasteners:** Ensure all bolts and fasteners are tight. Do not overtighten.

Charging Operation:

Your browser does not support the video tag.

Video 3: This video demonstrates the charging process for an electric scooter, showing how to connect the charger to the battery port.

6. TROUBLESHOOTING

If you encounter any issues with your scooter, refer to the following common troubleshooting tips:

- **Scooter Not Turning On:** Check if the key is fully inserted and turned to the 'ON' position. Ensure the battery is charged and properly connected.
- **Loss of Power:** The battery may be low. Recharge the battery.
- **Unusual Noises:** Inspect for any loose parts or obstructions around the wheels or motor. If the noise persists, contact customer support.
- **Brakes Not Responding:** Check the brake levers and cables for any damage or looseness. Do not operate the scooter if brakes are faulty.

7. SPECIFICATIONS

Feature	Specification
Max Weight Capacity	300 lb
Number of Wheels	3
Battery Type	Detachable Lithium Battery
Max Speed	3.72 MPH (6 km/h)
Range per Charge	Up to 17 miles (27 km)
Motor Power	300W Brushless Motor
Frame Material	Aluminum
Product Dimensions	44.09"D x 20.47"W x 36.81"H
Brake System	Drum Brake
Tire Type	Solid Tires
Special Features	Rotatable Seat, Foldable Handlebar, Horn, Night Lights

8. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation included with your purchase. If you require further assistance, technical support, or have questions not covered in this manual, please contact SKRT customer service through the retailer where you purchased the product.