



[Manuals.plus](#) /

> [EPXMKX](#) /

> EPXMKX 55-60 inch W x 76 inch H Soft Closing Sliding Frameless Shower Door Instruction Manual

EPXMKX 6070

EPXMKX 55-60 inch W x 76 inch H Soft Closing Sliding Frameless Shower Door Instruction Manual

Model: 6070 | Brand: EPXMKX

1. INTRODUCTION AND OVERVIEW

This manual provides detailed instructions for the installation, operation, and maintenance of your EPXMKX 55-60 inch W x 76 inch H Soft Closing Sliding Frameless Shower Door. Featuring water-repellent 5/16 inch (8mm) transparent glass with Nano Explosion-Proof Film, this shower door offers both safety and modern design. Please read all instructions carefully before beginning installation or use.



Image 1: The EPXMKX frameless shower door installed in a modern bathroom setting.

2. KEY FEATURES

- **Soft Closing System:** Equipped with high-quality dampers for exceptionally smooth and soft closing. This system reduces impact and noise, preventing damage and automatically closing the door with precision.
- **Nano Explosion-Proof Film Technology:** Constructed with 5/16 inch (8mm) transparent glass featuring a Nano explosion-proof film. This film prevents glass shards from scattering in case of breakage and provides splash-proof properties. The glass is easy to clean and stain-resistant.
- **Excellent Waterproof Performance:** Designed with top-notch materials and advanced construction techniques to ensure a watertight seal, preventing water from escaping the shower area onto the bathroom floor.
- **Durable Accessories:** All fittings are crafted from superior materials. The stainless steel top guide bar is corrosion-resistant and adjustable. Large 70mm solid stainless steel rollers ensure smooth, effortless, and quiet sliding. The stainless steel handle can also function as a towel rack. All stainless steel hardware resists rust, chipping, and scratching.




Image 2: Detail of the silent pulley and soft-closing mechanism.




Image 3: Illustration of the Nano Explosion-Proof Film technology on the glass.




Image 4: Detail of the waterproof seal and durable stainless steel components.



Image 5: Demonstration of the premium protective glass coating for easy cleaning.

3. SETUP AND INSTALLATION

Proper installation is crucial for the optimal performance and longevity of your shower door. This frameless shower door can be installed as either a left-opening or a right-opening door according to your needs. Ensure all measurements are accurate and the installation surface is level and secure.

3.1 Pre-Installation Checks

- Verify all parts are present and undamaged.
- Ensure the shower opening dimensions are within the specified range (55-60 inches W x 76 inches H).
- Confirm walls are plumb and level.

3.2 Installation Steps (General Overview)

1. **Measure and Mark:** Carefully measure the shower opening and mark the positions for the wall profiles and top guide bar.
2. **Install Wall Profiles:** Secure the wall profiles to the shower walls using appropriate fasteners. Ensure they are plumb.
3. **Assemble and Install Top Guide Bar:** Cut the stainless steel top guide bar to the required length ($D-1$ inch, where D is the total width). Assemble the rollers and secure the bar to the wall profiles.
4. **Install Fixed Glass Panel:** Carefully place the fixed glass panel into its designated position and secure it with the provided hardware.
5. **Install Sliding Glass Panel:** Attach the rollers to the sliding glass panel and hang it on the top guide bar.
6. **Install Bottom Guide:** Secure the bottom guide to the shower base to ensure smooth and stable sliding of the door.
7. **Install Handle:** Attach the stainless steel handle to the sliding door.
8. **Apply Seals:** Install all necessary seals to ensure a watertight enclosure.



Image 6: Product dimensions for installation planning.



Image 7: Reversible design for left or right wall installation.

3.3 Installation Video Guide

For a visual guide on the installation process, please refer to the official product video below. This video demonstrates key steps and considerations for a successful setup.

Video 1: Official EPXMKX Shower Doors installation guide. This video provides a step-by-step visual demonstration of how to install the shower door, including measuring, securing components, and fitting the glass panels.

4. OPERATING INSTRUCTIONS

To operate your EPXMKX sliding frameless shower door, simply grasp the stainless steel handle and slide the door gently. The soft-closing system will engage as the door approaches its closed position, ensuring a smooth and quiet finish without requiring full manual closure. The door is designed for effortless movement along the top guide bar.

5. MAINTENANCE

Regular maintenance will ensure the longevity and pristine appearance of your shower door.

5.1 Glass Cleaning

- Clean the glass regularly with a soft cloth and a non-abrasive glass cleaner.
- The Nano Explosion-Proof Film and protective coating make the glass effortless to clean and resistant to stains. For best results, wipe down the glass after each use to prevent water spots and soap scum buildup.
- Avoid using harsh chemicals, abrasive cleaners, or scouring pads, as these can damage the glass and its protective coating.

5.2 Hardware Maintenance

- Wipe down all stainless steel components (guide bar, rollers, handle) with a soft, damp cloth.
- The stainless steel construction is designed to resist rust, chipping, and scratching. For stubborn spots, use a mild, non-abrasive cleaner specifically designed for stainless steel.
- Periodically check the rollers and guide bar for any debris that might hinder smooth operation. Clean as necessary.

6. TROUBLESHOOTING

If you encounter any issues with your shower door, please refer to the following common troubleshooting tips:

- **Door not sliding smoothly:** Check the top guide bar and rollers for any obstructions or debris. Ensure the rollers are clean and properly aligned. Verify that the bottom guide is securely fastened and free of impediments.
- **Water leakage:** Inspect all seals around the fixed and sliding panels, as well as the bottom threshold. Ensure they are properly installed and free from damage. Re-apply silicone sealant if necessary in areas where water might be escaping.
- **Door not closing completely/soft-closing issue:** Check the soft-closing mechanism for any obstructions. Ensure the door is properly aligned on the track.
- **Glass appears loose or unstable:** Immediately cease use and re-check all mounting hardware for tightness. If the issue persists, contact customer support.

7. SPECIFICATIONS

Attribute	Specification
Brand	EPXMKX
Model Number	6070
Color	Brushed Gold
Material	Glass, Stainless Steel
Style	American
Item Weight	145 Pounds
Product Dimensions	0.3 x 60 x 76 inches (Glass thickness: 8mm)
Assembly Required	Yes
Included Components	Stainless Steel parts, Glass

8. WARRANTY AND SUPPORT

EPXMKX is committed to providing high-quality products and customer satisfaction. We have upgraded and strengthened the packaging of our shower doors to ensure they are delivered in perfect condition. While we strive for excellence, transportation can sometimes be challenging.

If you encounter any issues with the product upon receipt, or require assistance with installation or troubleshooting, please do not hesitate to contact us. We offer a 30-day easy return policy for your convenience. Our dedicated support team is ready to assist you.

For further assistance, please visit the [EPXMKX Bathroom Store](#) on Amazon.