

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [LUDOMIDE](#) /

› [LUDOMIDE 42-Inch Low Profile Ceiling Fan User Manual](#)

LUDOMIDE CFL-1212-02

LUDOMIDE 42-Inch Low Profile Ceiling Fan User Manual

Model: CFL-1212-02

[Safety](#) [Contents](#) [Setup](#) [Operation](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty & Support](#)

INTRODUCTION

Thank you for purchasing the LUDOMIDE 42-Inch Low Profile Ceiling Fan. This manual provides essential information for the safe installation, operation, and maintenance of your new ceiling fan. Please read it thoroughly before installation and keep it for future reference.

SAFETY INFORMATION

WARNING: To reduce the risk of fire, electric shock, or personal injury, always follow these instructions:

1. Ensure the installation site is structurally sound and can support the fan's weight.
2. All wiring must be in accordance with national and local electrical codes. Consult a qualified electrician if you are unsure.
3. Disconnect power at the circuit breaker before installation or servicing.
4. Do not operate the fan with damaged blades or housing.
5. Keep hands, clothing, and other objects away from rotating fan blades.
6. This fan is designed for indoor use only.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Ceiling Fan Motor Assembly
- Fan Blades (3)
- LED Light Kit

- Remote Control
- Wall Control Bracket
- Mounting Hardware Kit
- User Manual



Figure 1: Exploded view of fan components and dimensions (42 inches diameter, 7.7 inches height from ceiling to bottom of light, 7.9 inches height from ceiling to top of blade).

SETUP AND INSTALLATION

1. Pre-Installation

- Turn off power at the circuit breaker.
- Ensure the ceiling junction box is securely mounted and capable of supporting the fan's weight (8 lbs).
- Unpack all components and inspect for any damage.

2. Mounting the Fan

1. Attach the mounting bracket to the ceiling junction box using the provided screws.
2. Carefully lift the fan motor assembly and connect the wiring as per the electrical diagram (refer to the detailed wiring diagram in the separate installation guide).
3. Secure the fan motor assembly to the mounting bracket.

3. Attaching Blades and Light Kit

1. Attach the fan blades to the motor housing using the provided screws. Ensure they are securely fastened.
2. Connect the LED light kit wiring to the fan motor assembly's light connector.
3. Secure the light kit to the fan motor assembly.

OPERATING INSTRUCTIONS

Control Methods

Your LUDOMIDE ceiling fan offers three convenient control methods:

- **Remote Control:** Provides full functionality including fan speed, light control, and timer.
- **Wall Control:** Basic power on/off for the fan and light. Full functionality requires the remote or app.
- **APP Control:** Offers advanced features like scheduling, detailed fan speed control, and light customization.



Figure 2: Overview of the three control methods for the ceiling fan.

Fan Speed Settings

The fan features 6 adjustable wind speeds, allowing you to customize airflow for optimal comfort. The maximum speed is 250 RPM, delivering up to 2860 CFM.

CHOICE OF 6 WIND SPEED LEVELS


Choose from 6 wind speeds and natural air depending on your needs



Figure 3: Six wind speed levels for personalized comfort.

Reversible Motor (Summer/Winter Mode)

The DC reversible motor allows for year-round use. In summer mode (downdraft), the fan creates a cooling breeze. In winter mode (updraft), it circulates warm air trapped near the ceiling, helping to stabilize room temperature.



ROOM SIZE

10 ft. x 10 ft. - 15 ft. x 15 ft.




SUITABLE FOR

-  Bedroom
-  Dining Room
-  Living Room

Figure 4: Reversible motor function for seasonal comfort.

Smart Lighting Experience

The integrated LED light is dimmable from 10% to 100% brightness (up to 1600 LM) and offers three color temperatures: 3000K (warm white), 4500K (neutral white), and 6500K (cool white). The fan also includes a night light function for subtle illumination. The smart fan remembers your last light settings.



1600
Lumens

Stepless dimming

10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | 100%

3 light temperatures

3000K | 4500K | 6500K

Figure 5: Dimmable LED light with adjustable color temperature.

Quiet Operation and Timer

Designed for quiet performance, this fan operates at a maximum noise level of only 35 decibels, ensuring a peaceful environment. Timer settings are available: 2 hours via remote control, and 1/2/4/8 hours via the mobile app.

LOW NOISE AND TIMER SETTING

Protect your home from disruption



Figure 6: Quiet operation and convenient timer settings.

Official Product Videos

Your browser does not support the video tag.

Video 1: Demonstrates the features and smart controls of the LUDOMIDE Smart Ceiling Fan with Light.

Your browser does not support the video tag.

Video 2: Showcases the LUDOMIDE Indoor Ceiling Fan with Light in various settings and highlights its functionality.

MAINTENANCE

Cleaning

- Always turn off power at the circuit breaker before cleaning.
- Use a soft, damp cloth to clean the fan blades and motor housing. Do not use abrasive cleaners or solvents.
- Periodically check for loose screws or connections.

General Care

- No lubrication is needed for the motor.
- Ensure the fan is balanced to prevent wobbling. If wobbling occurs, check blade alignment and mounting.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Fan does not start	No power supply	Check circuit breaker and wall switch.
Fan wobbles	Loose blades or mounting hardware	Tighten all screws. Ensure blades are balanced.
Light does not work	Loose wiring or LED module issue	Check light kit connections. Contact customer support if LED module is faulty.
Remote control not working	Dead batteries or pairing issue	Replace batteries. Re-pair remote with fan (refer to specific pairing instructions in the full manual).

SPECIFICATIONS

Feature	Detail
Model Name	CFL-1212-02
Brand	LUDOMIDE
Size	42 inches
Color	White
Material	Acrylonitrile Butadiene Styrene, Iron, Plastic
Motor Type	DC Reversible Motor
Control Methods	Remote, Wall Control, App Control
Fan Speeds	6 speeds (up to 250 RPM, 2860 CFM)
Light Type	Dimmable LED
Brightness	10%-100% (up to 1600 LM)
Color Temperatures	3000K (Warm), 4500K (Neutral), 6500K (Cool)
Noise Level	Max 35 dB
Timer Settings	2H (Remote), 1/2/4/8H (App)
Product Dimensions	17 x 17 x 7 inches
Item Weight	8 Pounds
Recommended Room Size	10 ft. x 10 ft. to 15 ft. x 15 ft.

MODERN CEILING FAN

Formaldehyde-free, suitable for children, the elderly and newly renovated homes




Figure 7: Key features of the modern ceiling fan design.



Figure 8: Versatile application of the ceiling fan in different indoor spaces.

WARRANTY AND SUPPORT

LUDOMIDE provides a 24-month worry-free warranty for this ceiling fan. If you encounter any issues during installation or use, please contact our customer service team through Amazon. We are available 24/7 to assist you and ensure your satisfaction with our product.

For further assistance, please visit the [LUDOMIDE Store on Amazon](#).