

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› [BvenuBigLite](#) /

› BvenuBigLite 100 Inch Large Ceiling Fan with Light (Model WS-FPZ59) Instruction Manual

BvenuBigLite WS-FPZ59

BvenuBigLite 100 Inch Large Ceiling Fan with Light Instruction Manual

Model: WS-FPZ59

1. INTRODUCTION

This manual provides essential information for the safe installation, operation, and maintenance of your BvenuBigLite 100 Inch Large Ceiling Fan with Light, Model WS-FPZ59. This industrial-style ceiling fan is designed for efficient air circulation and lighting in large indoor and covered outdoor spaces. Please read these instructions thoroughly before installation and retain this manual for future reference.

2. SAFETY INFORMATION

To reduce the risk of electric shock, fire, or personal injury, always follow these basic safety precautions:

- Ensure the power is turned off at the circuit breaker before installation or servicing.
- All wiring must be in accordance with national and local electrical codes. Consult a qualified electrician if you are unsure about wiring procedures.
- The fan must be mounted to a structurally sound ceiling capable of supporting the fan's weight (approximately 31 lbs). Use an outlet box marked "Acceptable for Fan Support of 35 lbs (15.9 kg) or less."
- Maintain a minimum clearance of 7 feet from the floor to the bottom edge of the fan blades.
- Do not operate the fan with damaged blades or housing.
- Avoid placing objects in the path of the fan blades.
- This fan is damp-rated, suitable for covered outdoor areas. Avoid direct exposure to rain or excessive moisture.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Ceiling Fan Motor Housing
- 8 Aluminum Blades
- 24W LED Light Kit
- Downrods (5-inch, 10-inch, 24-inch options)
- Remote Control with Wall Bracket

- Mounting Hardware
- Instruction Manual

4. SETUP AND INSTALLATION

Proper installation is crucial for the safe and efficient operation of your ceiling fan. If you are not confident in performing the installation, consult a qualified electrician.

4.1 Pre-Installation Checks

- **Power Off:** Ensure power is disconnected at the main circuit breaker.
- **Mounting Location:** Confirm the ceiling joist or support structure can hold the fan's weight. Sloped mounting is not recommended for optimal performance.
- **Blade Direction:** Before final installation, verify the blade direction. The side of the fan blade with the raised aluminum strip should face the ceiling for proper airflow.
- **Motor Condition:** Inspect the motor for any signs of damage that may have occurred during transport.

4.2 Assembly Steps

1. Attach the mounting bracket to the ceiling outlet box.
2. Select the appropriate downrod length (5, 10, or 24 inches) for your ceiling height and attach it to the motor housing.
3. Carefully lift the fan assembly and hang it from the mounting bracket.
4. Connect the electrical wiring according to the provided wiring diagram in the printed manual.
5. Secure the fan canopy to the mounting bracket.
6. Attach the 8 aluminum blades to the motor housing, ensuring correct orientation.
7. Install the 24W LED light kit.

For a detailed visual guide, please refer to the installation video available on the product's online listing.



Image: The BvenuBigLite 100 Inch Large Ceiling Fan with Light, shown installed on a covered patio, demonstrating its scale and design. Includes the remote control and various downrod lengths.

100 Inch Large Ceiling Fan



Product Details



High efficiency DC motor



Bright 24W LED



Durable aluminum blade

Image: A detailed diagram illustrating the 100-inch diameter of the ceiling fan, its height with different downrod options (13.2", 18.2", 32.2"), and close-ups of the high-efficiency DC motor, bright 24W LED light, and durable aluminum blades.

Customizable Downrod Length



Image: An illustration demonstrating the three customizable downrod lengths (5-inch, 10-inch, 24-inch) provided with the fan,

showing how they suit different installation scenarios in various room types.

5. OPERATING INSTRUCTIONS

Your BvenuBigLite ceiling fan is controlled by a remote for convenience. Ensure the remote has working batteries (2*AAA 1.5V, not included).

5.1 Remote Control Functions

- **Light ON/OFF:** Toggles the integrated LED light.
- **ALL ON/OFF:** Turns both fan and light on or off.
- **Fan Speed (1-6):** Adjusts fan speed from low (1) to high (6).
- **Natural Wind:** Activates a mode that simulates natural breeze by varying fan speed.
- **Reversible:** Changes the direction of blade rotation for Summer or Winter mode.
- **Timer (1H/4H/8H):** Sets the fan to turn off automatically after 1, 4, or 8 hours.
- **Light Color Temperature:** Cycles through 3000K (Warm White), 4500K (Natural White), and 6500K (Cool White).




Image: A visual representation of the remote control, detailing each button's function for controlling the fan speed, light, timer, and reversible mode. A wall bracket for the remote is also shown.

5.2 Fan Modes

- **Summer Mode (Downward Airflow):** Blades rotate counter-clockwise, pushing air downwards to create a cooling effect.
- **Winter Mode (Upward Airflow):** Blades rotate clockwise, drawing air upwards to circulate warm air trapped near the ceiling.

Reversible DC Motor

All-year-round applications, not just for summer




Image: A diagram showing the reversible DC motor function, with blue arrows indicating downward airflow for Summer Mode (cooling) and orange arrows indicating upward airflow for Winter Mode (air circulation).

5.3 Light Settings

The integrated LED light offers three color temperature options to suit different environments and preferences:

- **3000K:** Warm White, ideal for a cozy atmosphere.
- **4500K:** Natural White, suitable for general illumination.
- **6500K:** Cool White, for bright, task-oriented lighting.

3 Color Temperature

Adapt to your needs in different scenarios



 Color Temperature Changeable

3000K

4500K

6500K

Image: An illustration demonstrating the three adjustable color temperatures of the LED light: 3000K (Warm White), 4500K (Natural White), and 6500K (Cool White), showing how they appear in a room setting.

6. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your ceiling fan.

- **Cleaning:** Periodically clean the fan blades and motor housing with a soft, damp cloth. Do not use abrasive cleaners or solvents. Ensure power is off before cleaning.
- **Blade Balance:** If the fan wobbles, check that all blade screws are tight and that the blades are evenly balanced. Balancing kits are available if needed.
- **Light Source:** The integrated LED light is designed for long life. If replacement is ever needed, contact customer support for guidance.

7. TROUBLESHOOTING

Before contacting customer service, review these common issues and solutions:

Problem	Possible Cause	Solution
Fan does not start	No power; loose wiring; remote control issue.	Check circuit breaker. Ensure all connections are secure. Replace remote batteries.
Insufficient airflow	Incorrect blade direction; motor performance issue.	Verify blade direction (raised aluminum strip should face ceiling). Contact customer service if motor performance is suspected.
Fan wobbles	Loose blades; unbalanced blades; loose mounting.	Tighten all blade screws. Use a blade balancing kit. Ensure mounting bracket is securely fastened.
Light does not work	Loose wiring; LED driver issue.	Check light kit wiring connections. Contact customer service for LED driver issues.
Remote not responding	Dead batteries; signal interference.	Replace remote batteries. Ensure no obstructions between remote and fan receiver.

8. SPECIFICATIONS

Feature	Detail
Brand	BvenuBigLite
Model Number	WS-FPZ59
Color	Black
Fan Design	Ceiling Fan
Power Source	DC
Product Dimensions	100"D x 100"W x 13.2"H (with 5" downrod)
Room Type Compatibility	Barn, Warehouse, Farmhouse, Market, Covered Outdoor/Patio/Backyard/Sunroom/Greenhouse, Garage, Shop, Workshop, Office, Gym, Basement, School, Library, Indoor, Living Room, Porch, Gazebo
Special Features	5/10/24 Inches Downrods, 8 Aluminum Blades, 6 Wind Speeds, 1/4/8 Hours Timer, Fan & Light Separately Control, Reversible, Wall Bracket Included
Noise Level	35 dB
Wattage	60 watts (Fan), 24W (LED Light)
Number of Blades	8
Blade Length	45.67 Inches
Voltage	120 Volts
Switch Type	Remote
Item Weight	31.02 Pounds
Indoor/Outdoor Usage	Indoor, Outdoor (Covered)
Certification	ETL

Feature	Detail
Number of Power Levels	6

9. WARRANTY AND SUPPORT

BvenuBigLite is committed to providing excellent customer service and product support.

9.1 Warranty Information

Your BvenuBigLite 100 Inch Large Ceiling Fan with Light comes with a **5-YEAR after-sales service**. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for warranty claims.



Image: A graphic highlighting BvenuBigLite's commitment to professional after-sales support, 24-hour customer care, and a 5-year after-sales support period.

9.2 Customer Support

For any questions, installation assistance, troubleshooting not covered in this manual, or warranty claims, please contact BvenuBigLite customer service. Our comprehensive, color-printed manual includes our contact details (phone and email) for your convenience. We are dedicated to providing prompt and helpful solutions.

Seller: BvenuBigLite Ceiling Fan