

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [ULANZI](#) /

› [ULANZI LM19 Magnetic Selfie Light and Phone Stand User Manual](#)

## ULANZI LM19

# ULANZI LM19 Magnetic Selfie Light and Phone Stand User Manual

Model: LM19

## 1. INTRODUCTION

Thank you for purchasing the ULANZI LM19 Magnetic Selfie Light and Phone Stand. This device is designed to enhance your mobile photography and videography with versatile lighting and convenient phone support. Please read this manual carefully before use to ensure proper operation and to maximize the product's lifespan. Keep this manual for future reference.

## Safety Information

- Do not expose the device to water or excessive moisture.
- Avoid dropping or subjecting the device to strong impacts.
- Do not attempt to disassemble or repair the device yourself. Contact authorized service personnel.
- Keep out of reach of children.
- Use only the provided or certified Type-C charging cable.

## 2. PACKAGE CONTENTS

- ULANZI LM19 Magnetic Selfie Light and Phone Stand
- Type-C Charging Cable
- Adhesive Metal Ring (for non-MagSafe devices)
- User Manual

## 3. PRODUCT OVERVIEW

The ULANZI LM19 combines a powerful magnetic fill light with a flexible phone stand, offering portability and versatility for content creation.



**Figure 3.1:** Ulanzi LM19 Magnetic Selfie Light and Phone Stand. This image displays the device in its open configuration, attached to a smartphone, highlighting its dual functionality as a light and a stand.

## Key Components

- **Magnetic Base:** Attaches securely to MagSafe compatible devices or via the adhesive metal ring.
- **LED Light Panel:** Provides adjustable illumination.
- **Hinge Mechanism:** Allows the light panel to flip and rotate.
- **Control Wheel:** Adjusts color temperature and brightness.
- **Type-C Charging Port:** For recharging the internal battery.

# Easy-to-Use

With a magnetic design, this light can be attached to iron metal surfaces for flexible scene changes.



**Figure 3.2:** Easy Magnetic Attachment. This image illustrates the simple magnetic attachment process of the LM19 to a smartphone, emphasizing its quick and secure connection.

## 4. SETUP

### Attaching to MagSafe Compatible Devices

1. Ensure your smartphone is MagSafe compatible (iPhone 12 series or newer) or has a MagSafe compatible case.
2. Align the magnetic base of the ULANZI LM19 with the MagSafe area on the back of your phone.
3. The device will snap into place securely.

# Strong MagSafe Adsorption

Easy to install and remove it with only one hand.



For iPhone 15 / 14 / 13 / 12 series



Case for MagSafe

**Figure 4.1:** Strong MagSafe Adsorption. This image demonstrates the secure magnetic attachment of the LM19 to various iPhone models, highlighting its compatibility and stability.

## Attaching to Non-MagSafe Devices (Using Adhesive Metal Ring)

1. Clean the back surface of your smartphone or phone case thoroughly.
2. Peel off the protective film from the adhesive metal ring.
3. Carefully center and press the metal ring onto the desired attachment area on your phone or case. Ensure it is firmly adhered.
4. Allow the adhesive to set for a few hours before attaching the LM19.
5. Once the ring is secure, you can attach the ULANZI LM19 magnetically to the metal ring.

## 5. OPERATING INSTRUCTIONS


### Power On/Off

Locate the power button on the side of the device. Press and hold the power button for approximately 2 seconds to turn the light on or off.

## Adjusting Light Settings

The ULANZI LM19 features a control wheel for adjusting both color temperature and brightness.

- **Color Temperature:** Rotate the control wheel to cycle through color temperatures from 2500K (warm light) to 8500K (cool light).
- **Brightness:** Press the control wheel once to switch to brightness adjustment mode. Rotate the wheel to adjust brightness from 10% to 100%. Press again to switch back to color temperature adjustment.



**Figure 5.1:** 3 Color Mode and Brightness Adjustment. This image illustrates the range of adjustable color temperatures (2500K-8500K) and brightness levels (0-100%) available on the LM19, demonstrating its versatile lighting capabilities.

# Soft Light Enhances Your Natural Beauty



CRI

≥95

**Figure 5.2:** Soft Light Enhancement. This image shows the LM19 providing soft, flattering light for a subject, emphasizing its high CRI (Color Rendering Index) of  $\geq 95$  for natural illumination.

## Reversible Design (Flip Function)

The LM19 features a flexible hinge that allows the light panel to flip over 180 degrees. This enables you to quickly switch between front-facing (selfie) lighting and rear-facing (background or main subject) lighting. Simply pull the light panel away from the magnetic base and rotate it to the desired angle.

# Flip Design

Flexible flip design helps find the perfect angle for better photos.



**Figure 5.3:** Flip Design. This image demonstrates the flexible hinge mechanism of the LM19, allowing the light to be flipped over 180 degrees to achieve various lighting angles for photos and videos.

## Phone Stand Function

When not in use as a light, the ULANZI LM19 can be folded and positioned to serve as a convenient phone stand. Attach the device to your phone, then adjust the hinge to prop your phone up in either portrait or landscape orientation for hands-free viewing.

# Also A Phone Stand

You can also use the light as a phone stand for binge watching completely hands free.



**Figure 5.4:** Also A Phone Stand. This image illustrates the LM19 functioning as a phone stand, supporting a smartphone in both vertical and horizontal orientations for hands-free viewing.

## 6. CHARGING

The ULANZI LM19 has a built-in 400 mAh rechargeable battery.

1. Connect the provided Type-C charging cable to the charging port on the device.
2. Connect the other end of the cable to a USB power source (e.g., wall adapter, computer USB port, power bank).
3. The charging indicator light will illuminate during charging and turn off when fully charged.

A full charge provides approximately 1.5 hours of use at maximum brightness and up to 8 hours at minimum brightness.

## 7. MAINTENANCE

- **Cleaning:** Use a soft, dry cloth to wipe the surface of the device. Do not use harsh chemicals or abrasive materials.
- **Storage:** Store the device in a cool, dry place away from direct sunlight and extreme temperatures.
- **Battery Care:** To prolong battery life, avoid fully discharging the battery frequently. Recharge the device regularly, even if not in use for extended periods.

## 8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Device does not turn on.	Battery is depleted.	Charge the device using the provided Type-C cable.
Light output is weak or inconsistent.	Low battery. Incorrect brightness setting.	Recharge the device. Adjust brightness using the control wheel.
Magnetic attachment is not strong.	Not a MagSafe compatible device/case. Incorrect placement of metal ring.	Ensure your device/case is MagSafe compatible. If using the metal ring, ensure it is properly adhered and centered.
Device not charging.	Faulty cable or power source.	Try a different Type-C cable or USB power adapter. Ensure the cable is fully inserted.

## 9. SPECIFICATIONS

- **Model:** LM19
- **Brand:** ULANZI
- **Color Temperature Range:** 2500K - 8500K
- **Brightness Adjustment:** 10% - 100% (Stepless)
- **Color Rendering Index (CRI):** ≥95
- **Lighting Angle:** 120°
- **Battery Capacity:** 400 mAh
- **Max Brightness Runtime:** Approx. 1.5 hours
- **Min Brightness Runtime:** Approx. 8 hours
- **Charging Port:** Type-C
- **Compatible Devices:** Smartphones (MagSafe compatible or with adhesive metal ring)

## 10. WARRANTY AND SUPPORT

---

ULANZI products are designed and manufactured to the highest quality standards. For warranty information, technical support, or service inquiries, please refer to the warranty card included with your purchase or visit the official Ulanzi website. Please retain your proof of purchase for warranty claims.

For further assistance, you may contact Ulanzi customer support through their official channels.