

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- > [domi outdoor living](#) /
- > [Domi 12x14FT Hardtop Gazebo Instruction Manual](#)

domi outdoor living LGMF1670-G-DF-US

Domi 12x14FT Hardtop Gazebo Instruction Manual

Model: LGMF1670-G-DF-US

INTRODUCTION

Thank you for choosing the Domi 12x14FT Hardtop Gazebo. This manual provides essential information for the safe assembly, operation, and maintenance of your new outdoor structure. Please read all instructions carefully before beginning assembly and retain this manual for future reference.



The Domi 12x14FT Hardtop Gazebo, featuring a galvanized steel double roof and integrated drainage system.

SAFETY INFORMATION

- Always assemble this gazebo on a flat, stable surface.
- Secure the gazebo to the ground using the provided anchors or weights to prevent it from tipping over in windy conditions.
- Exercise caution during assembly and disassembly, ensuring children and pets are kept at a safe distance.
- Do not use the gazebo in winds exceeding 40 MPH.
- Regularly inspect all connections and components for tightness and wear.
- Clear snow accumulation from the roof to prevent structural damage.

PRODUCT OVERVIEW AND FEATURES

The Domi Hardtop Gazebo is designed to enhance your outdoor living space with durability and functionality. Key features

include:


- **Ventilated Double Roof:** Promotes airflow, keeping the space comfortable.
- **Galvanized Steel Frame:** Resistant to fading, rust, and corrosion, ensuring long-lasting stability. Features 3.9-inch thick posts and a wind rating of up to 40 MPH.
- **Efficient Water Drainage System:** Sloped roof design ensures quick and safe rainwater drainage, preventing buildup.
- **Integrated Netting & Curtains:** Removable netting keeps insects out, while privacy curtains offer a cozy atmosphere.
- **Ceiling Hooks:** Three "J" hooks are included for hanging lights, fans, or decorations.
- **Spacious Design:** Provides 168 square feet of covered area, suitable for various outdoor activities.

Enhanced Metal Steel Frame

Much bigger and stronger 3.9"x3.9" triangular metal steel stand pole



Gray Powder-Coated



The ventilated double roof design allows for optimal airflow, enhancing comfort.



160G/M2 PU Coated Polyester Curtain Colorfast & Waterproof

Domi's wider columns provide enhanced stability compared to other designs.



Extra support and longevity are provided by the 5.9-inch reinforced beam.

SETUP INSTRUCTIONS


Assembly of the Domi Hardtop Gazebo requires careful attention to detail and patience. It is recommended to have at least two people for assembly. Ensure all parts are accounted for before beginning.

1. **Preparation:** Choose a flat, stable, and level surface for assembly. Clear the area of any debris or obstacles. Unpack all components and verify against the parts list in your detailed manual.
2. **Frame Assembly:** Begin by assembling the main support posts and horizontal beams. Do not fully tighten bolts until all frame components are correctly aligned.
3. **Roof Panel Installation:** Carefully install the roof panels, ensuring they are properly seated and secured. Pay close attention to alignment to prevent leaks.
4. **Base Securing:** Once the main structure is complete, secure the gazebo to the ground using appropriate anchors or weights. Pre-drilled base holes simplify this step.
5. **Curtain and Netting Installation:** Attach the netting and privacy curtains to the double track system.

Note: Some users have found the roof panel installation to be the most challenging step. Ensure all components are loosely fitted before final tightening to allow for adjustments.

Your browser does not support the video tag.

Video demonstrating the assembly process for a Domi Outdoor Gazebo. This video provides a visual guide to assist with setup.



The watertight base cover blocks rain and prevents rust, enhancing the gazebo's appearance and longevity.

OPERATING INSTRUCTIONS


- Curtains and Netting:** The gazebo features a double track system for both insect netting and privacy curtains. These can be opened, semi-closed, or fully closed as desired. Use the included ties to secure curtains when open.
- Ventilation:** The double-tiered roof design allows for continuous airflow. Ensure no obstructions block the upper vent for optimal ventilation.
- Drainage:** The sloped roof and integrated gutter system are designed to direct rainwater away. Periodically check gutters for debris to ensure efficient drainage.
- Ceiling Hooks:** Utilize the three "J" shaped hooks on the roof for hanging lightweight items such as decorative lights or small fans.

Your browser does not support the video tag.

A short video demonstrating the functionality of the bug net and privacy curtains.



The removable curtains and nettings offer versatile options for privacy and insect protection.



Three ceiling hooks are provided for hanging lights, fans, or other decorations, along with seamless one-piece mesh for mosquito protection.

MAINTENANCE

- **Cleaning:** Clean the metal frame with a mild soap and water solution. Rinse thoroughly and dry to prevent water spots. The roof panels can also be cleaned with a soft brush and water.
- **Fabric Care:** The curtains and netting are made from 160G/M2 PU Coated Polyester, which is colorfast and waterproof. They can be spot cleaned with mild soap and water. For deeper cleaning, remove and hand wash, then air dry.
- **Seasonal Care:** In areas with heavy snowfall, it is recommended to clear snow from the roof to prevent excessive weight and potential damage. During extreme weather conditions (e.g., high winds, heavy storms), consider removing curtains and netting to prevent damage.
- **Hardware Check:** Periodically check all bolts and screws to ensure they remain tight. Tighten any loose connections to maintain structural integrity.



The sloped roof and water gutter design ensure efficient drainage, preventing water buildup.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Roof panels do not align or fit properly.	Frame not perfectly square; bolts overtightened prematurely.	Ensure all frame connections are loosely fitted during initial assembly. Adjust frame to be perfectly square before tightening all bolts.
Water leakage from the roof.	Roof panels not properly sealed or aligned; ridge panel bolts overtightened.	Check roof panel alignment and ensure all seals are intact. Avoid overtightening ridge panel bolts. Apply a silicone sealant if necessary.
Gazebo feels unstable or wobbly.	Not properly anchored; loose connections.	Ensure the gazebo is securely anchored to the ground. Check and tighten all bolts and screws.
Curtains or netting snagging on tracks.	Debris in tracks; damaged runners.	Clean tracks regularly. Inspect runners for damage and replace if necessary.

SPECIFICATIONS

Brand: Domi Outdoor Living

Model Number: LGMF1670-G-DF-US

Product Dimensions: 166.69"L x 142.76"W x 120.92"H (approximately 12'x14')

Floor Area: 168 Square Feet

Material: Alloy Steel, Metal (Galvanized Steel)

Frame Material: Metal

Item Weight: 453 Pounds

Color: Dark Gray

Water Resistance Level: Water Resistant

Ultraviolet Light Protection: UV Resistant

Assembly Required: Yes



Detailed dimensions of the Domi Gazebo for planning and installation.

WARRANTY AND SUPPORT

Domi Outdoor Living is committed to providing quality products and customer satisfaction.

- **After-sales Service:** This product comes with a 5-year after-sales service.
- **Technical Support:** 24-hour team support is available for any questions or assistance you may need.
- For specific warranty details or to contact support, please refer to the contact information provided with your purchase or visit the official Domi Outdoor Living website.