



Manuals.plus /

› TrustCell /

› TrustCell 618.010.004 Replacement Battery User Manual for Soehnle Scales 7722, 7741, 7742, 7743

## TrustCell CS-SHC774SL

# TrustCell 618.010.004 Replacement Battery User Manual

For Soehnle Scale Models 7722, 7741, 7742, 7743

## 1. INTRODUCTION

---

Welcome to the user manual for your TrustCell 618.010.004 replacement battery. This manual provides essential information for the safe and effective use of your new battery, ensuring optimal performance with compatible Soehnle scales.

## 2. PRODUCT OVERVIEW

---

This replacement battery is designed to provide reliable power for compatible Soehnle scales. It features robust construction and protective circuits for enhanced durability.

- Battery Part Number: **618.010.004**
- Battery Type: **Ni-MH**
- Capacity: **1600mAh**
- Voltage: **7.2V**
- Energy Rate: **11.52Wh**
- Model Number: **CS-SHC774SL**



Image showing the TrustCell 618.010.004 Ni-MH replacement battery, a green cylindrical battery pack with positive and negative terminals visible.

### 3. COMPATIBILITY

---

This battery is compatible with the following Soehnle scale models:

- Soehnle Scale 7722
- Soehnle Scale 7741
- Soehnle Scale 7742
- Soehnle Scale 7743

*Before installation, verify that the part number 618.010.004 matches your original battery.*



Image depicting the TrustCell replacement battery alongside two different Soehnle scales, illustrating its intended use.

## 4. SETUP AND INSTALLATION

---

Follow these steps to safely install your new battery:

1. **Preparation:** Ensure your device is powered off and disconnected from any power source before attempting battery replacement.
2. **Locate Battery Compartment:** Refer to your Soehnle scale's original manual to locate and open the battery compartment.
3. **Remove Old Battery:** Carefully disconnect and remove the old battery.
4. **Install New Battery:** Insert the TrustCell replacement battery, ensuring the connector is properly and securely attached to your device.
5. **Close Compartment:** Securely close the battery compartment.



Image showing the TrustCell replacement battery with clear markings for positive (+) and negative (-) terminals on the ends.

## 5. OPERATING INSTRUCTIONS

---

For optimal performance and longevity of your battery, adhere to the following guidelines:

- **Initial Charge:** A new battery will achieve its best performance after 2 or 3 complete cycles of charge and discharge. Fully charge the battery before its first use.
- **Charging:** Use only the original or a high-quality, compatible charger designed for your Soehnle scale. Using low-quality third-party chargers can shorten the battery's life.
- **Discharge Cycles:** For the first few cycles, allow the battery to fully discharge before recharging to condition it properly.

## 6. MAINTENANCE AND CARE

---

Proper maintenance extends the life of your battery:

- **Storage:** If storing the battery for an extended period, keep it in a cool, dry place. Avoid extreme temperatures.
- **Cleaning:** Keep battery contacts clean and free from dust or debris.
- **Regular Use:** For best battery health, avoid leaving the battery fully discharged or fully charged for very long periods.

*This battery is designed with over-charge, over-discharge, over-voltage, and short-circuit protection for enhanced durability and safety.*

## 7. SAFETY PRECAUTIONS

---

**WARNING: Failure to follow these safety instructions could result in fire, electric shock, injury, or damage to the product or property.**

- **Do Not Disassemble:** Never attempt to disassemble the battery pack.

- **Avoid Fire/Water:** Do not dispose of the battery in fire or water.
- **Temperature Limits:** Do not store the battery above 60 °C (140 °F).
- **Impact:** Avoid dropping or subjecting the battery to strong impacts.
- **Short Circuit:** Do not short-circuit the battery terminals.
- **Children:** Keep batteries out of reach of children.

## 8. TROUBLESHOOTING

---

If you encounter issues with your battery, refer to the following common problems and solutions:

### Battery Not Charging

- Ensure the battery is correctly installed and the connector is secure.
- Verify the charger is functioning correctly and is compatible with your scale.
- Check for any visible damage to the battery or charger.

### Short Battery Life

- Ensure the battery has completed 2-3 full charge/discharge cycles for optimal performance.
- Avoid using low-quality third-party chargers.
- Check if the device itself has high power consumption or other issues.

If issues persist after following these steps, please contact customer support for further assistance.

## 9. TECHNICAL SPECIFICATIONS

---


Feature	Detail
Model Number	CS-SHC774SL
Part Number	618.010.004
Battery Type	Ni-MH
Capacity	1600mAh
Voltage	7.2V
Energy Rate	11.52Wh
Dimensions	145.80 x 28.70 x 14.40mm (approx.)
Weight	194.0g (approx.)
Certifications	ISO9001, RoHS, CE, UN38.3, MSDS
Manufacturer	TrustCell
Compatible Devices	Soehnle Scale 7722, 7741, 7742, 7743





Made In China

Model No.: CS-SHC774SL  
Part No.: 618.010.004  
Rating: 7.2VDC = 1600mAh/41.52Wh



Close-up image of the TrustCell replacement battery showing the model number CS-SHC774SL and specifications printed on the label.

## 10. WARRANTY AND SUPPORT

---

TrustCell provides a **1-year refund or replacement warranty** for this product, ensuring your satisfaction and peace of mind.

For any questions, concerns, or support needs, please contact our customer service team. We aim to reply within 24 hours to assist you promptly.

**Contact:** Refer to your purchase platform or the manufacturer's website for specific contact details.