

BELLAIRON MX-ID-5

BELLAIRON MX-ID-5 Automatic Hot Air Garment Dryer & Iron User Manual

Model: MX-ID-5 | Brand: BELLAIRON

1. INTRODUCTION

The BELLAIRON MX-ID-5 Automatic Hot Air Garment Dryer & Iron is designed to simplify your garment care routine by automatically drying and smoothing clothes using controlled hot air. This hands-free system eliminates the need for traditional ironing boards and irons, providing wrinkle-free results for various fabrics.



Figure 1: The BELLAIRON Automatic Hot Air Garment Dryer & Iron in operation.

2. SAFETY INFORMATION

- Read all instructions before using the appliance.
- Do not immerse the main unit in water or other liquids.
- Ensure the appliance is placed on a stable, level surface.
- Keep away from children and pets.

- Do not operate with a damaged cord or plug.
- Use only the accessories provided by the manufacturer.
- Unplug the appliance when not in use and before cleaning.
- Allow the appliance to cool down completely before storing.
- Only the 160°F setting is designed for ironing. Lower temperatures are for gentle drying only.

3. WHAT'S IN THE BOX

- Shirt Ironing Machine (Main Unit)
- Base Stand
- Pants accessory
- Hats & shoes accessory

4. SETUP INSTRUCTIONS

4.1 Assembling the Main Unit and Rods

1. Insert the two lower rods firmly into the designated slots on the main unit. Ensure they are securely seated to prevent shaking.
2. Insert the telescopic rods into the lower rods. Press firmly until they are fully inserted.
3. Adjust the height of the telescopic rods by loosening the adjustment knob, extending the rod, and then tightening the knob. A good starting point is approximately 10 cm (4 inches) extension.
4. Assemble the top hanger by connecting the two parts.
5. Position the assembled hanger onto the telescopic rods by lowering it into the holes at the top.

Your browser does not support the video tag.

Video 1: Detailed instructions on how to disassemble and assemble the main unit and rods.

Your browser does not support the video tag.

Video 2: Quick and easy assembly guide for the automatic ironing machine.

4.2 Attaching the Shirt Balloon

6. Carefully pull the shirt balloon down over the entire rod and hanger setup.
7. Position the elastic band at the bottom of the shirt balloon over the black edge of the main unit, ensuring a complete seal around its circumference.
8. Adjust the size of the shirt balloon using the four zippers (two on each side). Opening the zippers widens the balloon, increasing the tension on the garment for better wrinkle removal. Experiment to find the optimal fit for your specific garment size.

Hands-Free Convenience



Set time & temperature



Auto shut-off safety



**Load → Press Start
→ Walk away**



Figure 2: Damp-to-Dry Technology - Steps for preparing and placing a garment.

Your browser does not support the video tag.

Video 3: Step-by-step setup and tips for using the BellaIron.

5. OPERATING INSTRUCTIONS

5.1 For Shirts and Blouses

1. Ensure the garment is damp. For best results, use a shirt fresh from the washer or thoroughly sprayed with water. Dry shirts will not yield effective wrinkle removal.
2. Place the damp shirt over the shirt balloon, ensuring the collar is properly aligned and the sleeves are straightened.
3. Attach the four provided weights to the bottom hem of the shirt to keep it pulled down and stretched during the drying process. Ensure front and back weights are used.
4. Select the desired temperature setting. For ironing, use the 160°F setting. For gentle drying only, use lower temperatures.
5. Set the timer (recommended 8-15 minutes, depending on fabric thickness and moisture level).
6. Press the start button. The machine will inflate the shirt balloon and begin the hot air drying and smoothing

process.



Figure 3: Shirt on the Bellairon, ready for hands-free ironing.

Your browser does not support the video tag.

Video 4: Demonstration of the automatic ironing machine in action.

5.2 For Pants

7. Remove the shirt balloon and attach the pants accessory to the main unit.
8. Place damp pants over the accessory, ensuring the legs are straightened.
9. Secure the pant legs with the provided weights.
10. Select the desired temperature and time, then start the machine.



Figure 4: Bellairon with the pants accessory.

5.3 For Hats and Shoes

10. Remove the pants accessory and attach the hats & shoes accessory to the main unit.
11. Place hats or shoes onto the accessory.
12. Select the desired temperature and time, then start the machine.



Figure 5: Bellairon with the shoe accessory.



Figure 6: Bellairon with the hat accessory.

6. MAINTENANCE

- **Cleaning:** Wipe the main unit with a soft, damp cloth. Do not use abrasive cleaners. The fabric accessories (shirt balloon, pants cover) can be hand-washed and air-dried.
- **Storage:** Disassemble the unit and store all components in their original packaging or a designated storage area to protect them from dust and damage.

Your browser does not support the video tag.

Video 5: Instructions for disassembling the machine for cleaning or storage.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Garment still wrinkled	Garment was too dry; incorrect temperature/time setting; improper garment placement.	Ensure garment is damp. Use 160°F for ironing. Adjust time based on fabric. Ensure garment is stretched properly with weights.
Machine not turning on	Not plugged in; power outage.	Check power connection. Ensure outlet is functional.

Problem	Possible Cause	Solution
Garment not drying evenly	Improper garment placement; uneven dampness.	Ensure garment is evenly damp and properly stretched on the balloon/accessory.
Machine shaking	Rods not fully inserted.	Ensure lower and telescopic rods are firmly inserted into the main unit and each other.

8. SPECIFICATIONS

- **Model:** MX-ID-5
- **Brand:** BELLAIRON
- **Color:** White
- **Product Dimensions:** 17"L x 8"W x 47"H
- **Item Weight:** 6 Pounds
- **Style:** Automatic
- **Wattage:** 1250 watts
- **Voltage:** 120 Volts
- **Heat Time:** Up to 180 Minutes (Adjustable)

9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation included with your product or contact BELLAIRON customer service directly. Keep your purchase receipt for any warranty claims.