

brotect Soudorv P97D1 1.57" Compatible Screen Protector

User Manual

BROTECT 3D CURVED SCREEN PROTECTOR

Model: Soudorv P97D1 1.57" Compatible Screen Protector

1. Introduction

The BROTECT Flex Full-Cover screen protector is designed to provide comprehensive protection for your curved display, specifically tailored for the Soudorv P97D1 1.57" device. This innovative material ensures a perfect fit, safeguarding your screen against dust and scratches while maintaining the original touch experience and high transparency.

This manual provides detailed instructions for installation, care, and troubleshooting to ensure optimal performance and longevity of your screen protector.

2. Key Features

- **Perfect Fit:** Precisely cut for the Soudorv P97D1 1.57" curved screen, ensuring full coverage.
- **Self-Healing:** Features a special coating that allows small scratches to disappear over time.
- **Anti-Fingerprint:** The surface repels dirt and fingerprints, making cleaning effortless.
- **High Transparency:** Maintains crystal-clear display quality without distortion.
- **Super Flexible & Strong:** Made from an innovative material developed for curved surfaces, offering robust protection.
- **Original Touch Experience:** Preserves the responsiveness and feel of your device's original display.




Figure 2.1: Visual representation of the screen protector's key features.

3. Package Contents

Each package contains the following items:

- 2x BROTECT Flex Full-Cover Screen Protectors compatible with Soudorv P97D1 1.57"
- 1x Cleaning Wipe
- 1x Wet Pad
- 1x Installation Card
- 1x Dust Remover Sticker
- 3x Guide Stickers
- Installation Instructions (printed on card)



Figure 3.1: Contents of the BROTECT screen protector package.

4. Installation Guide

For best results, please follow these installation steps carefully. A clean, dust-free environment is recommended.



Anbringungsanleitung (DE)



PLEASE READ
BITTE BEACHTEN

1. Clean your display including edges with wet pad and cleaning wipe.

1. Display inklusive Randbereiche mit Alkoholpad und Mikrofasertuch gründlich reinigen.



5. Apply screen protector evenly with the card on display.

5. Mit beiliegender Karte Folie gleichmäßig auf Display auftragen.



2. Remove the upper part of the cover film with Step 1 sticker.

2. Oberen Bereich der Trägerfolie mit Step 1 Aufkleber abziehen.



6. Gently remove remaining bubbles with the card.

6. Vorhandene Luftblasen sanft nach außen streichen.



3. Turn screen protector around, align it on the device and affix upper part.

3. Folie umdrehen, genau am Gerät ausrichten und Teilbereich aufkleben.



7. Remove green cover film with Step 3 sticker.

7. Obere Folie mit Step 3 Aufkleber vorsichtig abziehen.



4. Remove lower part of the cover film with Step 2 sticker.

4. Unteren Bereich der Trägerfolie mit Step 2 Aufkleber abziehen.



8. Carefully press on the edge areas with your fingers. Leftover bubbles will disappear after 1-3 days.

8. Randbereiche vorsichtig mit den Fingern andrücken. Noch sichtbare Luftblasen werden nach 1-3 Tagen verschwinden.



Made in Germany.
Bedifol GmbH, D-78467 Konstanz
© 2018 Bedifol GmbH.
All rights reserved.

Figure 4.1: Visual guide for screen protector installation.

- 1. Clean Your Display:** Thoroughly clean your device's display, including the edges, using the provided wet pad and cleaning wipe. Ensure no dust or smudges remain.
- 2. Remove Upper Part of Liner:** Carefully peel off the upper part of the protective liner (marked with 'Step 1' or similar) from the screen protector.

3. **Align and Apply:** Turn the screen protector around and carefully align it with your device's screen. Once aligned, gently apply the exposed adhesive portion to the top of the screen.
4. **Remove Lower Part of Liner:** Slowly peel off the remaining lower part of the protective liner (marked with 'Step 2' or similar) while simultaneously smoothing the screen protector down onto the display using the provided installation card.
5. **Smooth Out Bubbles:** Use the installation card to gently push any remaining air bubbles towards the edges of the screen.
6. **Final Liner Removal:** Carefully remove any final protective films or guide stickers (e.g., 'Step 3' tab) from the top surface of the installed screen protector.
7. **Press Edges:** Carefully press down on the edges and corners of the screen protector with your fingers to ensure a secure adhesion, especially on curved surfaces.
8. **Allow Bubbles to Disappear:** If small air bubbles remain after installation, do not worry. They will typically disappear on their own within 2 to 3 days as the adhesive fully cures.

For a visual demonstration, please refer to the official installation video:

[Watch Installation Video Here](#)

Description: This link directs to the official BROTECT website, providing a step-by-step video guide for the installation of Flex screen protectors, which is highly recommended for first-time installers.

5. Operation and Care

Once installed, the BROTECT screen protector operates seamlessly with your device. Its high transparency ensures that display clarity is unaffected, and the original touch sensitivity is fully preserved. The self-healing property means minor scratches will naturally fade over time, extending the protector's lifespan.

To maintain its pristine condition, simply wipe the screen with a soft, lint-free cloth. The anti-fingerprint coating makes it easy to remove smudges and dirt.

6. Maintenance

Regular cleaning is recommended to keep your screen protector clear and functional. Use a microfiber cloth to gently wipe away dust and fingerprints. For stubborn smudges, a slightly damp cloth (water only) can be used, followed by a dry wipe. Avoid harsh chemicals or abrasive materials, as these may damage the coating.

7. Troubleshooting

7.1. Air Bubbles After Installation

It is common for small air bubbles to remain immediately after installation, especially with flexible screen protectors. These are usually caused by trapped air or moisture.

- **Solution:** Be patient. The unique adhesive of the BROTECT Flex screen protector allows these small bubbles to dissipate naturally within 2 to 3 days as the adhesive fully adheres and cures. Avoid trying to forcefully push out very small bubbles, as this can sometimes introduce more dust or damage the adhesive.
- **Persistent Large Bubbles:** If large bubbles persist or new ones appear, it might indicate dust particles trapped underneath. In such cases, carefully lift the nearest edge of the protector, use a dust remover sticker to lift the particle, and reapply.

8. Product Specifications

Attribute	Detail
Brand	brotect
Compatible Devices	Soudorv P97D1 1.57"
Material	Thermoplastic Polyurethane
Screen Surface Description	Glossy
Number of Items	2
Color	Clear
Product Dimensions	6.69 x 4.13 x 0.5 inches (packaging)
Item Weight	0.738 ounces
Manufacturer	BROTECT
ASIN	B0DRYGYDLL

9. Warranty and Support

BROTECT products are manufactured in Germany, reflecting a commitment to quality and precision. The brand emphasizes "Best Quality" and "10 years Know-How" in its manufacturing process, ensuring a durable and reliable product.



Figure 9.1: BROTECT Quality and Warranty Seal.

For further assistance, technical support, or warranty inquiries, please refer to the contact information provided on the product packaging or visit the official BROTECT website.