

First Alert SMCO600NV

First Alert SC5 Battery Smart Smoke & Carbon Monoxide Alarm User Manual

Model: SMCO600NV

1. INTRODUCTION

The First Alert SC5 Battery Smart Smoke and Carbon Monoxide (CO) Alarm is a 2-in-1 device designed to enhance your home's fire and CO safety. This smart alarm provides alerts whether you are home or away, integrating with compatible smart home systems to offer comprehensive protection.

This manual provides essential information for the proper installation, operation, and maintenance of your First Alert SC5 alarm. Please read it thoroughly before installation and keep it for future reference.

2. SAFETY INFORMATION

Important: This device detects both smoke and carbon monoxide. It is not designed to detect natural gas, propane, or other combustible fuels.

- Always follow local building codes and regulations for alarm placement and installation.
- Do not paint the alarm. Paint can clog the sensing chambers and prevent the alarm from operating properly.
- Do not install in areas with high humidity, extreme temperatures, or excessive dust/dirt.
- Test the alarm weekly to ensure proper operation.
- Replace batteries immediately when the low battery warning sounds.
- Never ignore any alarm. Investigate the cause and take appropriate action.

3. PRODUCT FEATURES

- **Smart Connectivity:** Compatible with Google's Nest Protect Alarm and sends alerts to your phone via the First Alert app if smoke and CO are detected.
- **Interconnected System:** When one alarm sounds, all compatible alarms in your home will sound, providing widespread notification.
- **Low Battery Notifications:** Notifies you when batteries are low, eliminating unexpected late-night chirps.
- **Voice Alerts:** Provides a Heads-Up warning with voice alerts that specify the type and location of danger in your home.

- **Precision Detection Technology:** Equipped with advanced sensing technology to help reduce nuisance alarms and provide early warning.

4. SETUP AND INSTALLATION

4.1 Unboxing and Initial Inspection

Carefully remove the alarm from its packaging. Inspect the device for any signs of damage. Ensure all components are present: alarm unit, mounting bracket, and installation hardware.

4.2 Battery Installation

This model is battery-powered and requires 6 C batteries (included). Open the battery compartment on the back of the unit and insert the batteries, ensuring correct polarity. Close the compartment securely.




Figure 4.2.1: First Alert SC5 Battery Smart Smoke & Carbon Monoxide Alarm mounted on a wall, indicating its battery-powered nature.

4.3 Mounting Location

For optimal protection, install smoke and CO alarms on every level of your home, including basements, and in every bedroom. Avoid installing near windows, doors, or vents where drafts could interfere with detection. Also, avoid areas prone to high humidity or extreme temperatures.

4.4 Mounting the Alarm

1. Attach the mounting bracket to the ceiling or wall using the provided screws. Ensure it is securely fastened.
2. Align the alarm unit with the mounting bracket and twist clockwise until it locks into place.
3. Once mounted, the alarm will perform a self-test.




Figure 4.4.1: Installation of the First Alert SC5 alarm on a ceiling.

4.5 Connecting to the First Alert App

Download the First Alert app from your device's app store. Follow the in-app instructions to connect your SC5 alarm to your home Wi-Fi network and integrate it with your smart home system, including Google Nest Protect if applicable. This enables remote alerts and monitoring.

works with
**Nest
Protect**



Alerts whether
home or away



Easy to install
and connect



Figure 4.5.1: The First Alert SC5 alarm, emphasizing its smart features and compatibility.

Alerts Home or on the Go



Figure 4.5.2: The First Alert app providing remote alerts to your smartphone.

5. OPERATING THE ALARM

5.1 Testing the Alarm

Press and hold the test button on the alarm. The alarm will sound a series of loud beeps and voice announcements. This confirms the alarm's electronics, battery, and horn are working. Test weekly.



Figure 5.1.1: The First Alert SC5 alarm with its central test button.

5.2 Understanding Alarm Signals

- **Smoke Alarm:** Three loud beeps, pause, three loud beeps. Voice alert: "Fire! Fire!"
- **Carbon Monoxide Alarm:** Four loud beeps, pause, four loud beeps. Voice alert: "Carbon Monoxide! Carbon Monoxide!"
- **Low Battery Warning:** A single chirp every 60 seconds. Voice alert: "Low Battery."
- **End of Life Warning:** Two chirps every 30 seconds. Voice alert: "Replace Alarm."

5.3 Silencing the Alarm

In case of a nuisance alarm (e.g., from cooking smoke), press the test/silence button on the alarm or use the First Alert app to temporarily silence the alarm. The alarm will automatically reset after a few minutes if the smoke/CO clears.

5.4 Interconnect Feature

The SC5 alarm is designed to interconnect with other compatible First Alert and BRK alarms, as well as Google Nest Protect alarms. When one interconnected alarm detects smoke or CO, all compatible alarms in the system will sound,

providing enhanced safety coverage throughout your home.



Interconnect: When one alarm sounds, all compatible alarms sound.

Figure 5.4.1: Interconnection of compatible alarms for whole-home safety.

6. MAINTENANCE

6.1 Cleaning Your Alarm

Clean your alarm at least once a month. Use a soft brush or a vacuum cleaner with a soft brush attachment to remove dust and debris from the alarm's vents. Do not use cleaning solvents or sprays directly on the alarm.

6.2 Battery Replacement

When the alarm indicates a low battery (a chirp every 60 seconds and voice alert), replace all 6 C batteries immediately. Use only recommended replacement batteries. Refer to section 4.2 for battery installation instructions.

6.3 Alarm End of Life

The First Alert SC5 alarm has a 10-year lifespan. After 10 years from the date of manufacture, the alarm will signal its end of life (two chirps every 30 seconds and voice alert). At this point, the entire unit must be replaced to ensure continued protection.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Alarm chirps once every 60 seconds	Low battery	Replace all batteries immediately.
Alarm sounds frequently without apparent smoke/CO	Nuisance alarm (cooking, steam, dust) or improper placement	Press silence button. Relocate alarm if nuisance alarms persist due to placement. Clean alarm.
Alarm does not sound during test	Dead batteries, improper installation, or unit malfunction	Check battery installation. Replace batteries. Ensure unit is properly twisted onto mounting bracket. If problem persists, replace unit.
Alarm chirps twice every 30 seconds	End of life warning	Replace the entire alarm unit.
App connectivity issues	Wi-Fi signal issues, app error, or incorrect setup	Ensure strong Wi-Fi signal. Restart app and alarm. Re-attempt setup process. Consult First Alert app support.

8. SPECIFICATIONS

Attribute	Detail
Brand	First Alert
Model Number	SMCO600NV
Style	Battery
Power Source	Battery Powered
Batteries Required	Yes, 6 C batteries (included)
Color	White
Product Dimensions	5.75"D x 1.6"W x 5.75"H
Item Weight	1 Pound
Alarm Type	Audible, Voice Alerts
Sensor Type	Photoelectric Smoke, Electrochemical CO
Lifespan	10 Years
Connectivity	Wi-Fi, Compatible with Google Nest Protect

Attribute	Detail
UPC	194160013724






9. WARRANTY AND SUPPORT


First Alert provides a limited warranty for this product. For detailed warranty information, please refer to the documentation included with your purchase or visit the official First Alert website. For technical support, troubleshooting assistance, or to inquire about replacement parts, please contact First Alert Customer Service.

Online Support: www.firstalert.com

Note: Product specifications and features are subject to change without notice.

Related Documents - SMCO600NV

	<p>First Alert SC5 Wired Smart Smoke & Carbon Monoxide Alarm Installation and Reference Manual</p> <p>Comprehensive guide for installing, operating, and maintaining the First Alert SC5 Wired Smart Smoke & Carbon Monoxide Alarm, featuring voice alerts, hardwire interconnectivity, and mobile notifications for enhanced home safety.</p>
	<p>First Alert SC5 Wireless Smart Smoke & Carbon Monoxide Alarm Quick Start Guide</p> <p>Quick start guide for the First Alert SC5 Wireless Smart Smoke & Carbon Monoxide Alarm (SMCO600NV-A), covering setup, installation, functions, maintenance, troubleshooting, and regulatory information.</p>
	<p>First Alert SC5 Wireless Smart Smoke & Carbon Monoxide Alarm Installation and Reference Manual</p> <p>Comprehensive installation and reference manual for the First Alert SC5 Wireless Smart Smoke and Carbon Monoxide Alarm (Model SMCO600NV-A). Provides safety information, installation instructions, maintenance guidelines, and response procedures for smoke and carbon monoxide detection.</p>
	<p>First Alert SC5 Wired Smart Smoke & Carbon Monoxide Alarm Quick Start Guide</p> <p>Quick start guide for the First Alert SC5 Wired Smart Smoke & Carbon Monoxide Alarm (SMCO600NV-AC). Includes installation, setup, functions, maintenance, and regulatory information.</p>
	<p>First Alert SC5 Wired Smart Smoke & Carbon Monoxide Alarm Installation Guide</p> <p>Installation guide for the First Alert SC5 Wired Smart Smoke & Carbon Monoxide Alarm (SMCO600NV-AC). Covers setup, placement, wiring, maintenance, troubleshooting, and regulatory information.</p>

 <p>FIRST ALERT SC5 Battery Smart Smoke & Carbon Monoxide Alarm Model: SMC0600NV-A</p> <p>Key Features:</p> <ul style="list-style-type: none">Smart Smoke & Carbon Monoxide Alarm10-Year Battery LifeInterconnectableSmart App ControlVoice AlertsTest/Silence ButtonLED Status IndicatorBacklit LCD DisplayLow Battery WarningCarbon Monoxide WarningSmoke WarningSmart Home IntegrationEasy InstallationCompact DesignQuiet AlarmNon-IntrusiveFire Department NotificationEmergency Services NotificationSmart Home IntegrationEasy InstallationCompact DesignQuiet AlarmNon-IntrusiveFire Department NotificationEmergency Services Notification <p>Technical Specifications:</p> <table border="1"><thead><tr><th>Parameter</th><th>Value</th></tr></thead><tbody><tr><td>Model</td><td>SMC0600NV-A</td></tr><tr><td>Power Source</td><td>10-Year Battery</td></tr><tr><td>Alarm Type</td><td>Smart Smoke & Carbon Monoxide</td></tr><tr><td>Interconnectable</td><td>Yes</td></tr><tr><td>Smart App Control</td><td>Yes</td></tr><tr><td>Voice Alerts</td><td>Yes</td></tr><tr><td>Test/Silence Button</td><td>Yes</td></tr><tr><td>LED Status Indicator</td><td>Yes</td></tr><tr><td>Backlit LCD Display</td><td>Yes</td></tr><tr><td>Low Battery Warning</td><td>Yes</td></tr><tr><td>Carbon Monoxide Warning</td><td>Yes</td></tr><tr><td>Smoke Warning</td><td>Yes</td></tr><tr><td>Smart Home Integration</td><td>Yes</td></tr><tr><td>Easy Installation</td><td>Yes</td></tr><tr><td>Compact Design</td><td>Yes</td></tr><tr><td>Quiet Alarm</td><td>Yes</td></tr><tr><td>Non-Intrusive</td><td>Yes</td></tr><tr><td>Fire Department Notification</td><td>Yes</td></tr><tr><td>Emergency Services Notification</td><td>Yes</td></tr></tbody></table> <p>Installation and Mounting:</p> <ol style="list-style-type: none">1. Choose a location for the alarm, away from drafts, windows, and doors.2. Remove the alarm from the box and peel off the adhesive backing.3. Press the alarm onto the wall or ceiling.4. Press the test button to check the alarm.5. Press the silence button to stop the alarm.6. Press the test button again to check the alarm.7. Press the silence button again to stop the alarm.8. Press the test button again to check the alarm.9. Press the silence button again to stop the alarm.10. Press the test button again to check the alarm.11. Press the silence button again to stop the alarm.12. Press the test button again to check the alarm.13. Press the silence button again to stop the alarm.14. Press the test button again to check the alarm.15. Press the silence button again to stop the alarm. <p>Warranty:</p> <p>10-Year Limited Warranty</p>	Parameter	Value	Model	SMC0600NV-A	Power Source	10-Year Battery	Alarm Type	Smart Smoke & Carbon Monoxide	Interconnectable	Yes	Smart App Control	Yes	Voice Alerts	Yes	Test/Silence Button	Yes	LED Status Indicator	Yes	Backlit LCD Display	Yes	Low Battery Warning	Yes	Carbon Monoxide Warning	Yes	Smoke Warning	Yes	Smart Home Integration	Yes	Easy Installation	Yes	Compact Design	Yes	Quiet Alarm	Yes	Non-Intrusive	Yes	Fire Department Notification	Yes	Emergency Services Notification	Yes	<p>First Alert SC5 Battery Smart Smoke & Carbon Monoxide Alarm - Product Specifications</p> <p>Detailed specifications and features for the First Alert SC5 Battery Smart Smoke & Carbon Monoxide Alarm (Model SMC0600NV-A), including technical specs, installation guidelines, and system requirements.</p>
Parameter	Value																																								
Model	SMC0600NV-A																																								
Power Source	10-Year Battery																																								
Alarm Type	Smart Smoke & Carbon Monoxide																																								
Interconnectable	Yes																																								
Smart App Control	Yes																																								
Voice Alerts	Yes																																								
Test/Silence Button	Yes																																								
LED Status Indicator	Yes																																								
Backlit LCD Display	Yes																																								
Low Battery Warning	Yes																																								
Carbon Monoxide Warning	Yes																																								
Smoke Warning	Yes																																								
Smart Home Integration	Yes																																								
Easy Installation	Yes																																								
Compact Design	Yes																																								
Quiet Alarm	Yes																																								
Non-Intrusive	Yes																																								
Fire Department Notification	Yes																																								
Emergency Services Notification	Yes																																								