

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

> [NARWAL](#) /

> [NARWAL Detangling Side Brush Instruction Manual for Freo Z10 & Freo Pro](#)

NARWAL Freo Z10, Freo Pro

NARWAL Detangling Side Brush Instruction Manual

For Freo Z10 & Freo Pro Robot Vacuum and Mop

1. PRODUCT OVERVIEW

This manual provides instructions for the NARWAL Detangling Side Brush, an accessory designed for use with NARWAL Freo Z10 and Freo Pro robot vacuum and mop models. This side brush is engineered to minimize hair tangling during operation, contributing to consistent cleaning performance.

The package includes two side brushes. No additional tools are required for installation.

2. INSTALLATION

Follow these steps to replace or install the side brushes on your NARWAL Freo Z10 or Freo Pro robot vacuum and mop.

1. Step 1: Remove Old Side Brushes

Gently pull upwards on the existing side brushes to detach them from the robot.

2. Step 2: Install New Side Brushes

Locate the 'L' and 'R' symbols on the new side brushes and the corresponding slots on the robot's underside. Align the brush with the correct slot (left brush to 'L', right brush to 'R') and press down firmly until it clicks into place. Ensure the brush is securely attached.

Note: The side brushes are not left-right symmetric. Incorrect installation may impair brush function.

Side Brush That Adapts Angle to Loosen Hair with Ease



Figure 2.1: Side Brush Installation Steps

3. FUNCTIONALITY

The NARWAL Detangling Side Brush is designed to effectively collect debris while preventing hair from wrapping around the brush mechanism.

- **Certified Detangling:** The brush is certified to achieve a 0% hair tangling rate, ensuring consistent performance.
- **Adaptive Angle:** The dynamic side brushes can shift from a 'V' shape to an 'II' shape, adjusting their angle to actively loosen tangled hair for efficient collection.
- **Dynamic Bristles:** The bristles move dynamically to further assist in loosening tangled hair.
- **Soft Rubber Sleeve:** A rubber sleeve is integrated to block hair from wrapping and causing tangles around the brush base.




Figure 3.1: Certified Detangling Side Brush




Figure 3.2: Side Brush Adapting Angle to Loosen Hair




Figure 3.3: Dynamic Detangling Side Brushes

4. MAINTENANCE

Regular maintenance of the side brushes ensures optimal cleaning performance and extends their lifespan.

- **Cleaning:** It is recommended to clean the side brush every two weeks to remove accumulated dust, hair, and debris.
- **Replacement:** For best performance, replace the side brushes every three months.

5. SPECIFICATIONS

Feature	Detail
Brand	NARWAL
Model Name	Detangling Side Brush
Compatibility	NARWAL Freo Z10, NARWAL Freo Pro
Product Dimensions	4.6"L x 2.1"W x 1.2"H
Item Weight	0.704 ounces

Feature	Detail
Included Components	2 x Side Brushes
Special Feature	Tangle Free

6. SUPPORT

For further assistance, technical support, or warranty inquiries, please refer to the official NARWAL website or contact NARWAL customer service directly. Ensure you have your product model information available when seeking support.

Official NARWAL Website: www.narwal.com