

[Manuals.plus](#) /

> [VASAGLE](#) /

> VASAGLE Double Bed Frame with Adjustable Upholstered Headboard, 160 x 200 cm, Slate Grey (Model RMB505G01) - Instruction Manual

## VASAGLE RMB505G01

# VASAGLE Double Bed Frame with Adjustable Upholstered Headboard

Model: RMB505G01 | Brand: VASAGLE

## INTRODUCTION

---

This manual provides comprehensive instructions for the assembly, operation, and maintenance of your new VASAGLE Double Bed Frame, model RMB505G01. Please read all instructions carefully before beginning assembly and retain this manual for future reference. Proper assembly and care will ensure the longevity and safety of your bed frame.

## SAFETY INSTRUCTIONS

---

- **Read all instructions:** Ensure you understand each step before assembly.
- **Adult assembly required:** This product should be assembled by adults.
- **Keep children away:** Small parts can be a choking hazard. Keep children and pets away during assembly.
- **Use correct tools:** Only use the tools specified or provided.
- **Assemble on a soft surface:** To prevent scratches, assemble the bed frame on a carpet or soft mat.
- **Check all connections:** Periodically check and tighten all bolts and screws to ensure stability.
- **Do not exceed weight capacity:** The bed frame is designed to support a maximum weight of 500 kg.
- **Avoid sharp objects:** Do not use sharp objects near the upholstered headboard or fabric components to prevent damage.
- **Ventilation:** If a slight odor is present upon unboxing, ensure adequate ventilation in the room.

## PACKAGE CONTENTS

---

Before assembly, verify that all components listed in the included installation manual are present and undamaged. If any parts are missing or damaged, please contact customer support.

The package typically includes:

- Upholstered Headboard
- Metal Frame Components
- Wooden Slats
- Support Legs and Feet
- Assembly Hardware (screws, bolts, Allen key)
- Installation Manual

## SETUP AND ASSEMBLY

---


Assembly of the VASAGLE Double Bed Frame is designed to be straightforward with clear, labeled parts. Refer to the dedicated installation manual included in your package for step-by-step visual instructions.

### Key Assembly Steps:


1. **Unpack and Identify:** Carefully unpack all components and lay them out on a clean, soft surface. Identify each part using the labels and the parts list in the manual.
2. **Assemble the Main Frame:** Connect the side rails and crossbeams using the provided hardware. Ensure all connections are secure but do not fully tighten until the frame is complete.
3. **Attach Support Legs:** Securely attach the support legs to the frame. The bed frame includes 9 feet for enhanced stability.
4. **Install Wooden Slats:** Place the wooden slats onto the designated supports. The slats are designed to distribute pressure evenly. Ensure the long EVA foam pad is correctly positioned on the vertical support beam to prevent noise.
5. **Attach Headboard:** Secure the upholstered headboard to the main frame.
6. **Adjust Headboard Height:** The headboard is adjustable to two heights (110 cm or 116.5 cm) to accommodate mattresses between 20 cm and 30 cm thick. Adjust to your preferred height before final tightening.
7. **Final Tightening:** Once all components are in place, fully tighten all screws and bolts.



**Figure 1:** Overall dimensions and weight capacity. The bed frame measures 202 cm in length, 160 cm in width, and has an adjustable height of 110-116.5 cm. It supports a 160x200 cm mattress and has a maximum load capacity of 500 kg.




**Figure 2:** Exploded view of the bed frame, showing the individual components including the metal structure, wooden slats, and upholstered headboard, for assembly reference.



**Figure 3:** Adjustable headboard height. The headboard can be set at 110 cm or 116.5 cm to accommodate mattresses with a thickness between 20 cm and 30 cm.



**Figure 4:** Noise reduction design. The bed frame incorporates EVA foam padding on the central support beam to minimize noise from friction between components.



**Figure 5:** Easy assembly. The bed frame comes with clear instructions and numbered parts for quick and efficient assembly.



**Figure 6:** Under-bed clearance. The bed frame provides 15.2 cm of clearance, allowing for easy cleaning underneath, including access for robotic vacuum cleaners.

## OPERATING (USAGE)

---

Once assembled, your VASAGLE Double Bed Frame is ready for use. Place a compatible mattress (160 x 200 cm) on the wooden slats. The adjustable headboard can be set to your desired height to provide optimal comfort for reading or lounging in bed.

- **Mattress Placement:** Ensure the mattress is centered and fully supported by the wooden slats.
- **Headboard Adjustment:** If you need to change the headboard height, carefully lift the mattress and adjust the headboard attachment points as shown in the assembly manual.
- **Weight Distribution:** Avoid concentrating heavy loads on a single point of the bed frame. Distribute weight evenly.

## MAINTENANCE

---

Regular maintenance will help preserve the appearance and structural integrity of your bed frame.

- **Cleaning the Frame:** Wipe the metal and wood components with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners.
- **Cleaning the Upholstery:** For the fabric headboard, use a soft brush or vacuum cleaner with an upholstery attachment to remove dust. For spills, blot immediately with a clean, dry cloth. For stubborn stains, consult a professional upholstery cleaner.
- **Hardware Check:** Every 3-6 months, inspect all bolts and screws. Tighten any loose connections to maintain stability and prevent squeaking.
- **Avoid Direct Sunlight:** Prolonged exposure to direct sunlight can cause fading of the fabric.
- **Ventilation:** Ensure good air circulation around and under the bed to prevent moisture buildup.

## TROUBLESHOOTING

---

Problem	Possible Cause	Solution
Bed frame is squeaking or making noise.	Loose hardware; friction between components.	Tighten all bolts and screws. Ensure EVA foam padding is correctly placed on support beams. Check if foot pads are intact.
Bed frame feels unstable.	Loose connections; uneven floor.	Re-tighten all assembly hardware. Ensure the bed is on a level surface. Adjust foot levelers if available.
Headboard is not at desired height.	Incorrect adjustment during assembly.	Refer to the assembly manual (Figure 3) to re-adjust the headboard to one of the two available height settings.
Mattress does not fit properly.	Incorrect mattress size.	Ensure your mattress is 160 x 200 cm.

## SPECIFICATIONS

Feature	Detail
Model Number	RMB505G01
Brand	VASAGLE
Overall Dimensions (L x W x H)	202 x 160 x 116.5 cm
Compatible Mattress Size	160 x 200 cm
Adjustable Headboard Height	110 cm / 116.5 cm
Recommended Mattress Thickness	20 - 30 cm
Under-bed Clearance	15.2 cm
Weight Capacity	500 kg
Product Weight	25.8 kg
Materials	Steel, Linen-effect Fabric, Poplar Wood, Foam
Color	Slate Grey

## WARRANTY AND SUPPORT

Your VASAGLE Double Bed Frame is covered by a standard manufacturer's warranty against defects in materials and workmanship. Please refer to the warranty information provided with your purchase for specific terms and conditions.

For technical assistance, missing parts, or any questions regarding your product, please contact VASAGLE customer support through the retailer where you purchased the item. Have your model number (RMB505G01) and purchase details ready when contacting support.

