Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VASAGLE LLR703G01

VASAGLE Double Bed Frame Instruction Manual

Model: LLR703G01 (140 x 200 cm)

Introduction

Thank you for choosing the VASAGLE Double Bed Frame. This manual provides essential information for the safe assembly, operation, and maintenance of your new bed frame. Please read these instructions carefully before beginning assembly and retain them for future reference.




Image: The VASAGLE Double Bed Frame, fully assembled, in a modern bedroom with neutral tones.

Safety Information

- Do not use a mattress with a thickness exceeding 31.5 cm (12.4 inches) to ensure stability and proper fit within the frame.

- The maximum weight capacity for this bed frame is 500 kg (1100 lbs). Do not exceed this limit to prevent damage or injury.
- Ensure all screws and bolts are tightened securely during assembly and periodically check them for tightness to maintain stability and prevent noise during use.
- Keep small parts and packaging materials away from children to avoid choking hazards.

Setup Instructions

The VASAGLE Double Bed Frame is designed for straightforward assembly. All necessary parts are labeled, and clear instructions are provided to guide you through the process.

1. **Unpack Components:** Carefully remove all parts from the packaging. Verify that all components listed in the parts list are present and undamaged.
2. **Assemble Frame:** Follow the step-by-step diagrams in the included assembly manual to connect the metal frame sections. Ensure all bolts are finger-tightened initially.
3. **Attach Legs:** Securely attach the 9 support legs to the bed frame.
4. **Install Wooden Slats:** Place the wooden support slats across the frame. Ensure they are evenly spaced and secured according to the instructions. The EVA foam cushion on the vertical beam should be in place to reduce noise.
5. **Mount Headboard:** Attach the padded headboard to the frame. Adjust its height to your preferred setting (110 cm or 116.5 cm).
6. **Final Tightening:** Once the entire frame is assembled, go back and securely tighten all bolts and screws using the provided tools. Do not overtighten.




Image: A technical diagram illustrating the assembly process of the bed frame, highlighting the metal structure and wooden slats.

Operating Instructions

Your VASAGLE bed frame is designed for comfortable and stable use. Follow these guidelines for optimal performance:

- **Mattress Placement:** Carefully place your 140 x 200 cm mattress onto the wooden slats. Ensure it sits evenly within the frame. The adjustable headboard accommodates mattresses between 20 and 30 cm in thickness.
- **Adjusting Headboard:** The padded headboard can be set to two different heights: 110 cm or 116.5 cm. To adjust, loosen the securing bolts, raise or lower the headboard to the desired position, and then re-tighten the bolts firmly.

- **Weight Distribution:** Distribute weight evenly across the bed frame. Avoid concentrating heavy loads on a single point.



Image: A close-up diagram illustrating the two adjustable height settings for the headboard and the recommended mattress thickness range.

Maintenance

Regular maintenance will help prolong the life and appearance of your bed frame.

- **Cleaning:** For the linen-effect fabric headboard and frame, use a soft, damp cloth for general cleaning. For tougher spots, a mild fabric cleaner can be used, but always test on an inconspicuous area first. Avoid harsh chemicals.
- **Frame Inspection:** Periodically inspect all bolts and screws to ensure they remain tight. Re-tighten as necessary to prevent wobbling or noise.
- **Floor Protection:** The legs are equipped with pads to protect your floor. Ensure these pads are intact and in place, especially when moving the bed.



Image: A detailed view of the headboard, showcasing the breathable linen-effect fabric and the high-density foam padding.

Troubleshooting

If you encounter any issues with your bed frame, refer to the following common solutions:

Problem	Possible Cause	Solution
Bed frame is wobbly or unstable.	Loose bolts or uneven assembly.	Check and tighten all assembly bolts and screws. Ensure the frame is on a level surface.
Squeaking or noise during use.	Loose connections, friction between parts, or missing EVA foam.	Re-tighten all bolts. Verify the EVA foam cushion is correctly installed on the vertical support beam. Ensure mattress is properly seated.
Mattress does not fit properly.	Incorrect mattress size or excessive mattress thickness.	Ensure your mattress is 140 x 200 cm. Check that the mattress thickness is between 20 and 30 cm.
Headboard cannot be adjusted.	Securing bolts are too tight or misaligned.	Loosen the headboard securing bolts completely before attempting to adjust height. Ensure proper alignment when re-tightening.



Image: A detailed view highlighting the EVA foam cushion, which helps to minimize noise from the bed frame.

Specifications

Feature	Detail

Feature	Detail
Model Number	LLR703G01
Size	140 x 200 cm
Product Dimensions (L x W x H)	2.02 x 1.4 x 1.17 meters
Material	Steel, Linen Imitation Fabric, Poplar Wood, Foam
Color	Slate Grey
Style	Modern
Special Feature	Adjustable Headboard
Adjustable Headboard Heights	110 cm / 116.5 cm
Compatible Mattress Thickness	20 - 30 cm
Maximum Weight Capacity	500 Kilograms
Included Components	9 Legs, Assembly Material, Wooden Support Beam
Manufacturer	VASAGLE
UPC	194343329857



Image: A technical diagram detailing the overall dimensions and specific measurements of the bed frame.

Warranty and Support

For warranty information or technical support, please refer to the documentation included with your purchase or contact VASAGLE customer service directly. Keep your purchase receipt for warranty claims.

For further assistance, you may visit the official VASAGLE website or contact their customer support channels.

© 2026 VASAGLE. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DS5YZ5WR

More documents and user manuals: **https://manuals.plus/**