

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Hikiddo](#) /

> [Hikiddo 24V 9Ah 4WD 2-Seater Electric Ride-On Truck User Manual](#)

Hikiddo 24V 9Ah Ride-On Truck

Hikiddo 24V 9Ah 4WD 2-Seater Electric Ride-On Truck User Manual

Model: 24V 9Ah Ride-On Truck

1. INTRODUCTION

Thank you for choosing the Hikiddo 24V 9Ah 4WD 2-Seater Electric Ride-On Truck. This manual provides essential information for the safe assembly, operation, and maintenance of your new electric vehicle. Please read it thoroughly before use and retain it for future reference.

Important Safety Information

To ensure the safety of the user and others, please adhere to the following guidelines:

- This product is certified by ASTM F963 CPSIA, ensuring reliability.
- Always supervise children during operation.
- Ensure the adjustable seat belt is securely fastened before each use.
- Operate the vehicle on flat, dry surfaces away from traffic, pools, or steep inclines.
- Do not exceed the maximum load capacity of 88 lbs.
- Regularly inspect the vehicle for any damage or loose parts before use.

2. PRODUCT OVERVIEW

The Hikiddo 24V 9Ah 4WD 2-Seater Electric Ride-On Truck is designed for children aged 3 years and up, offering an engaging driving experience with advanced features.

Key Features

- **Powerful Performance:** Equipped with 4x200W motors and a 24V 9Ah rechargeable battery, providing 90-120 minutes of run time on a full charge.
- **Bright LED Lights:** Features headlights, taillights, and four LED searchlights for enhanced visibility and realism.
- **Bluetooth Connectivity:** Integrated USB/Bluetooth/MP3 player allows for music playback during rides.

- **Parental Remote Control:** A 2.4 GHz remote control enables parents to guide the vehicle, ensuring safety and shared enjoyment.
- **Comfort and Safety:** Includes an extra-wide seat with an adjustable seat belt and spring suspension for a comfortable and secure ride.
- **Soft Start Technology:** Designed with uniform deceleration and a braking time of approximately 0.5 seconds to prevent sudden movements.



Front view of the Hikiddo 24V electric ride-on truck, showcasing its design and illuminated headlights. This image provides a clear visual of the vehicle's overall appearance.

3. SETUP

3.1 Assembly

The vehicle requires assembly prior to first use. Please refer to the separate assembly instructions provided in the product packaging for detailed step-by-step guidance. Ensure all components are securely fastened according to the instructions.

3.2 Initial Battery Charging

Before the first use, fully charge the 24V 9Ah battery for 8-12 hours. Subsequent charges should also be 8-12 hours. Do not overcharge the battery.

- Locate the charging port on the vehicle.
- Connect the charger to the charging port and then plug it into a standard wall outlet.
- The charging indicator light on the charger will typically change color to indicate a full charge.

PRODUCT DIMENSIONS

Speed	2-5 MPH	Power	4*200W Motor
Charging Time	8-12 hrs	Load Capacity	88 lbs



This diagram illustrates the product dimensions (47.2" L x 31.5" W x 31.9" H) and indicates the recommended age range of 2-7 years old, with a maximum height of 47 inches.

4. OPERATING INSTRUCTIONS

4.1 Powering On/Off

- To power on the vehicle, press the power button located on the dashboard.
- To power off, press and hold the power button until the vehicle shuts down.

4.2 Driving Controls

- **Foot Pedal:** Press the foot pedal to accelerate. Release the pedal to brake.
- **Direction Switch:** Use the forward/reverse switch to select the desired driving direction.
- **Speed Selection:** The vehicle may have multiple speed settings. Use the speed selector button on the dashboard to choose between low, medium, or high speeds.

4.3 Remote Control Operation

The 2.4 GHz parental remote control allows an adult to operate the vehicle. This is particularly useful for

younger children or for guiding the vehicle in specific situations.

- Ensure the remote control is paired with the vehicle (refer to remote control pairing instructions in the separate manual).
- Use the directional buttons on the remote to control forward, reverse, left, and right movements.
- The remote control can also override manual controls for safety.



A parent is shown using the 2.4 GHz remote control to guide the electric ride-on truck, with a child seated inside. This demonstrates the parental control feature for safety and interaction.

4.4 Multimedia Functions

The vehicle is equipped with a multimedia dashboard for entertainment.

- **Bluetooth:** Activate Bluetooth mode on the dashboard and pair with your mobile device to play music.
- **USB/MP3:** Insert a USB drive with MP3 files into the USB port or connect an MP3 player via the auxiliary input.
- Adjust volume using the dedicated buttons on the dashboard.



A close-up view of the vehicle's dashboard, highlighting the integrated Bluetooth, USB, and MP3 player controls for in-ride entertainment.

4.5 Lighting System

The vehicle features functional lights for realism and visibility.

- Headlights and taillights activate automatically when the vehicle is powered on or can be controlled via a switch on the dashboard.
- The four LED searchlights can be turned on/off independently for added effect.

CONQUER VARIOUS TYPES OF GROUND

12-inch Plastic Tire
4-axle Spring Suspension



The Hikiddo 24V electric ride-on truck is depicted traversing various ground types, including grass, brick road, rubber road, and asphalt, demonstrating its versatility across different terrains.

5. MAINTENANCE

5.1 Battery Care

- Charge the battery fully after each use.
- If storing the vehicle for an extended period, charge the battery at least once a month to prolong its lifespan.
- Do not allow the battery to completely discharge.
- Only use the charger provided by Hikiddo.

5.2 Cleaning

- Wipe the vehicle with a soft, damp cloth.
- Do not use abrasive cleaners or solvents.
- Avoid spraying water directly onto electrical components.

5.3 Storage

- Store the vehicle in a dry, cool place, away from direct sunlight and moisture.
- Protect the vehicle from extreme temperatures.



6. TROUBLESHOOTING

This section addresses common issues you might encounter with your Hikiddo electric ride-on truck.

Problem	Possible Cause	Solution
Vehicle does not move	Low battery; Loose wire connection; Blown fuse; Motor issue	Charge battery; Check all connections; Replace fuse; Contact customer support
Remote control not working	Batteries in remote are dead; Remote not paired; Interference	Replace remote batteries; Re-pair remote (refer to manual); Move to an area with less interference
Lights not working	Loose wire; Damaged LED; Switch off	Check connections; Ensure light switch is on; Contact customer support
Vehicle moves slowly	Low battery; Overload; Operating on uneven terrain	Charge battery; Reduce load; Operate on flat surfaces

SOFT START TECHNOLOGY

Avoid child being frightened by sudden acceleration or braking



This diagram illustrates the 'Soft Start Technology' which ensures uniform deceleration and a quick braking time of approximately 0.5 seconds, designed to prevent sudden stops and starts.

7. SPECIFICATIONS

Feature	Detail
Model	24V 9Ah Ride-On Truck
Brand	Hikiddo
Motors	4 x 200W
Battery	24V 9Ah Rechargeable
Run Time	90-120 minutes (approx.)
Charging Time	8-12 hours
Speed Range	2-5 MPH
Load Capacity	88 lbs

Feature	Detail
Product Dimensions	48.5 x 34.7 x 31.5 inches
Recommended Age	3 years and up
Safety Certification	ASTM F963 CPSIA

8. WARRANTY AND CUSTOMER SUPPORT

Hikiddo products are manufactured to high-quality standards. For information regarding warranty coverage, please refer to the warranty card included with your purchase or visit the official Hikiddo website.

If you encounter any issues or have questions not covered in this manual, please contact Hikiddo customer support for assistance. Our dedicated team is available to help with troubleshooting, parts replacement, and general inquiries.

Manufacturer: Hikiddo

For the most up-to-date support information, please visit the [Hikiddo Store on Amazon](#).