



[Manuals.plus](#) /

> [Giantex](#) /

> Giantex Wood Full Size Bed Frame with Headboard User Manual

## Giantex GX-10859NA-HU

# Giantex Wood Full Size Bed Frame with Headboard User Manual

Model: GX-10859NA-HU

## 1. INTRODUCTION

This manual provides detailed instructions for the assembly, use, and maintenance of your Giantex Wood Full Size Bed Frame with Headboard. Please read all instructions carefully before assembly and retain this manual for future reference.



Figure 1: Giantex Wood Full Size Bed Frame with Headboard, Rustic Brown.

## 2. SAFETY INFORMATION

---

- Always follow the assembly instructions carefully to ensure stability.
- Do not use on extremely uneven surfaces.
- Use a compatible mattress (recommended thickness: 4"-8") to prevent slippage and ensure proper fit.
- Avoid excessive activity on the bed frame to prevent wobbling or collapse.
- Be cautious of sharp edges and splinters during assembly and maintenance.
- Ensure all connections are tightened securely before use. Periodically check and re-tighten fasteners.
- Keep small parts and packaging materials away from children to prevent choking hazards.

## 3. PACKAGE CONTENTS

---

Before beginning assembly, verify that all components listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.

- 1 x Platform Bed Frame (disassembled components)
- 1 x User Guide (this document)
- Hardware Pack (bolts, screws, washers, Allen wrench, etc.)

## **4. ASSEMBLY INSTRUCTIONS**

---

Assembly typically requires two adults. An electric screwdriver with appropriate hex bits (not included) can expedite the process, especially for slat installation. Follow the numbered steps provided in the included user guide for detailed diagrams.

### **4.1. Prepare the Area**

Clear a spacious area for assembly. Lay out all components on a soft, clean surface to prevent scratches.

### **4.2. Assemble the Headboard and Footboard**

Attach the headboard and footboard panels to their respective side rails using the provided hardware. Ensure all connections are finger-tightened initially.

# Comfortable High Headboard

Rustic wood grain finish enhances aesthetic appeal



Figure 2: The comfortable high headboard features a rustic wood grain finish.

## 4.3. Connect Side Rails and Center Support

Connect the assembled headboard and footboard sections with the long side rails. Install the center support beam, ensuring it is properly aligned. The bed frame includes 3 middle support legs with adjustable foot pads for enhanced stability. Ensure these are correctly attached and adjusted to prevent wobbling.

# Sturdy & Stable Platform Bed



Figure 3: Illustration of the bed frame's sturdy construction, highlighting the 12 plywood slats, 3 middle support legs, and adjustable foot pads.

## 4.4. Install Plywood Slats

Place the 12 rugged plywood slats across the bed frame. Each slat should be securely fastened to the side rails and the center support using the provided screws. This embedded design helps prevent mattress sliding and sagging. Ensure all screws are tightened for a stable mattress foundation.

# No Box Spring Needed



Figure 4: The embedded slat design ensures mattress stability without a box spring. Recommended mattress thickness is 4-8 inches.

## 4.5. Final Tightening

Once all components are in place, go back and securely tighten all bolts and screws. Do not overtighten, but ensure all connections are firm.

## 5. USAGE AND OPERATION

- **Mattress Compatibility:** This platform bed frame is designed for use without a box spring. It is compatible with full-size mattresses with a recommended thickness of 4 to 8 inches.
- **Weight Capacity:** The bed frame has a maximum weight capacity of 660 lbs. Do not exceed this limit to ensure structural integrity.
- **Under-bed Storage:** The frame provides approximately 9 inches of under-bed clearance, suitable for storage boxes, shoes, or allowing a robotic vacuum to pass through.



Figure 5: The 9-inch under-bed space offers convenient storage options.

## 6. MAINTENANCE

- **Cleaning:** Wipe the wood surfaces with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners that may damage the finish.
- **Fastener Check:** Periodically (e.g., every 3-6 months) check all bolts and screws and re-tighten them as necessary to maintain stability.
- **Wood Care:** The frame is crafted from acacia wood. To preserve its appearance, avoid prolonged exposure to direct sunlight or extreme humidity.

# Selected Wood Material



Figure 6: The bed frame is constructed from durable acacia wood with exquisite craftsmanship.

## 7. TROUBLESHOOTING

- **Wobbling or Instability:**
  - Ensure all bolts and screws are fully tightened.
  - Check that the adjustable foot pads on the middle support legs are making firm contact with the floor and are adjusted to compensate for uneven surfaces.
  - Verify that the center support beam is correctly installed and secured.
- **Creaking Noises:**
  - Re-tighten all fasteners.
  - Ensure the mattress is properly seated on the slats and not causing friction against the frame.
- **Slats Not Fitting/Securing:**
  - Double-check that the side rails are correctly oriented and installed.

- Ensure the slats are aligned properly before screwing them into place.

## 8. SPECIFICATIONS

<b>Model Number</b>	GX-10859NA-HU
<b>Size</b>	Full
<b>Overall Dimensions (L x W x H)</b>	77" x 57" x 41"
<b>Bed Surface Dimensions (L x W)</b>	75" x 54"
<b>Under-bed Space Height</b>	9"
<b>Height Between Headboard and Bed</b>	13"
<b>Weight Capacity</b>	660 lbs
<b>Recommended Mattress Thickness</b>	4"-8" (Mattress Not Included)
<b>Material</b>	Plywood, Acacia Wood, Rubber Wood, MDF
<b>Color</b>	Rustic Brown
<b>Net Weight</b>	55 lbs
<b>Assembly Required</b>	Yes

# Full Size



Figure 7: Detailed dimensions of the Giantex Full Size Bed Frame.

## 9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the contact details provided with your purchase documentation or visit the official Giantex website. Please have your model number (GX-10859NA-HU) and purchase date available when contacting support.

