

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [WELLFOR](#) /

› [WELLFOR ARTWOOD 60-inch Double Sink Bathroom Vanity User Manual](#)

## WELLFOR ARTWOOD60QZ-TG

# WELLFOR ARTWOOD 60-inch Double Sink Bathroom Vanity User Manual

Model: ARTWOOD60QZ-TG

Brand: WELLFOR

## INTRODUCTION

This manual provides essential information for the safe installation, operation, and maintenance of your WELLFOR ARTWOOD 60-inch Double Sink Bathroom Vanity. Please read these instructions thoroughly before beginning installation or use. Retain this manual for future reference.

## SAFETY INFORMATION

**WARNING:** Failure to follow these safety instructions could result in injury or property damage.

- Always wear appropriate personal protective equipment (PPE) during installation, including safety glasses and gloves.
- Ensure the installation area is clear of obstructions and adequately lit.
- Verify that all plumbing and electrical connections are performed by qualified professionals in accordance with local codes.
- Do not overload drawers or cabinets.
- Avoid using harsh chemicals or abrasive cleaners on any part of the vanity.
- Keep small children and pets away from the installation area.
- This vanity is heavy. Always use proper lifting techniques and seek assistance when moving or positioning the unit.

## PACKAGE CONTENTS

Carefully unpack all components and inspect for any damage. If any parts are missing or damaged, contact WELLFOR customer service immediately.

- Bathroom Vanity Cabinet (60W\*22D\*35H Inches)

- Carrara White Marble Countertop with Double Undermount Sinks
- 4-inch Backsplash
- User Manual
- Hardware for doors and drawers (knobs and pulls)
- Adjustable height levelers (pre-installed)

*Note: Faucets, mirrors, and medicine cabinets are not included unless specified separately.*

## SPECIFICATIONS

<b>Brand</b>	WELLFOR
<b>Model Name</b>	ARTWOOD60QZ-TG
<b>Color</b>	Titanium Grey
<b>Product Dimensions (W x D x H)</b>	60" x 22" x 35"
<b>Item Weight</b>	252 pounds
<b>Mounting Type</b>	Freestanding
<b>Frame Material</b>	Rubberwood, Engineered Wood
<b>Countertop Material</b>	Carrara White Marble or Quartz
<b>Sink Type</b>	Double 20" Undermount Rectangular, CUPC Certified
<b>Faucet Holes</b>	Pre-drilled for 8" widespread faucet
<b>Doors</b>	4 Soft-close doors with BLUM hinges
<b>Drawers</b>	4 Soft-close drawers with DTC concealed sliders



\*All dimensions and specifications are nominal and may vary.

Figure 1: Product Dimensions. All dimensions and specifications are nominal and may vary slightly.

## SETUP AND INSTALLATION

This WELLFOR ARTWOOD bathroom vanity comes **fully assembled**, simplifying the installation process. The primary steps involve positioning the vanity, connecting plumbing, and securing the unit.

### 1. Positioning the Vanity

1. Carefully move the vanity to its desired location. Due to its weight, it is recommended to have at least two people for this task.
2. The vanity features built-in adjustable height levelers on the legs. Use these to ensure the vanity is stable and level on uneven surfaces. Rotate the levelers clockwise to raise and counter-clockwise to lower.



Figure 2: Front view of the vanity.



Figure 3: Side view of the vanity.



Figure 4: Back view of the vanity, illustrating plumbing access.

## 2. Plumbing Connections

1. The countertop is pre-drilled for an 8-inch widespread faucet. Install your chosen faucets according to their manufacturer's instructions.
2. Connect the water supply lines and drain pipes to the sinks. It is highly recommended to hire a licensed plumber for all plumbing work to ensure proper installation and prevent leaks.
3. Ensure all connections are tight and leak-free before regular use.




**BLUM Soft-close Hinges System**



**Metal Alloy with Decorative Porcelain**



**DTC Smooth and Silence Drawer Slides**



**Premium Solid Metal Hardware**

Figure 5: Countertop with pre-drilled faucet holes and undermount sinks.

### 3. Securing the Vanity (Optional but Recommended)

1. For added stability, especially in homes with children or in earthquake-prone areas, consider securing the vanity to the wall using appropriate wall anchors (not included).
2. Locate wall studs and use screws long enough to penetrate the vanity's back panel and into the studs.

## OPERATING INSTRUCTIONS

Your WELLFOR ARTWOOD vanity is designed for ease of use and durability.

### Doors and Drawers

- The vanity is equipped with 4 soft-close doors featuring the Austria BLUM Soft-close hinges system. These hinges allow the doors to close gently and silently, preventing slamming.
- The 4 soft-close drawers utilize DTC concealed soft-close sliders, ensuring smooth and quiet operation. To open, gently pull the decorative handles. To close, push gently until the soft-close mechanism engages.



Figure 6: Vanity with doors and drawers open, showing internal storage.



**Seal with Superior  
Moisture Resistance**

**Premium Solid  
Wood Frame**



Figure 7: Detailed view of soft-close hinges, drawer slides, and decorative hardware.



High Quality Stone  
with Carrera White

Figure 8: Premium solid wood frame construction.

## MAINTENANCE AND CARE

---

Proper care will ensure the longevity and beauty of your WELLFOR vanity.

### Countertop Care (Carrara White Marble or Quartz)

- Clean regularly with a soft cloth and a mild, non-abrasive cleaner.
- Wipe up spills immediately to prevent staining, especially acidic liquids.
- Avoid placing hot items directly on the countertop. Use coasters or trivets.
- Do not use abrasive cleaners, scouring pads, or harsh chemicals (e.g., bleach, ammonia-based cleaners) as these can damage the surface.



Figure 9: High-quality Carrara White Marble countertop.

## Cabinet and Drawer Care (Wood Frame)

- Wipe down the cabinet surfaces with a soft, damp cloth. Dry immediately with a clean, soft cloth.
- Avoid excessive moisture and humidity.
- Do not use silicone-based polishes or waxes, as they can build up over time.
- For deeper cleaning, use a wood-safe cleaner as directed by the product manufacturer.

## Hardware Care

- Clean metal alloy hardware with a soft, dry cloth.
- Avoid using abrasive cleaners or chemicals that could tarnish the finish.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Vanity is wobbly or uneven.	Uneven floor surface.	Adjust the built-in height levelers on the vanity legs until stable.
Drawers do not close smoothly.	Obstruction in the drawer or slider mechanism; misaligned sliders.	Check for obstructions. Ensure drawers are properly seated on the DTC concealed soft-close sliders. If misalignment is suspected, consult a professional.
Doors do not close properly.	Misaligned BLUM soft-close hinges.	Adjust the BLUM soft-close hinges. Refer to hinge manufacturer's instructions for specific adjustment procedures or consult a professional.
Water leaks from plumbing connections.	Loose connections; improper sealing.	Immediately turn off water supply. Tighten all connections. If leaks persist, contact a licensed plumber.

## PRODUCT VIDEOS

### WELLFOR ARTWOOD Bathroom Vanity Overview

Your browser does not support the video tag.

This video provides a general overview of the WELLFOR ARTWOOD bathroom vanity, showcasing its design, features, and storage

options. It highlights the soft-close doors and drawers, and the overall aesthetic.

## WELLFOR ARTWOOD Solid Wood Bathroom Vanity Features

Your browser does not support the video tag.

A detailed video focusing on the solid wood construction and other premium features of the WELLFOR ARTWOOD bathroom vanity. It demonstrates the quality of materials and craftsmanship.

## WELLFOR ARTWOOD White Bathroom Vanity (48-inch Model)

Your browser does not support the video tag.

This video showcases the 48-inch white variant of the WELLFOR ARTWOOD bathroom vanity, providing a visual representation of the product line's features and design in a different size and color.

## WARRANTY AND SUPPORT

---

For specific warranty details and customer support, please refer to the warranty card included with your product or visit the official WELLFOR website. If you encounter any issues or have questions not covered in this manual, please contact WELLFOR customer service.

**Contact Information:** Refer to your purchase documentation or the WELLFOR official website for the most current contact details.