TLXLT YP2306

TLXLT Portable Evaporative Air Cooler (Model YP2306) Instruction Manual

Brand: TLXLT | Model: YP2306

Introduction

This manual provides essential information for the safe and efficient operation of your TLXLT Portable Evaporative Air Cooler, Model YP2306. This 4-in-1 device functions as a personal air cooler, humidifier, adjustable fan, and LED night light, designed to provide a strong, cool, and refreshing airflow.



Image: The TLXLT Portable Evaporative Air Cooler, Model YP2306, in operation, illustrating its cooling effect.

Safety Instructions

- Read all instructions before use and retain for future reference.
- Do not immerse the unit in water or other liquids.
- Ensure the power supply matches the voltage specified on the unit.
- Unplug the unit when not in use, before filling water, or before cleaning.
- Keep out of reach of children and pets.
- Do not block air inlets or outlets.
- Use only clean water in the water tank. Do not add essential oils or other chemicals directly into the water tank as this may damage the unit.
- Do not lean the unit when the water tank is filled to prevent spills.

Package Contents

Verify that all items are present in the package:

- TLXLT Portable Evaporative Air Cooler (Model YP2306)
- USB Type-C Cable (1.5m)
- Charging Head (Power Adapter)
- 2 x Cotton Swabs (for mist function)
- Instruction Manual

Product Overview

Familiarize yourself with the components and controls of your air cooler.



Image: Overview of the TLXLT Portable Evaporative Air Cooler, highlighting its compact size and various power input options (Power Bank, Car Charger, USB Adapter, Computer).

- **Control Panel:** Located on the top of the unit, featuring buttons for Power/Speed, Timer, Humidification (Mist), and LED Light.
- **Water Tank:** 1200ml capacity, located at the bottom of the unit.
- **Air Outlet:** Front grille for cool air and mist release.
- **Adjustable Louvers:** Manual adjustment for wind direction (up to 30°).
- **Handle:** Integrated for easy portability.
- **USB Type-C Port:** For power input.



Image: Detailed view of the control panel with buttons for On/Off & Speed Adjustment, Timing Modes, Humidification Button, and LED Light.

Setup

1. **Prepare the Unit:** Place the air cooler on a flat, stable surface.
2. **Fill the Water Tank:**
    - Open the water tank cover.
    - Pour clean water into the 1200ml water tank. For enhanced cooling, add cold water and ice cubes.
    - **Important:** Do not exceed the maximum water level line indicated on the tank.
    - Close the water tank cover securely. Ensure the bottom latch clicks into place if applicable to prevent leaks.



Image: Visual instructions for opening the water tank, adding water or ice, and ensuring the unit is not leaned when full.

3. **Install Cotton Swab (for Mist Function):**
    - If the mist function is not working, ensure the cotton swab is correctly installed.
    - Open the water tank. Locate the black plastic tube. Push the tube in slightly and twist to remove.
    - Replace the old cotton swab with a new one, ensuring it is fully submerged in water before reinserting the tube.
    - Reattach the tube by twisting it back into place.
4. **Connect Power:** Plug the USB Type-C cable into the unit and connect the other end to a 5V 2A adapter, power bank, computer, or car charger.

Operating Instructions

Power On/Off and Fan Speed Adjustment

- Press the **Power/Speed** button (usually indicated by a power symbol) once to turn on the unit at the lowest fan speed.
- Press the **Power/Speed** button repeatedly to cycle through the 3 available wind speeds (Low, Medium, High).

- To turn off the unit, press and hold the **Power/Speed** button for a few seconds.



Image: The TLXLT Portable Evaporative Air Cooler demonstrating its three fan modes and the manual 30-degree adjustable wind direction.

Mist (Humidification) Function

- Press the **Humidification Button** (indicated by a snowflake or mist symbol) to activate the mist function.
- Press again to cycle through the 2 adjustable spray modes (Low/High).
- Ensure the water tank is filled and the cotton swab is correctly installed for the mist function to operate.



Image: The TLXLT Portable Evaporative Air Cooler showcasing its two spray modes for fast cooling and humidification, along with its low noise level.

Adjusting Wind Direction

- Manually adjust the louvers on the front of the unit to direct the airflow up or down (up to 30°).



Image: A hand adjusting the 30-degree manual adjustable wind direction lever on the side of the air cooler.

Timer Function

- Press the **Timer** button (indicated by a clock symbol) to set the auto-off timer.
- Available timer settings are 2 hours and 4 hours.

Image: A visual representation of the two timing modes, 2 hours and 4 hours, available on the air cooler.

LED Night Light

- Press and hold the **LED Light** button (indicated by a light bulb symbol) for 3 seconds to turn on the 7-color night light.
- Press the **LED Light** button briefly to cycle through the different colors or to turn it off.



Image: The TLXLT Portable Evaporative Air Cooler displaying its 7-color night light feature, providing ambient lighting.

Maintenance

Cleaning the Water Tank

- Regularly clean the water tank to prevent mold and mildew buildup.
- Unplug the unit before cleaning.
- Open the water tank cover and empty any remaining water.
- Wipe the inside of the tank with a soft cloth and mild detergent. Rinse thoroughly.
- Allow the tank to air dry completely before reassembling.

Replacing the Cotton Swab

- The cotton swab should be replaced regularly (every 2-3 months or as needed) to maintain optimal misting performance.
- Follow the instructions in the "Setup" section for installing a new cotton swab.

Troubleshooting

Problem	Possible Cause	Solution
Unit does not turn on.	No power supply or loose connection.	Ensure the USB cable is securely connected and the power adapter is plugged into a working outlet.
No mist is produced.	Water tank is empty, cotton swab is dry or improperly installed, or cotton swab needs replacement.	Fill the water tank. Ensure the cotton swab is soaked and correctly installed. Replace the cotton swab if it is old or clogged.
Weak airflow.	Fan speed is set too low, or air inlets/outlets are blocked.	Increase the fan speed. Check for and remove any obstructions from the air inlets and outlets.
Water leakage.	Water tank cover not securely closed, or unit is tilted.	Ensure the water tank cover is properly sealed. Place the unit on a flat, stable surface and avoid tilting it when filled.
Night light not working.	Light function not activated.	Press and hold the LED Light button for 3 seconds to activate.

Specifications

Feature	Detail
Brand	TLXLT
Model Name	Upgraded Portable Air Conditioners (YP2306)
Product Dimensions	7.2"D x 5.9"W x 12"H (approx. 18.3cm D x 15cm W x 30.5cm H)
Item Weight	2.31 pounds (approx. 1.05 kg)
Color	Black
Mounting Type	Freestanding
Air Flow Capacity	500 Cubic Feet Per Minute

Feature	Detail
Controls Type	Button
Reservoir Capacity	1200 Milliliters
Operation Mode	Manual
Power Input	USB (5V 2A adapter recommended)
Fan Speeds	3 (Low, Medium, High)
Mist Modes	2 (Low, High)
Night Light	7-Color LED
Timer Settings	2 hours, 4 hours

Warranty & Support

This TLXLT Portable Evaporative Air Cooler (Model YP2306) comes with a **1-year warranty** from the date of purchase.
For technical support, warranty claims, or any questions regarding your product, please contact TLXLT customer service through the retailer where the product was purchased or refer to the contact information provided on the product packaging.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question