

[Manuals.plus](#) /

› [LUMISOL](#) /

› LUMISOL 24-Inch Bathroom Vanity with Ceramic Sink (Model x03) - Instruction Manual

LUMISOL x03

LUMISOL 24-Inch Bathroom Vanity with Ceramic Sink (Model x03)

Instruction Manual

1. IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before assembly and installation. Keep this manual for future reference. Failure to follow these instructions may result in injury or damage to the product.

- Always use appropriate safety gear, including gloves and eye protection, during assembly.
- Ensure all parts are present and undamaged before beginning assembly. Contact customer support immediately if any parts are missing or defective.
- Do not overtighten screws, as this may damage the material.
- This vanity is designed for bathroom use. Do not use it for purposes other than its intended use.
- The vanity has a weight capacity of 300 lbs. Do not exceed this limit.

2. PACKAGE CONTENTS

Verify that all components listed below are included in your package. If any items are missing, please contact LUMISOL customer service.

- Vanity Cabinet Base
- Ceramic Sink Top
- Hardware Pack (screws, hinges, handles)
- Instruction Manual



Image: Exploded view showing all components of the vanity, including the cabinet base, ceramic sink, and various hardware pieces for assembly.

3. SETUP AND ASSEMBLY

This vanity requires full assembly. It is recommended that two people assemble the unit for ease and safety. All necessary tools are included.

3.1 Before You Begin

- Clear a spacious, clean, and level area for assembly.
- Unpack all components and lay them out, comparing them with the parts list.
- Ensure you have access to a 4-inch center-set faucet (not included) for installation with the sink.

3.2 Assembly Steps

1. Attach the cabinet legs to the base of the vanity cabinet using the provided screws.
2. Assemble the cabinet frame according to the diagrams, ensuring all panels are securely fastened.

3. Install the adjustable soft-close hinges onto the cabinet doors and then attach the doors to the cabinet frame. Adjust hinges as needed for proper door alignment.
4. Insert the interior storage shelf into the desired position within the cabinet.
5. Attach the vintage handles to the cabinet doors.
6. Carefully place the ceramic sink top onto the assembled cabinet base. Ensure it is properly aligned with the plumbing access holes.
7. Connect your faucet and plumbing (not included) through the pre-drilled holes in the sink and the plumbing access holes in the cabinet.



Image: Detailed view highlighting the pre-drilled plumbing access holes in the ceramic sink and the corresponding cutouts in the back panel of the vanity cabinet for easy installation of water lines and drain.

4. OPERATING INSTRUCTIONS

The LUMISOL bathroom vanity is designed for practical storage and daily use.

- **Storage:** Utilize the spacious interior cabinet and adjustable shelf to organize bathroom essentials. The soft-

close hinges ensure quiet and gentle closing of the doors.

- **Sink Use:** The ceramic sink is designed for standard bathroom use. The overflow protection helps prevent water spillage.

Separate Basin Sink



Plumping
Access Holes



Image: The vanity with both doors open, revealing the interior storage shelf and ample space for various bathroom items, demonstrating its functional design.

5. MAINTENANCE AND CARE

Proper care will ensure the longevity and appearance of your LUMISOL vanity.

- **Cleaning the Sink:** Wipe or rinse the ceramic sink after each use to prevent water spots and soap scum buildup. Use a mild, non-abrasive cleaner and a soft cloth.
- **Cleaning the Cabinet:** Wipe the cabinet surfaces with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners that could damage the finish.
- **Spills:** Immediately wipe up any spills on the wood surfaces to prevent water damage.
- **Hinges:** Periodically check the soft-close hinges for proper function and adjust if necessary.

6. TROUBLESHOOTING

If you encounter any issues with your vanity, refer to the following common solutions:

- **Doors not closing properly:** Check the soft-close hinges. They may need adjustment. Ensure the vanity is on a level surface.
- **Water leakage from sink:** Verify that all plumbing connections (faucet, drain) are securely tightened and properly sealed. Consult a professional plumber if necessary.
- **Wobbly cabinet:** Ensure all assembly screws are tightened. Check that the vanity is placed on a flat, stable surface. Adjust leg levelers if present.

For issues not covered here, please contact LUMISOL customer support.

7. SPECIFICATIONS

Detailed specifications for the LUMISOL 24-Inch Bathroom Vanity (Model x03).

Feature	Detail
Model Number	x03
Overall Dimensions (L x W x H)	24" x 18.1" x 33.7"
Cabinet Base Dimensions (L x W x H)	23.5" x 17.8" x 32.9"
Sink Top Dimensions (L x W x H)	24" x 18.1" x 6.89"
Sink Inner Dimensions (L x W)	18.5" x 11.02"
Vanity Weight Capacity	300 LBS
Overall Product Weight	66.14 LBS
Color	Green
Vanity Material	Solid Wood + MDF Board
Sink Material	Ceramic
Faucet Mount	Centre 4" (faucet not included)
Number of Doors	2
Number of Drawers	0
Assembly Required	Yes (Full Assembly)
Country of Origin	Viet Nam



Image: Technical drawing illustrating all key dimensions of the vanity, including overall height, width, depth, and internal measurements of the cabinet and sink.

8. WARRANTY AND SUPPORT

For specific warranty information regarding your LUMISOL 24-Inch Bathroom Vanity, please refer to the

documentation provided at the time of purchase or contact the seller directly.

If you require technical assistance, have questions about assembly, or need to report missing/damaged parts, please contact LUMISOL customer support or the retailer from whom you purchased the product. Please have your model number (x03) and purchase date available when contacting support.

© 2023 LUMISOL. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0DSKSZF3G>

More documents and user manuals: <https://manuals.plus/>