

[Manuals.plus](#) /

› [NEWYES](#) /

› NEWYES Tattoo Stencil Printer LD0803 User Manual

NEWYES LD0803

NEWYES Tattoo Stencil Printer LD0803 User Manual

Model: LD0803

[Introduction](#)

[Safety Information](#)

[Package Contents](#)

[Setup](#)

[Operation](#)

[Maintenance](#)

[Troubleshooting](#)

[Specifications](#)

[Warranty & Support](#)

1. INTRODUCTION

The NEWYES LD0803 Tattoo Stencil Printer is a wireless, portable thermal printer designed for creating clear and accurate tattoo stencils. It supports various devices and operating systems, offering convenience for tattoo artists and beginners. This manual provides instructions for safe and effective use of the device.



Image: The NEWYES Tattoo Stencil Printer LD0803, a compact black device.

2. SAFETY INFORMATION

- Keep the device out of reach of children.
- Do not use the printer in damp environments.
- Avoid contact with water or other conductive liquids to prevent electric shock.
- Protect the printer from severe impacts and drops to prevent internal damage.
- Do not disassemble the printer unless you are a professionally trained maintenance person. Unauthorized disassembly may cause irreparable damage and void the warranty.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- Tattoo Stencil Printer x1
- Tattoo Transfer Paper x10
- Charging Cable x1
- Computer Driver Disc x1
- Package Box x1

4. SETUP

4.1 Powering On and Charging

Ensure the printer is charged before first use. Connect the charging cable to the printer and a power source. The power indicator light will show charging status.





Image: The printer connected to a power source via its charging cable.

4.2 Paper Loading

The printer features automatic paper feeding. Simply place the transfer paper into the paper tray, and the printer will sense and draw in the paper. This design prevents wrinkling during the printing process.



Automatically feeds paper, eliminating the need to open the cover for paper loading
With no paper jams and minimal noise. Offer efficient printing and a quiet atmosphere

Image: Demonstration of the automatic paper feeding mechanism.

4.3 Driver Installation (for PC)

For computer connections, a USB drive containing the necessary drivers is included. Insert the USB drive and follow the on-screen instructions to complete the driver installation. No internet download is required.

4.4 Device Compatibility

The printer is compatible with various devices and operating systems, including:

- Mobile Phones (iOS, Android)
- Tablets (iPadOS, Android)
- Computers (Windows, Mac OS, Linux, Chrome OS)

Compatible with multiple devices



Image: Visual representation of the printer's compatibility with various devices.

4.5 Initial Use Overview

The following video provides a general overview of how the NEWYES Tattoo Stencil Printer operates.

Your browser does not support the video tag.

Video: A demonstration of the NEWYES Tattoo Stencil Printer's basic functionality and workflow.

5. OPERATION

5.1 Connecting to Devices

Connect the printer to your mobile phone, tablet, or computer via Bluetooth or USB. The dedicated TattooGo app (available for iOS and Android) facilitates wireless printing.




Image: Visual guide showing Bluetooth connection for mobile devices and USB connection for computers.

5.2 Printing a Stencil

1. Prepare the transfer paper: Tear off the yellow backing paper and remove the transparent paper.
2. Turn on the printer and lay the transfer paper flat in the printer's input slot. The printer will automatically feed the paper.
3. Using the TattooGo app or your computer software, select your desired tattoo design.
4. Adjust print settings (e.g., density) as needed.
5. Initiate the print command. The printer will produce a clear stencil with matte effect.




Image: Step-by-step visual instructions for preparing and loading tattoo transfer paper.

5.3 Applying the Stencil

1. Apply tattoo transfer cream to the skin area where the tattoo will be placed.
2. Carefully apply the printed transfer paper to the prepared skin.
3. Gently and slowly remove the transfer paper to reveal the stencil on the skin.



Image: Step-by-step visual instructions for transferring the tattoo stencil to the skin.

5.4 Print Quality and Speed

The printer is designed for superior print quality, producing clear lines and a matte effect for detailed designs. It operates silently and efficiently.




Image: A tattoo artist using the NEWYES printer to create a stencil.



Image: A visual comparison highlighting the superior print quality of the NEWYES printer.

5.5 Operational Demonstrations

Observe the printer in action for various operational aspects:

Your browser does not support the video tag.

Video: Demonstrating the premium printing quality for tattoo stencils.

Your browser does not support the video tag.

Video: A general overview of the NEWYES Tattoo Stencil Printer's features and use.

Your browser does not support the video tag.

Video: Highlighting the convenience and ease of use of the tattoo stencil printer.

Your browser does not support the video tag.

Video: A quick demonstration of the tattoo stencil printing process.

6. MAINTENANCE

6.1 Cleaning

To maintain optimal performance, regularly clean the paper path and exterior of the printer with a soft, dry cloth. Avoid using abrasive cleaners or solvents.

6.2 Storage

Store the printer in a cool, dry place away from direct sunlight and extreme temperatures. When not in use for extended periods, ensure the device is fully charged and powered off.

7. TROUBLESHOOTING

7.1 Poor Print Quality

- Ensure the transfer paper is loaded correctly and is not wrinkled.
- Check the print density settings in the app/software; adjust to a darker setting if prints are too light.
- Verify that the printer's thermal head is clean.

7.2 Connectivity Issues

- For Bluetooth connections, ensure the printer is discoverable and within range of your device.
- For USB connections, confirm that the correct drivers are installed on your computer.
- Restart both the printer and the connected device.

7.3 Paper Jam

- Power off the printer.
- Gently pull out any jammed paper. Avoid tearing the paper inside the printer.
- Ensure paper is loaded flat and correctly for automatic feeding.

8. SPECIFICATIONS

Feature	Detail
Brand	NEWYES
Model Number	LD0803
Color	Black
Item Weight	0.92 Kilograms
Print Media	Paper (plain)
Specific Uses For Product	Tattoo Artists & Beginners
Manufacturer	NEWYES
Unit Count	1.0 Count

The following video provides a comparison of the NEWYES printer's features against other options.

Your browser does not support the video tag.

Video: A comparative overview highlighting the advantages of the NEWYES Tattoo Stencil Printer.

9. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation included with your product or visit the official NEWYES website. Keep your purchase receipt for warranty claims.