

Raflow SJJ2025

Raflow Standing Misters for Outside Patio

Model: SJJ2025

INTRODUCTION

The Raflow Standing Misters system provides an effective and portable solution for outdoor cooling. This system is designed to create a comfortable mist environment, ideal for patios, gardens, backyards, pools, and other outdoor spaces. Its flexible design and easy setup make it suitable for various applications, helping to reduce ambient temperatures on hot days.

Key features include:

- **360° Adjustable Flexible Mist Tube:** Allows precise control over the misting direction.
- **Upgraded Larger Stand Base:** Ensures stability and prevents tilting.
- **Effective Leak-Proof Design:** Features 4 brass spray nozzles and a structural design to minimize leaks.
- **Anti-Clogging Filters:** Two layers of filter screens at the interface and spray tube prevent blockages.
- **Easy Installation and Use:** Designed for quick assembly and straightforward operation.

PACKAGE CONTENTS

Before installation, please verify that all components are present:

- Spray tube (with integrated flexible mist tubes and nozzles)
- PU water pipe (main hose)
- Base
- Extension tube
- Brass nozzle (spare)
- Plug
- Waterproof tape
- Small wrench

How to install

Usage steps



Image: All components of the Raflow Standing Misters system, including the spray tube, water pipe, base, extension tube, spare nozzle, plug, waterproof tape, and wrench.

SETUP AND INSTALLATION

Follow these steps to assemble and install your Raflow Standing Misters:

1. **Prepare the Spray Tube:** Wrap the threads of the spray tube with the provided waterproof tape to ensure a secure, leak-free connection.
2. **Prepare the Nozzles:** If necessary, wrap the threads of the brass spray nozzles with waterproof tape.
3. **Tighten Connections:** Use the small wrench to securely tighten all connections on the spray tube.
4. **Attach the Base:** Connect the spray tube assembly to the base. Ensure it clicks into place or is firmly screwed.
5. **Connect to Water Source:** Attach the PU water pipe to your outdoor faucet. Ensure the connection is tight to prevent leaks.
6. **Turn On Water:** Slowly turn on the faucet to begin misting. Adjust the water flow as needed.

Package Includes



Image: Visual guide for installing the Raflow Standing Misters, detailing each step from preparing connections to turning on the water.

Installation Video

Your browser does not support the video tag.

Video: An official seller video demonstrating the installation process of the Rafow Standing Misters for outdoor patio cooling.

OPERATING INSTRUCTIONS

Once installed, operating your Rafow Misting System is simple:

- **Adjust Mist Tubes:** The flexible mist tubes can be bent and rotated 360° to direct the mist precisely where needed. Adjust them to cover your desired cooling area.
- **Control Water Flow:** Use the faucet to control the water pressure and mist intensity. A higher flow will produce a denser mist.
- **Connect Multiple Units:** For larger areas, multiple Rafow Misting Systems can be connected in series to expand coverage. Use appropriate connectors (not included) if shunting is required.

Extendable Tube



Max height
31.5in/80cm

Image: The flexible mist tubes of the Raflow Misting System can be adjusted 360 degrees to direct mist. The system has a maximum height of 31.5 inches (80 cm).



Connectable Standing-up Misting System

Image: A visual representation of connecting multiple Raflow Standing Misters to expand the cooling area.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your misting system:

- **Nozzle Cleaning:** Periodically inspect the brass nozzles for mineral buildup or debris. If clogging occurs, carefully remove the nozzles and clean them with a small brush or by soaking them in a descaling solution (e.g., vinegar).

- **Filter Inspection:** Check the two layers of filter screens at the water pipe interface and within the spray tube for any accumulated particles. Clean or rinse them as needed to prevent clogging and maintain consistent misting.
- **Winterization:** Before freezing temperatures, disconnect the system from the water source, drain all water from the pipes and nozzles, and store the unit in a dry, protected area to prevent damage.

Upgrade Misting Nozzle & Filter

Effectively Leakproof And Prevent Clogging



Brass Nozzle



Filter Net



Great Misting Effect

Image: Detailed view of the brass nozzle and internal filter net, which are crucial for preventing clogs and leaks.

TROUBLESHOOTING

If you encounter issues with your Rafow Misting System, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No mist or weak mist	Low water pressure, clogged nozzles, clogged filters, kinked hose.	Ensure faucet is fully open. Clean nozzles and filters. Check water pipe for kinks or blockages.
Leaking connections	Loose connections, insufficient waterproof tape, damaged O-rings.	Tighten all connections using the small wrench. Reapply waterproof tape if necessary. Inspect and replace O-rings if damaged.
Water spraying unevenly	Partially clogged nozzles.	Clean individual nozzles thoroughly.
System unstable or tilting	Uneven ground, base not fully engaged.	Place the system on a flat, stable surface. Ensure the spray tube is securely connected to the base.

SPECIFICATIONS

- **Model Number:** SJJ2025
- **Product Dimensions:** 9.25 x 2.7 x 9.25 inches
- **Item Weight:** 1.52 pounds
- **Maximum Height:** 2.65 FT (31.5 inches / 80 cm)
- **Nozzle Type:** Brass spray nozzles (4 included)
- **Tube Adjustability:** 360° flexible mist tubes
- **Manufacturer:** RAFOW

WARRANTY AND SUPPORT

For warranty information or technical support, please contact the manufacturer, Rafow, or your retailer directly. Keep your purchase receipt as proof of purchase.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question