

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Outsunny](#) /

› [Outsunny 8' x 6' Outdoor Storage Shed Instruction Manual](#)

Outsunny 845-331V01CG

Outsunny 8' x 6' Outdoor Storage Shed Instruction Manual

Brand: Outsunny | Model: 845-331V01CG

1. PRODUCT OVERVIEW

The Outsunny 8' x 6' Outdoor Storage Shed is an extra-large metal garden shed designed to provide ample and secure storage for your outdoor tools and equipment. Constructed from heavy-duty galvanized steel, it offers robust protection against various weather conditions. The shed features double lockable doors for enhanced security, a window for natural light, and four vents to prevent moisture and odors.

Key Features:

- **Extra Large Capacity:** Offers 44 square feet of storage space with high walls, suitable for large items like lawnmowers, ATVs, or snowmobiles.
- **Secure Double Doors:** Equipped with a lockable latch for added security of your stored items.
- **Natural Light & Ventilation:** Includes a cottage-style window for natural light and four vents to ensure proper air circulation, preventing moisture and smells.
- **All-Season Durability:** Made from strong, galvanized steel to withstand year-round weather conditions.
- **Sloped Roof Design:** The striped and slanted galvanized steel roof facilitates water runoff, extending the shed's lifespan.



Figure 1.1: The Outsunny 8' x 6' Outdoor Storage Shed with its double doors open, showcasing its spacious interior suitable for various garden tools and equipment.



Figure 1.2: An angled view of the shed, highlighting the side window and the wide access provided by the double doors.

2. SAFETY INFORMATION

WARNING: Failure to follow these safety instructions may result in serious injury or property damage.

- Do not attempt to assemble or use the shed alone. It is recommended that 2-3 people install it together.
- Ensure proper anchoring to the ground to prevent tipping, especially in windy conditions.
- Follow the assembly instructions carefully and do not deviate from the specified steps.
- Wear appropriate personal protective equipment (PPE) during assembly, such as gloves and eye protection.
- Keep children and pets away from the assembly area.
- Do not store flammable materials or hazardous chemicals inside the shed unless properly contained and ventilated.
- Regularly inspect the shed for any signs of damage or wear, and address them promptly.

3. COMPONENTS LIST

Before beginning assembly, ensure all parts are present and undamaged. Refer to the packing list provided with your shed for exact quantities and part numbers. Typical components include:

- Roof Panels (Galvanized Steel)
- Wall Panels (Galvanized Steel)
- Door Panels (Double Doors)
- Window Frame and Panes
- Gable Panels with Vents
- Frame Components (Metal Beams, Supports)
- Hardware (Screws, Nuts, Bolts, Washers, Anchors)
- Door Latch Mechanism
- Corner Protectors and Trim

4. SETUP AND ASSEMBLY

Assembly of the Outsunny storage shed requires careful attention to detail and is best performed by 2-3 people. A level foundation is crucial for proper alignment and stability. Floor foundation is not included and must be prepared separately.

Assembly Steps:

1. **Prepare the Foundation:** Ensure the ground is level and stable. The shed's overall dimensions are 102" L x 69.3" W x 90.6" H. The inner storage area is 94.5" L x 60.2" W, with a bottom area of 44 sq ft.
2. **Assemble the Base Frame:** Connect the base frame components according to the provided diagrams. Ensure the frame is square and level.
3. **Install Wall Panels:** Attach the galvanized steel wall panels to the base frame, working systematically around the perimeter.
4. **Attach Gable Panels and Vents:** Secure the gable panels, which include four vents designed to prevent moisture and smells, to the top of the wall structure.
5. **Install Window:** Carefully install the window into its designated opening. The window allows natural light to enter the shed.
6. **Assemble and Install Roof:** Attach the sloped roof panels. The design helps water and snow slide off, increasing durability.
7. **Install Double Doors:** Mount the double doors and attach the lockable latch mechanism. Ensure smooth operation and proper alignment.
8. **Secure Anchoring:** Once assembled, securely anchor the shed to your prepared foundation to prevent movement or tipping.




Figure 4.1: The shed's galvanized steel structure provides robust protection against elements.



Figure 4.2: The shed features a window for natural light, measuring approximately 2.2 ft by 2.4 ft.



Figure 4.3: Four strategically placed vents ensure proper air circulation within the shed.



Note:

Before purchasing this product, it is recommended to measure the foundation size first.

- Overall dimension
- Bottom
- Inner storage

Bottom Area = 44 ft²

Figure 4.4: The double doors are equipped with a lockable latch for security, with each door measuring approximately 1.9 ft wide and 5.7 ft high.



Figure 4.5: Dimensional diagram illustrating the shed's overall size, bottom area (44 sq ft), and inner storage capacity.



Figure 4.6: The spacious interior allows for organized storage with shelving and ample room for larger items.

Assembly Video:

Your browser does not support the video tag.

Video 4.1: Official Outsunny Garden Shed Storage Assembly Guide. This video provides a visual walkthrough of the shed's features and assembly process, demonstrating its design and functionality.

5. OPERATING INSTRUCTIONS

The Outsunny storage shed is designed for straightforward operation.

- **Opening/Closing Doors:** To open, unlatch the lockable mechanism and slide the double doors outwards. To close, slide the doors back into position and secure the latch.
- **Utilizing the Window:** The fixed window allows natural light to illuminate the interior. It is not designed to open.

- **Ventilation:** The four vents on the gable ends provide continuous passive ventilation. Ensure they are not obstructed to maintain airflow and prevent moisture buildup.
- **Security:** Always use a padlock (not included) with the lockable latch to secure your belongings when the shed is not in use.

6. MAINTENANCE

Regular maintenance will ensure the longevity and optimal performance of your Outsunny storage shed.

- **Cleaning:** Clean the exterior of the shed periodically with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the galvanized steel finish.
- **Inspection:** Annually inspect all screws, bolts, and anchors to ensure they are tight. Re-tighten if necessary. Check for any signs of rust, especially around fasteners or edges.
- **Door and Latch:** Lubricate the door tracks and latch mechanism annually to ensure smooth operation.
- **Ventilation:** Ensure the vents remain clear of debris (leaves, dirt) to maintain proper airflow.
- **Snow Removal:** In areas with heavy snowfall, regularly clear snow from the roof to prevent excessive weight buildup, although the sloped roof is designed to shed snow.

7. TROUBLESHOOTING

Below are common issues and their potential solutions:

Problem	Possible Cause	Solution
Doors do not close or slide smoothly	Uneven foundation; debris in tracks; misaligned panels; lack of lubrication.	Check foundation level and adjust if necessary. Clean tracks. Re-align panels. Lubricate tracks and hinges.
Water leakage inside shed	Improperly sealed seams; damaged roof panels; inadequate anchoring.	Inspect all seams and apply silicone sealant if needed. Check roof panels for damage and replace if necessary. Ensure shed is properly anchored.
Shed feels unstable or wobbly	Insufficient anchoring; loose fasteners; uneven foundation.	Ensure shed is securely anchored to the ground. Tighten all screws and bolts. Verify foundation is level.
Odor or excessive moisture inside	Obstructed vents; lack of air circulation.	Clear any obstructions from the four vents on the gable ends. Ensure proper spacing around the shed for airflow.

8. SPECIFICATIONS

Attribute	Detail
Brand	Outsunny
Model Number	845-331V01CG
Color	Dark Gray
Material	Alloy Steel
Product Dimensions (Overall)	102" L x 69.3" W x 90.6" H (8'6" L x 5'9" W x 7'6.6" H)
Inside Dimensions	94.5" L x 60.2" W (7'10.5" L x 5'0.2" W)
Floor Area	49.3 Square Feet (approx. 44 sq ft inner storage)
Item Weight	176 Pounds
Door Style	Double Doors
Single Door Dimension	22.4" W x 68.5" H (1'10.4" W x 5'8.5" H)
Water Resistance Level	Waterproof
Ultraviolet Light Protection	Yes
Assembly Required	Yes
Manufacturer	Aosom LLC
Country of Origin	China
UPC	196393227473

9. WARRANTY AND SUPPORT

Outsunny products are designed for quality and durability. For specific warranty information regarding your 8' x 6' Outdoor Storage Shed, please refer to the warranty card included with your purchase or visit the official Outsunny website.

Customer Support:

If you encounter any issues during assembly, operation, or maintenance, or if you have questions about your product, please contact Outsunny customer support. You can often find contact information on the packaging, the official brand website, or through the retailer where you purchased the product.

For more information and to explore other Outsunny products, visit the official Outsunny store [Outsunny Brand Store on Amazon](#)