

[Manuals.plus](#) /

› [EUGAD](#) /

› EUGAD Bathroom Vanity Cabinet with Adjustable Shelf, Model 0252WY Instruction Manual

EUGAD 0252WY

EUGAD Bathroom Vanity Cabinet Model 0252WY Instruction Manual

Your guide to assembly, usage, and maintenance.

1. INTRODUCTION

Thank you for choosing the EUGAD Bathroom Vanity Cabinet Model 0252WY. This manual provides essential information for the safe assembly, proper use, and effective maintenance of your new cabinet. Please read these instructions carefully before beginning assembly and retain them for future reference.



Image 1.1: Front view of the EUGAD Bathroom Vanity Cabinet Model 0252WY.

2. SAFETY INFORMATION

- Always follow assembly instructions precisely.
- Ensure all hardware is securely tightened before use. Periodically check and re-tighten as necessary.
- Do not overload drawers or shelves. Refer to specifications for weight limits.
- Keep small parts and packaging materials away from children to prevent choking hazards.
- Place the cabinet on a level, stable surface to prevent tipping.
- Avoid exposing the cabinet to excessive moisture or direct sunlight for prolonged periods.

3. PACKAGE CONTENTS

Before assembly, verify that all components are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Cabinet panels (engineered wood)
- Drawers and drawer slides
- Door and hinges
- Adjustable shelf
- Metal handles

- Adjustable metal feet (5 units)
- Assembly hardware (screws, dowels, etc.)
- Instruction manual

4. ASSEMBLY INSTRUCTIONS

Assembly typically requires basic household tools such as a screwdriver and hammer. Follow the included illustrated guide for detailed, step-by-step instructions.

4.1. Pre-Assembly Checks

- Ensure you have sufficient space for assembly.
- Unpack all components and lay them out on a clean, soft surface to prevent scratches.
- Identify all parts using the provided parts list in the separate assembly guide.

4.2. Siphon Cutout Compatibility

This cabinet features a universal design suitable for sinks with or without a pedestal. The cutout for the siphon measures approximately 20 x 23 cm. Please measure your sink's siphon dimensions to ensure proper fit before assembly.



Image 4.1: Illustration of the siphon cutout dimensions (20x23 cm) and the cabinet's water-resistant surface.

4.3. Adjustable Shelf Installation

The shelf behind the door is adjustable. During assembly, you can position it at one of three heights (6.4 cm up or down from the central position) or remove it entirely to accommodate taller items or a laundry basket.



Image 4.2: View showing the adjustable shelf inside the cabinet and the siphon cutout.

Removable Shelves



Image 4.3: Demonstration of the removable and adjustable shelf feature.

5. OPERATING AND USAGE

The EUGAD Bathroom Vanity Cabinet is designed for organized storage of bathroom essentials. It features three smooth-gliding drawers and two compartments behind a door.



Image 5.1: Illustration of the cabinet's ample storage space, suitable for categorized organization of various bathroom items.

5.1. Drawers

The three drawers operate on metal glides, ensuring smooth and quiet opening and closing. Use them for smaller items like toiletries, cosmetics, or cleaning supplies.

5.2. Door Compartments

The compartment behind the door offers larger storage space. Utilize the adjustable shelf to customize the height for items such as towels, toilet paper, shampoo bottles, or other taller products.



Image 5.2: The cabinet with its door and a drawer open, displaying organized storage of various bathroom products.

6. CARE AND MAINTENANCE

To ensure the longevity and appearance of your EUGAD Bathroom Vanity Cabinet, follow these care guidelines:

- **Cleaning:** Wipe the surfaces with a soft, damp cloth. For stubborn marks, use a mild, non-abrasive cleaner. Dry immediately with a clean cloth.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, solvents, or strong chemical agents, as these can damage the finish.
- **Moisture Protection:** Although the cabinet is moisture-resistant, promptly wipe away any standing water or spills to prevent damage.
- **Hardware Check:** Periodically check all screws and fittings to ensure they remain tight. Re-tighten if necessary.

7. TROUBLESHOOTING

7.1. Drawers Do Not Slide Smoothly

- Check if the drawer slides are properly aligned and securely attached.

- Ensure no objects are obstructing the drawer's path.
- Verify that the cabinet is on a level surface. Adjust the feet if needed.

7.2. Cabinet Appears Unstable

- Confirm all assembly hardware is fully tightened.
- Adjust the five metal feet to ensure the cabinet is level and stable on uneven floors.



Image 7.1: Close-up of the adjustable metal feet, designed for stability on various floor types.

8. SPECIFICATIONS

Feature	Detail
Model Number	0252WY
Brand	EUGAD
Dimensions (L x W x H)	70 x 30 x 60 cm
Siphon Cutout Dimensions	20 x 23 cm
Material	Engineered Wood, Metal
Color	White
Item Weight	15.6 kg
Adjustable Shelf	3 positions (6.4 cm adjustment), removable
Feet	5 adjustable metal feet



Image 8.1: Detailed diagram illustrating the dimensions of the cabinet and its components.

9. WARRANTY AND SUPPORT

For any questions regarding assembly, missing parts, or product functionality, please contact EUGAD customer support. Refer to your purchase documentation for specific warranty details and contact information.